J2
401:B61
1987
c.2

N.C. DOCUMENTS
CLEARINGHOUSE

OCT 11 1988

N.C. STATE LIBRARY
RALEIGH

BASIC AUTOMATED BIRTH YEARBOOK

NORTH CAROLINA RESIDENTS '87



Digitized by the Internet Archive
in 2016

https://archive.org/details/basicautomatedbi1987nort

BASIC AUTOMATED BIRTH YEARBOOK

State Center For Health Statistics
N.C. Department of Human Resources
Division of Health Services

NORTH CAROLINA RESIDENTS '87

1981 STUDENT ANNUAL

YEARBOOK

BIRCH HILL

DETAILED

BASIC

BASIC AUTOMATED BIRTH YEARBOOK

This report, referred to as ***The Baby Book***, contains computerized tables showing statewide counts and percentages for 1987 resident live births classified according to selected infant and maternal characteristics. This volume and corresponding county microfiche are prepared and distributed for the use of family planning programs and other users of baseline birth data.

This year's cover features Jesse Lauren Newton, born November 28, 1987, as photographed by Bill Ellington.

Jesse's mother is Mary Giguere, Industrial Hygiene Consultant with the Occupational Health Branch and her father is David Newton, Industrial Hygiene Consultant with the Environmental Epidemiology Branch.

North Carolina Residents

1987

DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
STATE CENTER FOR HEALTH STATISTICS
POST OFFICE BOX 2091
RALEIGH, NORTH CAROLINA 27602

August 1987

BASIC AUTOMATED BIRTH YEARBOOK
NORTH CAROLINA RESIDENTS
1987

DEFINITIONS

A '***live birth***' is the complete expulsion or extraction from its mother of a product of conception irrespective of the duration of pregnancy, which, after such separation, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or any definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached. (Definition adopted by the World Health Organization in 1950.)

A '***not married***' mother is one who has never been legally married or who has been widowed or legally divorced from her husband in excess of 280 days.

'***Fetal death***' is death prior to complete expulsion or extraction from its mother of the product of conception. A '***previous fetal death***' is delivery of a fetal death prior to the present delivery.

A '***previous live born now dead***' is a live born child who died prior to the present delivery.

'***Birth order***' is the sum of all previous deliveries (live births and fetal deaths) plus the present delivery.

'***Birth weight***' is expressed in grams. A premature birth is defined as a live born infant weighing 2500 grams (5 pounds, 8 ounces) or less at birth, regardless of the period of gestation. (Birth Weight Index recommended by the expert group on prematurity of the World Health Organization, 1950.)

'***Age of mother***' is reported age in completed years at last birthday.

'***Education of mother***' is the number of years of schooling completed at time of the birth.

The '***Apgar score***' is a system for rating the physical condition of newborns. Scores range 0-10 and are a summation of scores 0-2 assigned to each of 5 items: heart rate, respiratory effect, muscle tone, reflex irritability and color. Apgar scores of 0-2 represent severe asphyxia; 3-6, mild to moderate asphyxia; 7-10, rare need for resuscitation. Scores at 5 minutes, as tabulated here, are reportedly more highly associated with mortality and neurologic defects than are scores at 1 minute.

For State tables only, a '***congenital malformation***' is one of two possible malformations reported by the certifier. It is the first-mentioned condition except where the two conditions 'link' as per ICD linkage rules. In such cases, one or the other condition is 'preferred' or the two combined are represented by a third code.

The following categories are tabulated in State tables:

NOMENCLATURE	9TH ICD CODE
No malformation listed	None
Spina bifida	741
Cong. anom. of heart	745, 746
Cleft palate and cleft lip	749
Hypospadias and epispadias	752.6
Deformities of feet (includes clubfoot)	754.5-754.7
Polydactyly	755.0
Down's Syndrome	758.0
All other 740-759	All other

RESIDENCE ALLOCATION

Births are allocated to the usual residence of the mother regardless of the place of occurrence.

RACE ALLOCATION

Two broad categories, 'white' and 'nonwhite' are used. Where one parent is classified as white and the other nonwhite, the birth is classified as nonwhite.

COMPLETENESS OF BIRTH REGISTRATION

Counts and percentages in this report are based on live births filed with the local registrar prior to April and processed in the State office prior to May of the year following the birth. The number filed subsequently is considered negligible for statistical purposes.

INSTRUCTIONS FOR READING THE TABLES

The following page provides an example and instructions for reading the tables of this printout.

- CROSSTABULATION OF - - - - - - - - - - - - - - - - - -

AGE AGE OF MOTHER BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR..
MS MARITAL STATUS VALUE.. 1 LEGITIMATE
RACE VALUE.. 1 WHITE

- PAGE 2 OF 3

		WT		
	COUNT / ROW PCT / COL PCT	2500 GMS OR LESS (1)	OVER 2500 GMS (2)	ROW TOTAL
AGE				
	20	355	2150	2505
		14.2	85.8	9.5
		10.4	9.4	
	21	275	1855	2130
		12.9	87.1	8.1
		8.0	8.1	
	22	209	1615	1824
		11.5	88.5	6.9
		6.1	7.0	
	23	175	1420	1595
		11.0	89.0	6.1
		5.1	6.2	
	24	177	1190	1367
		12.9	87.1	5.2
		5.2	5.2	
25 - 29	25	503	3990	4493
		11.2	88.8	17.1
		14.7	17.4	
30 - 34	26	216	1678	1894
		11.4	88.6	7.2
		6.3	7.3	
35 - 39	27	97	685	782
		12.4	87.6	3.0
		2.8	3.0	
40 - 44	28	35	199	234
		15.0	85.0	0.9
		1.0	0.9	
	COLUMN TOTAL	3425	22925	26350
		13.0	87.0	100.0

(CONTINUED)

INSTRUCTIONS FOR READING THE TABLES

TABLES PRODUCED BY THE STATISTICAL PACKAGE FOR THE SOCIAL SCIENCES (SPSS) HAVE THREE PARTITIONS WHICH ARE SEPARATED BY ROWS OF DASHES. THE FIRST PARTITION, ABOVE THE DASHES, INCLUDES A TITLE AND/OR OTHER INFORMATION. IN THIS EXAMPLE, WE HAVE RESIDENT BIRTHS FOR THE YEAR 0001.

THE SECOND PARTITION, BETWEEN THE TWO ROWS OF DASHES, SHOWS THE VARIABLES ASSOCIATED WITH THE TABLE. IN THIS EXAMPLE, THE TABLE CROSSTABULATES 'AGE OF MOTHER' AND 'BIRTH WEIGHT IN GRAMS' FOR LEGITIMATE WHITE BIRTHS. THIS TABLE WILL BE PRINTED ON 3 PAGES OF WHICH THIS IS THE SECOND (PAGE 2 OF 3).

THE THIRD PARTITION IS THE TABLE ITSELF. THE LOWER RIGHT HAND NUMBER IS THE TOTAL NUMBER OF EVENTS SHOWN IN THE ENTIRE TABLE. IN THIS EXAMPLE, A TOTAL OF 26350 BIRTHS ARE TABULATED IN THE 3-PAGE TABLE.

AT THE LEFT OF THE TABLE IS THE ROW VARIABLE 'AGE' (AGE OF MOTHER) AND ITS VALUES. AT THE RIGHT ARE THE ROW COUNTS AND PERCENTS. FOR EXAMPLE, THERE WERE 2505 LEGITIMATE WHITE BIRTHS TO WOMEN AGE 20 AND THESE CONSTITUTED 9.5 PERCENT OF 26350 LEGITIMATE WHITE BIRTHS.

AT THE TOP OF THE TABLE IS THE COLUMN VARIABLE 'WT' (BIRTH WEIGHT IN GRAMS) AND ITS VALUES. AT THE BOTTOM ARE THE COLUMN COUNTS AND PERCENTS. FOR EXAMPLE, THERE WERE 3425 LEGITIMATE WHITE BIRTHS THAT WEIGHED 2500 GMS OR LESS AND THESE CONSTITUTED 13.0 PERCENT OF THE 26350 LEGITIMATE WHITE BIRTHS.

THE BODY OF THE TABLE IS DIVIDED INTO CELLS, EACH CONTAINING THREE NUMBERS. THE FIRST NUMBER IS THE COUNT (E.G., THE NUMBER OF BIRTHS FOR THE SPECIFIED AGE AND BIRTH WEIGHT). THE SECOND NUMBER IS THE ROW PERCENT (E.G., THE PERCENTAGE OF THE SPECIFIED AGE GROUP THAT WERE OF A PARTICULAR BIRTH WEIGHT). THE THIRD NUMBER IS THE COLUMN PERCENT (E.G., THE PERCENTAGE OF THE SPECIFIED BIRTH WEIGHT GROUP THAT WERE BORN TO WOMEN OF A PARTICULAR AGE). TO ILLUSTRATE, IN THE UPPER LEFT CELL ARE THE NUMBERS 355, 14.2 AND 10.4. THIS MEANS THAT

- 355 LEGITIMATE WHITE BIRTHS TO WOMEN AGE 20 HAD A BIRTH WEIGHT OF 2500 GMS OR LESS.
- 14.2 PERCENT OF 2505 LEGITIMATE WHITE BIRTHS TO WOMEN AGE 20 HAD A BIRTH WEIGHT OF 2500 GMS OR LESS.
- 10.4 PERCENT OF 3425 LEGITIMATE WHITE BIRTHS WEIGHING 2500 GMS OR LESS WERE TO WOMEN AGE 20.

TABLE OF CONTENTS

LISTING OF CROSSTABULATIONS OF RESIDENT LIVE BIRTHS

TABLE

1. AGE OF MOTHER BY BIRTH ORDER BY MARITAL STATUS BY RACE 1
   (AGE/BTH ORDR/MS/RACE)

2. AGE OF MOTHER BY BIRTH ORDER BY RACE 12
   (AGE/BTH ORDR/RACE)

3. AGE OF MOTHER BY BIRTH WEIGHT BY RACE 21
   (AGE/BTH WT/RACE)

4. EDUCATION OF MOTHER BY BIRTH ORDER BY RACE 30
   (ED/BTH ORDR/RACE)

5. MONTH PRENATAL CARE BEGAN BY EDUCATION OF MOTHER BY RACE 33
   (MPCB/ED/RACE)

6. MONTH PRENATAL CARE BEGAN BY AGE OF MOTHER BY RACE 39
   (MPCB/AGE/RACE)

7. MONTH PRENATAL CARE BEGAN BY MARITAL STATUS BY RACE 51
   (MPCB/MS/RACE)

8. MONTH PRENATAL CARE BEGAN BY BIRTH ORDER BY RACE 57
   (MPCB/BTH ORDR/RACE)

9. MONTH PRENATAL CARE BEGAN BY BIRTH WEIGHT BY RACE 63
   (MPCB/BTH WT/RACE)

10. NUMBER OF PRENATAL VISITS BY EDUCATION OF MOTHER BY RACE 69
    (PRENTL VSTS/ED/RACE)

11. NUMBER OF PRENATAL VISITS BY AGE OF MOTHER BY RACE 75
    (PRENTL VSTS/AGE/RACE)

12. NUMBER OF PRENATAL VISITS BY MARITAL STATUS BY RACE 87
    (PRENTL VSTS/MS/RACE)

13. NUMBER OF PRENATAL VISITS BY BIRTH ORDER BY RACE 93
    (PRENTL VSTS/BTH ORDR/RACE)

14. NUMBER OF PRENATAL VISITS BY BIRTH WEIGHT BY RACE 99
    (PRENTL VSTS/BTH WT/RACE)

15. MONTH PRENATAL CARE BEGAN BY NUMBER OF PRENATAL VISITS BY RACE 105
    (MPCB/PRENTL VSTS/RACE)

16. PREVIOUS LIVE BORN NOW DEAD BY RACE 117
(PREV LB NOW DEAD/RACE)

17. PREVIOUS FETAL DEATHS BY RACE 118
(PREV FTL DTHS/RACE)

18. APGAR SCORE (5 MIN) BY AGE OF MOTHER BY RACE 120
(APGAR5/AGE/RACE)

19. APGAR SCORE (5 MIN) BY EDUCATION OF MOTHER BY RACE 132
(APGAR5/EDUC/RACE)

20. CONGENITAL MALFORMATION BY AGE OF MOTHER BY RACE *** IN STATE BABYBOOK ONLY *** . . . 138
(MAL/AGE/RACE)

21. CONGENITAL MALFORMATION BY EDUCATION OF MOTHER BY RACE *** IN STATE BABYBOOK ONLY *** . . . 144
(MAL/EDUC/RACE)

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..

STATUS MARITAL STATUS OF MOTHER VALUE.. 1 MARRIED

RACE VALUE.. 1 WHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
13		3										3
		100.0										.0
		.0										
14		13										13
		100.0										.0
		.1										
15		97	7									104
		93.3	6.7									.2
		.4	.0									
16		330	43	4	1	1						379
		87.1	11.3	1.1	.3	.3						.7
		1.5	.2	.0	.0	.1						
17		676	144	17	1	1					2	841
		80.4	17.1	2.0	.1	.1					.2	1.5
		3.0	.7	.2	.0	.1					8.3	
18		1073	362	60	7	3						1505
		71.3	24.1	4.0	.5	.2						2.6
		4.8	1.8	.6	.2	.2						
19		1420	597	133	26	5	2				2	2185
		65.0	27.3	6.1	1.2	.2	.1				.1	3.8
		6.4	3.0	1.4	.7	.4	.4				8.3	
20		1584	937	281	58	16	3		1		2	2882
		55.0	32.5	9.8	2.0	.6	.1		.0		.1	5.0
		7.1	4.7	3.0	1.7	1.2	.6		1.2		8.3	
21		1618	1115	381	88	14	2	1			1	3220
		50.2	34.6	11.8	2.7	.4	.1	.0			.0	5.6
		7.3	5.6	4.0	2.5	1.1	.4	.5			4.2	
(CONTINUED)	COLUMN TOTAL	22183	19741	9422	3513	1322	506	198	82	100	24	57091
		38.9	34.6	16.5	6.2	2.3	.9	.3	.1	.2	.0	100.0

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..

STATUS MARITAL STATUS OF MOTHER VALUE.. 1 MARRIED

RACE VALUE.. 1 WHITE

AGE	BO / COUNT / ROW PCT / COL PCT	1 1ST	2 2ND	3 3RD	4 4TH	5 5TH	6 6TH	7 7TH	8 8TH	9 9TH AND OVER	10 NOT STATED	ROW TOTAL
	22	1641	1271	422	103	26	12	1		1		3477
		47.2	36.6	12.1	3.0	.7	.3	.0		.0		6.1
		7.4	6.4	4.5	2.9	2.0	2.4	.5		1.0		
	23	1600	1342	501	143	40	10	9	3		3	3651
		43.8	36.8	13.7	3.9	1.1	.3	.2	.1		.1	6.4
		7.2	6.8	5.3	4.1	3.0	2.0	4.5	3.7		12.5	
	24	1633	1340	603	170	53	18	6	3	5	1	3832
		42.6	35.0	15.7	4.4	1.4	.5	.2	.1	.1	.0	6.7
		7.4	6.8	6.4	4.8	4.0	3.6	3.0	3.7	5.0	4.2	
	25	7038	7114	3313	1182	423	139	41	24	15	9	19298
25 - 29		36.5	36.9	17.2	6.1	2.2	.7	.2	.1	.1	.0	33.8
		31.7	36.0	35.2	33.6	32.0	27.5	20.7	29.3	15.0	37.5	
	26	2844	4360	2778	1199	451	179	77	25	25	3	11941
30 - 34		23.8	36.5	23.3	10.0	3.8	1.5	.6	.2	.2	.0	20.9
		12.8	22.1	29.5	34.1	34.1	35.4	38.9	30.5	25.0	12.5	
	27	570	1021	851	474	236	111	57	21	34		3375
35 - 39		16.9	30.3	25.2	14.0	7.0	3.3	1.7	.6	1.0		5.9
		2.6	5.2	9.0	13.5	17.9	21.9	28.8	25.6	34.0		
	28	39	84	76	58	49	28	5	4	20	1	364
40 - 44		10.7	23.1	20.9	15.9	13.5	7.7	1.4	1.1	5.5	.3	.6
		.2	.4	.8	1.7	3.7	5.5	2.5	4.9	20.0	4.2	
	29	2	4	1	3	4	2	1	1			18
45 AND OVER		11.1	22.2	5.6	16.7	22.2	11.1	5.6	5.6			.0
		.0	.0	.0	.1	.3	.4	.5	1.2			
	30	2		1								3
NOT STATED		66.7		33.3								.0
		.0		.0								
	COLUMN TOTAL	22183	19741	9422	3513	1322	506	198	82	100	24	57091
		38.9	34.6	16.5	6.2	2.3	.9	.3	.1	.2	.0	100.0

CROSSTABULATION OF

CONTROLLING FOR..
AGE AGE OF MOTHER BY BC BIRTH ORDER
STATUS MARITAL STATUS OF MOTHER VALUE.. 2 NOT MARRIED
RACE VALUE.. 1 WHITE

AGE	COUNT / ROW PCT / COL PCT	BC 1 1ST	2 2ND	3 3RD	4 4TH	5 5TH	6 6TH	7 7TH	8 8TH	9 9TH AND OVER	10 NOT STATED	ROW TOTAL
12		2										2
		100.0										.0
		.0										
13		6										6
		100.0										.1
		.1										
14		52	1									53
		98.1	1.9									.8
		1.3	.1									
15		174	4									178
		97.8	2.2									2.6
		4.3	.3									
16		416	19	1								436
		95.4	4.4	.2								6.4
		10.2	1.2	.1								
17		583	68	5	4						2	662
		88.1	10.3	.8	.6						.3	9.8
		14.3	4.4	.7	1.5						22.2	
18		608	112	18								738
		82.4	15.2	2.4								10.9
		14.9	7.3	2.7								
19		526	136	27	6						1	696
		75.6	19.5	3.9	.9						.1	10.3
		12.9	8.8	4.0	2.2						11.1	
20		405	163	50	10	5	1					634
		63.9	25.7	7.9	1.6	.8	.2					9.4
		9.9	10.6	7.4	3.7	4.2	2.2					
(CONTINUED)	COLUMN TOTAL	4087	1540	672	272	120	46	18	8	6	9	6780
		60.3	22.7	9.9	4.0	1.8	.7	.3	.1	.1	.1	100.0

TABLE 1

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..
STATUS MARITAL STATUS OF MOTHER VALUE.. 2 NOT MARRIED
RACE VALUE.. 1 WHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1 1ST	2 2ND	3 3RD	4 4TH	5 5TH	6 6TH	7 7TH	8 8TH	9 9TH AND OVER	9 NOT STATED	10	ROW TOTAL
	21	293	155	67	17	5	2						539
		54.4	28.8	12.4	3.2	.9	.4						7.9
		7.2	10.1	10.0	6.3	4.2	4.3						
	22	237	163	48	17	3	1	1			1		471
		50.3	34.6	10.2	3.6	.6	.2	.2			.2		6.9
		5.8	10.6	7.1	6.3	2.5	2.2	5.6			11.1		
	23	179	124	62	27	8	2				1		403
		44.4	30.8	15.4	6.7	2.0	.5				.2		5.9
		4.4	8.1	9.2	9.9	6.7	4.3				11.1		
	24	122	112	43	28	16	1	2			2		326
		37.4	34.4	13.2	8.6	4.9	.3	.6			.6		4.8
		3.0	7.3	6.4	10.3	13.3	2.2	11.1			22.2		
	25	343	340	239	97	35	21	5	3	5	2		1090
25 - 29		31.5	31.2	21.9	8.9	3.2	1.9	.5	.3	.5	.2		16.1
		8.4	22.1	35.6	35.7	29.2	45.7	27.8	37.5	62.5	22.2		
	26	107	112	82	47	32	9	4	3	1			397
30 - 34		27.0	28.2	20.7	11.8	8.1	2.3	1.0	.8	.3			5.9
		2.6	7.3	12.2	17.3	26.7	19.6	22.2	37.5	12.5			
	27	29	25	23	16	12	6	6	2	2			121
35 - 39		24.0	20.7	19.0	13.2	9.9	5.0	5.0	1.7	1.7			1.8
		.7	1.6	3.4	5.9	10.0	13.0	33.3	25.0	25.0			
	28	5	6	6	3	4	3						27
40 - 44		18.5	22.2	22.2	11.1	14.8	11.1						.4
		.1	.4	.9	1.1	3.3	6.5						
	29			1									1
45 AND OVER				100.0									.0
				.1									
	COLUMN TOTAL	4087	1540	672	272	120	46	18	8	8	9		6780
		60.3	22.7	9.9	4.0	1.8	.7	.3	.1	.1	.1		100.0

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..

STATUS MARITAL STATUS OF MOTHER VALUE.. 3 NOT STATED

RACE VALUE.. 1 WHITE

AGE	BO 1ST (1)	2ND (2)	NOT STATED (10)	ROW TOTAL
20	1			1
	100.0			20.0
	100.0			
22		2		2
		100.0		40.0
		66.7		
25 - 29		1		1
		100.0		20.0
		33.3		
NOT STATED			1	1
			100.0	20.0
			100.0	
COLUMN TOTAL	1	3	1	5
	20.0	60.0	20.0	100.0

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..

STATUS MARITAL STATUS OF MOTHER VALUE.. 1 MARRIED

RACE VALUE.. 2 NONWHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1 1ST	2 2ND	3 3RD	4 4TH	5 5TH	6 6TH	7 7TH	8 8TH	9 9TH AND OVER	10 NOT STATED	ROW TOTAL
14		1										1
		100.0										.0
		.0										
15		8	4									12
		66.7	33.3									.1
		.2	.1									
16		14	14									28
		50.0	50.0									.2
		.4	.3									
17		41	28	6							1	76
		53.9	36.8	7.9							1.3	.6
		1.2	.7	.2							16.7	
18		91	69	18	5	1						184
		49.5	37.5	9.8	2.7	.5						1.4
		2.8	1.6	.6	.4	.2						
19		218	133	49	9	3	2				1	415
		52.5	32.0	11.8	2.2	.7	.5				.2	3.2
		6.6	3.1	1.7	.6	.5	.6				16.7	
20		256	191	106	27	8	2	1				591
		43.3	32.3	17.9	4.6	1.4	.3	.2				4.5
		7.7	4.5	3.7	1.9	1.2	.6	.8				
21		295	313	150	47	15	4					824
		35.8	38.0	18.2	5.7	1.8	.5					6.3
		8.9	7.3	5.2	3.3	2.3	1.3					
22		280	331	165	60	21	5	1			2	865
		32.4	38.3	19.1	6.9	2.4	.6	.1			.2	6.6
		8.5	7.7	5.7	4.3	3.2	1.6	.8			33.3	
(CONTINUED)	COLUMN TOTAL	3306	4274	2879	1404	647	319	129	78	89	6	13131
		25.2	32.5	21.9	10.7	4.9	2.4	1.0	.6	.7	.0	100.0

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..

STATUS MARITAL STATUS OF MOTHER VALUE.. 1 MARRIED

RACE VALUE.. 2 NONWHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1 1ST	2 2ND	3 3RD	4 4TH	5 5TH	6 6TH	7 7TH	8 8TH	9 9TH AND OVER	10 NOT STATED	ROW TOTAL
	23	260	391	197	84	25	10	1	1			969
		26.8	40.4	20.3	8.7	2.6	1.0	.1	.1			7.4
		7.9	9.1	6.8	6.0	3.9	3.1	.8	1.3			
	24	266	336	210	87	22	7	3	1	1	1	934
		28.5	36.0	22.5	9.3	2.4	.7	.3	.1	.1	.1	7.1
		8.0	7.9	7.3	6.2	3.4	2.2	2.3	1.3	1.1	16.7	
	25	1118	1526	1057	540	237	89	36	20	9	1	4633
25 - 29		24.1	32.9	22.8	11.7	5.1	1.9	.8	.4	.2	.0	35.3
		33.8	35.7	36.7	38.5	36.6	27.9	27.9	25.6	10.1	16.7	
	26	385	744	674	373	219	114	44	31	27		2611
30 - 34		14.7	28.5	25.8	14.3	8.4	4.4	1.7	1.2	1.0		19.9
		11.6	17.4	23.4	26.6	33.8	35.7	34.1	39.7	30.3		
	27	69	176	221	151	83	68	32	19	35		854
35 - 39		8.1	20.6	25.9	17.7	9.7	8.0	3.7	2.2	4.1		6.5
		2.1	4.1	7.7	10.8	12.8	21.3	24.8	24.4	39.3		
	28	4	16	24	21	13	17	10	6	16		127
40 - 44		3.1	12.6	18.9	16.5	10.2	13.4	7.9	4.7	12.6		1.0
		.1	.4	.8	1.5	2.0	5.3	7.8	7.7	18.0		
	29		1	2			1	1		1		6
45 AND OVER			16.7	33.3			16.7	16.7		16.7		.0
			.0	.1			.3	.8		1.1		
	30		1									1
NOT STATED			100.0									.0
			.0									
	COLUMN TOTAL	3306	4274	2879	1404	647	319	129	78	89	6	13131
		25.2	32.5	21.9	10.7	4.9	2.4	1.0	.6	.7	.0	100.0

TABLE 1

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..
STATUS MARITAL STATUS OF MOTHER VALUE.. 2 NOT MARRIED
RACE VALUE.. 2 NONWHITE

AGE	BO COUNT / ROW PCT / COL PCT	1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
11		1										1
		100.0										.0
		.0										
12		10										10
		100.0										.1
		.1										
13		48	1									49
		98.0	2.0									.3
		.6	.0									
14		192	9	1								202
		95.0	4.5	.5								1.2
		2.5	.2	.0								
15		463	43	2								508
		91.1	8.5	.4								3.1
		6.1	1.0	.1								
16		802	145	13	2						1	963
		83.3	15.1	1.3	.2						.1	5.8
		10.5	3.2	.5	.2						11.1	
17		952	265	46	4						1	1268
		75.1	20.9	3.6	.3						.1	7.7
		12.5	5.9	1.9	.4						11.1	
18		993	387	106	18	2						1506
		65.9	25.7	7.0	1.2	.1						9.1
		13.1	8.7	4.4	1.7	.4						
19		985	476	174	39	5	4					1683
		58.5	28.3	10.3	2.3	.3	.2					10.2
		13.0	10.6	7.2	3.6	1.0	1.8					
COLUMN TOTAL		7606	4470	2428	1087	508	219	74	38	32	9	16471
		46.2	27.1	14.7	6.6	3.1	1.3	.4	.2	.2	.1	100.0

(CONTINUED)

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..

STATUS MARITAL STATUS OF MOTHER VALUE.. 2 NOT MARRIED

RACE VALUE.. 2 NONWHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
	20	766	487	239	67	21	4					1584
		48.4	30.7	15.1	4.2	1.3	.3					9.6
		10.1	10.9	9.8	6.2	4.1	1.8					
	21	592	461	244	111	33	12	3	1		2	1459
		40.6	31.6	16.7	7.6	2.3	.8	.2	.1		.1	8.9
		7.8	10.3	10.0	10.2	6.5	5.5	4.1	2.6		22.2	
	22	480	433	254	103	48	13	2	2			1335
		36.0	32.4	19.0	7.7	3.6	1.0	.1	.1			8.1
		6.3	9.7	10.5	9.5	9.4	5.9	2.7	5.3			
	23	329	341	221	103	45	13	2	1	1		1056
		31.2	32.3	20.9	9.8	4.3	1.2	.2	.1	.1		6.4
		4.3	7.6	9.1	9.5	8.9	5.9	2.7	2.6	3.1		
	24	255	282	194	91	43	14	7			1	887
		28.7	31.8	21.9	10.3	4.8	1.6	.8			.1	5.4
		3.4	6.3	8.0	8.4	8.5	6.4	9.5			11.1	
	25	561	813	611	321	156	81	28	15	6	2	2594
25 - 29		21.6	31.3	23.6	12.4	6.0	3.1	1.1	.6	.2	.1	15.7
		7.4	18.2	25.2	29.5	30.7	37.0	37.8	39.5	18.8	22.2	
	26	141	274	253	166	104	52	20	13	16	1	1040
30 - 34		13.6	26.3	24.3	16.0	10.0	5.0	1.9	1.3	1.5	.1	6.3
		1.9	6.1	10.4	15.3	20.5	23.7	27.0	34.2	50.0	11.1	
	27	30	48	64	55	43	20	12	5	7		284
35 - 39		10.6	16.9	22.5	19.4	15.1	7.0	4.2	1.8	2.5		1.7
		.4	1.1	2.6	5.1	8.5	9.1	16.2	13.2	21.9		
	28	4	5	6	7	8	6		1	2		39
40 - 44		10.3	12.8	15.4	17.9	20.5	15.4		2.6	5.1		.2
		.1	.1	.2	.6	1.6	2.7		2.6	6.3		
	COLUMN	7606	4470	2428	1087	508	219	74	38	32	9	16471
(CONTINUED)	TOTAL	46.2	27.1	14.7	6.6	3.1	1.3	.4	.2	.2	.1	100.0

N.C. RESIDENT BIRTHS, 1987
AGE/BTH ORDR/MS/RACE

TABLE 1

CROSSTABULATION OF AGE BY BO
CONTROLLING FOR.. AGE OF MOTHER
MARITAL STATUS OF MOTHER
STATUS VALUE.. 2 NOT MARRIED
RACE VALUE.. 2 NONWHITE

AGE	BO	1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	ROW TOTAL
		1	2	3	4	5	6	7	8	9	10	
NOT STATED	30	2									1	3
		66.7									33.3	.0
		.0									11.1	
COLUMN TOTAL		7606	4470	2428	1087	508	219	74	38	32	9	16471
		46.2	27.1	14.7	6.6	3.1	1.3	.4	.2	.2	.1	100.0

CROSSTABULATION OF AGE AGE OF MOTHER BY BO BIRTH ORDER
CONTROLLING FOR..
STATUS MARITAL STATUS OF MOTHER VALUE.. 3 NOT STATED
RACE VALUE.. 2 NONWHITE

AGE		BO 1ST	NOT STATED	ROW TOTAL
	COUNT	1	1	2
	ROW PCT	50.0	50.0	66.7
24	COL PCT	100.0	50.0	
	COUNT	1	0	1
	ROW PCT	100.0		33.3
	COL PCT	50.0		
30	COUNT	1	1	2
	ROW PCT	50.0	50.0	66.7
	COL PCT	50.0	100.0	
NOT STATED	COUNT	2	1	3
COLUMN TOTAL		66.7	33.3	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

AGE CONTROLLING FOR.. RACE. AGE OF MOTHER BY BO BIRTH ORDER

VALUE = TOTAL

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
11		1										1
		100.0										.0
		.0										
12		12										12
		100.0										.0
		.0										
13		57	1									58
		98.3	1.7									.1
		.2	.0									
14		258	10	1								269
		95.9	3.7	.4								.3
		.7	.0	.0								
15		742	58	2								802
		92.5	7.2	.2								.9
		2.0	.2	.0								
16		1562	221	18	3	1					1	1806
		86.5	12.2	1.0	.2	.1					.1	1.9
		4.2	.7	.1	.0	.0					2.0	
17		2252	505	74	9	1					6	2847
		79.1	17.7	2.6	.3	.0					.2	3.0
		6.1	1.7	.5	.1	.0					12.0	
18		2765	930	202	30	6						3933
		70.3	23.6	5.1	.8	.2						4.2
		7.4	3.1	1.3	.5	.2						
19		3149	1342	383	80	13	8				4	4979
		63.2	27.0	7.7	1.6	.3	.2				.1	5.3
		8.5	4.5	2.5	1.3	.5	.7				8.0	
COLUMN TOTAL		37185	30028	15401	6276	2597	1090	419	206	229	50	93481
		39.8	32.1	16.5	6.7	2.8	1.2	.4	.2	.2	.1	100.0

(CONTINUED)

CROSSTABULATION OF AGE BY BO
CONTROLLING FOR.. AGE OF MOTHER BIRTH ORDER
RACE. VALUE = TOTAL

AGE	COUNT / ROW PCT / COL PCT	BO 1 1ST	2 2ND	3 3RD	4 4TH	5 5TH	6 6TH	7 7TH	8 8TH	9 9TH AND OVER	10 NOT STATED	ROW TOTAL
	20	3012	1778	676	162	50	10	1	1		2	5692
		52.9	31.2	11.9	2.8	.9	.2	.0	.0		.0	6.1
		8.1	5.9	4.4	2.6	1.9	.9	.2	.5		4.0	
	21	2798	2044	842	263	67	20	4	1		3	6042
		46.3	33.8	13.9	4.4	1.1	.3	.1	.0		.0	6.5
		7.5	6.8	5.5	4.2	2.6	1.8	1.0	.5		6.0	
	22	2638	2200	889	283	98	31	5	2	1	3	6150
		42.9	35.8	14.5	4.6	1.6	.5	.1	.0	.0	.0	6.6
		7.1	7.3	5.8	4.5	3.8	2.8	1.2	1.0	.4	6.0	
	23	2368	2198	981	357	118	35	12	5	1	4	6079
		39.0	36.2	16.1	5.9	1.9	.6	.2	.1	.0	.1	6.5
		6.4	7.3	6.4	5.7	4.5	3.2	2.9	2.4	.4	8.0	
	24	2277	2070	1050	376	134	40	18	4	6	5	5980
		38.1	34.6	17.6	6.3	2.2	.7	.3	.1	.1	.1	6.4
		6.1	6.9	6.8	6.0	5.2	3.7	4.3	1.9	2.6	10.0	
	25	9060	9794	5220	2140	851	330	110	62	35	14	27616
25 - 29		32.8	35.5	18.9	7.7	3.1	1.2	.4	.2	.1	.1	29.5
		24.4	32.6	33.9	34.1	32.8	30.3	26.3	30.1	15.3	28.0	
	26	3477	5490	3787	1785	806	354	145	72	69	4	15989
30 - 34		21.7	34.3	23.7	11.2	5.0	2.2	.9	.5	.4	.0	17.1
		9.4	18.3	24.6	28.4	31.0	32.5	34.6	35.0	30.1	8.0	
	27	698	1270	1159	696	374	205	107	47	78		4634
35 - 39		15.1	27.4	25.0	15.0	8.1	4.4	2.3	1.0	1.7		5.0
		1.9	4.2	7.5	11.1	14.4	18.8	25.5	22.8	34.1		
	28	52	111	112	89	74	54	15	11	38	1	557
40 - 44		9.3	19.9	20.1	16.0	13.3	9.7	2.7	2.0	6.8	.2	.6
		.1	.4	.7	1.4	2.8	5.0	3.6	5.3	16.6	2.0	
	COLUMN TOTAL	37185	30028	15401	6276	2597	1090	419	206	229	50	93481
		39.8	32.1	16.5	6.7	2.8	1.2	.4	.2	.2	.1	100.0

(CONTINUED)

TABLE 2

CROSSTABULATION OF AGE BY BO BIRTH ORDER
CONTROLLING FOR.. AGE OF MOTHER
RACE.
VALUE = TOTAL

AGE	BO COUNT ROW PCT COL PCT	1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	ROW TOTAL
		1	2	3	4	5	6	7	8	9	10	
45 AND OVER	29	2	5	4	3	4	3	2	1	1		25
		8.0	20.0	16.0	12.0	16.0	12.0	8.0	4.0	4.0		.0
		.0	.0	.0	.0	.2	.3	.5	.5	.4		
NOT STATED	30	5	1	1							3	10
		50.0	10.0	10.0							30.0	.0
		.0	.0	.0							6.0	
	COLUMN TOTAL	37185 39.8	30028 32.1	15401 16.5	6276 6.7	2597 2.8	1090 1.2	419 .4	206 .2	229 .2	50 .1	93481 100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 2

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR.. RACE VALUE.. 1 WHITE

AGE	BO / COUNT / ROW PCT / COL PCT	1 1ST	2 2ND	3 3RD	4 4TH	5 5TH	6 6TH	7 7TH	8 8TH	9 9TH AND OVER	10 NOT STATED	ROW TOTAL
12		2										2
		100.0										.0
		.0										
13		9										9
		100.0										.0
		.0										
14		65	1									66
		98.5	1.5									.1
		.2	.0									
15		271	11									282
		96.1	3.9									.4
		1.0	.1									
16		746	62	5	1	1						815
		91.5	7.6	.6	.1	.1						1.3
		2.8	.3	.0	.0	.1						
17		1259	212	22	5	1					4	1503
		83.8	14.1	1.5	.3	.1					.3	2.4
		4.8	1.0	.2	.1	.1					11.8	
18		1681	474	78	7	3						2243
		74.9	21.1	3.5	.3	.1						3.5
		6.4	2.2	.8	.2	.2						
19		1946	733	160	32	5	2				3	2881
		67.5	25.4	5.6	1.1	.2	.1				.1	4.5
		7.4	3.4	1.6	.8	.3	.4				8.8	
20		1990	1100	331	68	21	4		1		2	3517
		56.6	31.3	9.4	1.9	.6	.1		.0		.1	5.5
		7.6	5.2	3.3	1.8	1.5	.7		1.1		5.9	
(CONTINUED)	COLUMN TOTAL	26271	21284	10094	3785	1442	552	216	90	108	34	63876
		41.1	33.3	15.8	5.9	2.3	.9	.3	.1	.2	.1	100.0

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

AGE	BO / COUNT / ROW PCT / COL PCT	1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
	21	1911	1270	448	105	19	4	1			1	3759
		50.8	33.8	11.9	2.8	.5	.1	.0			.0	5.9
		7.3	6.0	4.4	2.8	1.3	.7	.5			2.9	
	22	1878	1436	470	120	29	13	2		1	1	3950
		47.5	36.4	11.9	3.0	.7	.3	.1		.0	.0	6.2
		7.1	6.7	4.7	3.2	2.0	2.4	.9		.9	2.9	
	23	1779	1466	563	170	48	12	9	3		4	4054
		43.9	36.2	13.9	4.2	1.2	.3	.2	.1		.1	6.3
		6.8	6.9	5.6	4.5	3.3	2.2	4.2	3.3		11.8	
	24	1755	1452	646	198	69	19	8	3	5	3	4158
		42.2	34.9	15.5	4.8	1.7	.5	.2	.1	.1	.1	6.5
		6.7	6.8	6.4	5.2	4.8	3.4	3.7	3.3	4.6	8.8	
	25	7381	7455	3552	1279	458	160	46	27	20	11	20389
25 - 29		36.2	36.6	17.4	6.3	2.2	.8	.2	.1	.1	.1	31.9
		28.1	35.0	35.2	33.8	31.8	29.0	21.3	30.0	18.5	32.4	
	26	2951	4472	2860	1246	483	188	81	28	26	3	12338
30 - 34		23.9	36.2	23.2	10.1	3.9	1.5	.7	.2	.2	.0	19.3
		11.2	21.0	28.3	32.9	33.5	34.1	37.5	31.1	24.1	8.8	
	27	599	1046	874	490	248	117	63	23	36		3496
35 - 39		17.1	29.9	25.0	14.0	7.1	3.3	1.8	.7	1.0		5.5
		2.3	4.9	8.7	12.9	17.2	21.2	29.2	25.6	33.3		
	28	44	90	82	61	53	31	5	4	20	1	391
40 - 44		11.3	23.0	21.0	15.6	13.6	7.9	1.3	1.0	5.1	.3	.6
		.2	.4	.8	1.6	3.7	5.6	2.3	4.4	18.5	2.9	
	29	2	4	2	3	4	2	1	1			19
45 AND OVER		10.5	21.1	10.5	15.8	21.1	10.5	5.3	5.3			.0
		.0	.0	.0	.1	.3	.4	.5	1.1			
	COLUMN TOTAL	26271	21284	10094	3785	1442	552	216	90	108	34	63876
(CONTINUED)		41.1	33.3	15.8	5.9	2.3	.9	.3	.1	.2	.1	100.0

TABLE 2

CROSSTABULATION OF

AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR.. RACE VALUE.. 1 WHITE

AGE	BO / COUNT / ROW PCT / COL PCT	1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	ROW TOTAL
		1	2	3	4	5	6	7	8	9	10	
NOT STATED	30	2		1							1	4
		50.0		25.0							25.0	.0
		.0		.0							2.9	
	COLUMN TOTAL	26271	21284	10094	3785	1442	552	216	90	108	34	63876
		41.1	33.3	15.8	5.9	2.3	.9	.3	.1	.2	.1	100.0

CROSSTABULATION OF AGE AGE OF MOTHER BY BO BIRTH ORDER
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE
PAGE 1 OF 3

AGE	COUNT / ROW PCT / COL PCT	BO 1 1ST	2 2ND	3 3RD	4 4TH	5 5TH	6 6TH	7 7TH	8 8TH	9 9TH AND OVER	10 NOT STATED	ROW TOTAL
11		1										1
		100.0										.0
		.0										
12		10										10
		100.0										.0
		.1										
13		48	1									49
		98.0	2.0									.2
		.4	.0									
14		193	9	1								203
		95.1	4.4	.5								.7
		1.8	.1	.0								
15		471	47	2								520
		90.6	9.0	.4								1.8
		4.3	.5	.0								
16		816	159	13	2						1	991
		82.3	16.0	1.3	.2						.1	3.3
		7.5	1.8	.2	.1						6.3	
17		993	293	52	4						2	1344
		73.9	21.8	3.9	.3						.1	4.5
		9.1	3.4	1.0	.2						12.5	
18		1084	456	124	23	3						1690
		64.1	27.0	7.3	1.4	.2						5.7
		9.9	5.2	2.3	.9	.3						
19		1203	609	223	48	8	6				1	2098
		57.3	29.0	10.6	2.3	.4	.3				.0	7.1
		11.0	7.0	4.2	1.9	.7	1.1				6.3	
COLUMN TOTAL		10914	8744	5307	2491	1155	538	203	116	121	16	29605
		36.9	29.5	17.9	8.4	3.9	1.8	.7	.4	.4	.1	100.0

(CONTINUED)

CROSSTABULATION OF AGE BY BO BIRTH ORDER
CONTROLLING FOR.. AGE OF MOTHER
RACE VALUE.. 2 NONWHITE
PAGE 2 OF 3

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
20		1022	678	345	94	29	6	1				2175
		47.0	31.2	15.9	4.3	1.3	.3	.0				7.3
		9.4	7.8	6.5	3.8	2.5	1.1	.5				
21		887	774	394	158	48	16	3	1		2	2283
		38.9	33.9	17.3	6.9	2.1	.7	.1	.0		.1	7.7
		8.1	8.9	7.4	6.3	4.2	3.0	1.5	.9		12.5	
22		760	764	419	163	69	18	3	2		2	2200
		34.5	34.7	19.0	7.4	3.1	.8	.1	.1		.1	7.4
		7.0	8.7	7.9	6.5	6.0	3.3	1.5	1.7		12.5	
23		589	732	418	187	70	23	3	2	1		2025
		29.1	36.1	20.6	9.2	3.5	1.1	.1	.1	.0		6.8
		5.4	8.4	7.9	7.5	6.1	4.3	1.5	1.7	.8		
24		522	618	404	178	65	21	10	1	1	2	1822
		28.6	33.9	22.2	9.8	3.6	1.2	.5	.1	.1	.1	6.2
		4.8	7.1	7.6	7.1	5.6	3.9	4.9	.9	.8	12.5	
25		1679	2339	1668	861	393	170	64	35	15	3	7227
25 - 29		23.2	32.4	23.1	11.9	5.4	2.4	.9	.5	.2	.0	24.4
		15.4	26.7	31.4	34.6	34.0	31.6	31.5	30.2	12.4	18.8	
26		526	1018	927	539	323	166	64	44	43	1	3651
30 - 34		14.4	27.9	25.4	14.8	8.8	4.5	1.8	1.2	1.2	.0	12.3
		4.8	11.6	17.5	21.6	28.0	30.9	31.5	37.9	35.5	6.3	
27		99	224	285	206	126	88	44	24	42		1138
35 - 39		8.7	19.7	25.0	18.1	11.1	7.7	3.9	2.1	3.7		3.8
		.9	2.6	5.4	8.3	10.9	16.4	21.7	20.7	34.7		
28		8	21	30	28	21	23	10	7	18		166
40 - 44		4.8	12.7	18.1	16.9	12.7	13.9	6.0	4.2	10.8		.6
		.1	.2	.6	1.1	1.8	4.3	4.9	6.0	14.9		
(CONTINUED)	COLUMN TOTAL	10914	8744	5307	2491	1155	538	203	116	121	16	29605
		36.9	29.5	17.9	8.4	3.9	1.8	.7	.4	.4	.1	100.0

CROSSTABULATION OF AGE BY BO BIRTH ORDER
CONTROLLING FOR.. AGE OF MOTHER
RACE VALUE.. 2 NONWHITE
PAGE 3 OF 3

AGE	BO COUNT / ROW PCT / COL PCT	1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
29			1	2			1	1		1		6
45 AND OVER			16.7	33.3			16.7	16.7		16.7		.0
			.0	.0			.2	.5		.8		
30		3	1								2	6
NOT STATED		50.0	16.7								33.3	.0
		.0	.0								12.5	
COLUMN TOTAL		10914	8744	5307	2491	1155	538	203	116	121	16	29605
		36.9	29.5	17.9	8.4	3.9	1.8	.7	.4	.4	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 3

CROSSTABULATION OF AGE BY WT
AGE OF MOTHER CONTROLLING FOR.. BIRTH WEIGHT IN GRAMS
RACE. VALUE = TOTAL

AGE	WT / COUNT / ROW PCT / COL PCT	UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
11								1				1
								100.0				.0
								.0				
12					1	1	2	6	2			12
					8.3	8.3	16.7	50.0	16.7			.0
					.1	.0	.0	.0	.0			
13					5	8	16	18	10	1		58
					8.6	13.8	27.6	31.0	17.2	1.7		.1
					.4	.2	.1	.1	.0	.0		
14			6	4	7	21	77	103	45	6		269
			2.2	1.5	2.6	7.8	28.6	38.3	16.7	2.2		.3
			1.0	.5	.5	.5	.5	.3	.2	.1		
15		1	7	11	20	54	208	307	166	28		802
		.1	.9	1.4	2.5	6.7	25.9	38.3	20.7	3.5		.9
		.5	1.2	1.5	1.5	1.2	1.3	.9	.6	.3		
16		6	20	19	35	125	411	705	392	90	3	1806
		.3	1.1	1.1	1.9	6.9	22.8	39.0	21.7	5.0	.2	1.9
		3.3	3.4	2.6	2.6	2.8	2.7	2.1	1.5	.9	3.6	
17		7	29	33	44	172	626	1125	637	169	5	2847
		.2	1.0	1.2	1.5	6.0	22.0	39.5	22.4	5.9	.2	3.0
		3.8	4.9	4.5	3.2	3.8	4.0	3.3	2.4	1.7	6.0	
18		5	33	40	65	246	842	1490	944	263	5	3933
		.1	.8	1.0	1.7	6.3	21.4	37.9	24.0	6.7	.1	4.2
		2.7	5.6	5.4	4.8	5.5	5.4	4.4	3.6	2.7	6.0	
19		9	28	54	84	272	981	1915	1244	387	5	4979
		.2	.6	1.1	1.7	5.5	19.7	38.5	25.0	7.8	.1	5.3
		4.9	4.8	7.3	6.2	6.0	6.3	5.6	4.7	3.9	6.0	
COLUMN TOTAL		183	589	740	1359	4501	15507	34169	26513	9836	84	93481
		.2	.6	.8	1.5	4.8	16.6	36.6	28.4	10.5	.1	100.0

(CONTINUED)

CROSSTABULATION OF AGE OF MOTHER BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. RACE. VALUE = TOTAL
PAGE 2 OF 3

AGE	WT / COUNT / ROW PCT / COL PCT	UNDER 500 GMS 0I	500 TO 999 GMS 1I	1000 TO 1499 GMS 2I	1500 TO 1999 GMS 3I	2000 TO 2499 GMS 4I	2500 TO 2999 GMS 5I	3000 TO 3499 GMS 6I	3500 TO 3999 GMS 7I	4000 GMS AND OVER 8I	NOT STATED 9I	ROW TOTAL
	20	8	43	48	94	325	1075	2160	1475	461	3	5692
		.1	.8	.8	1.7	5.7	18.9	37.9	25.9	8.1	.1	6.1
		4.4	7.3	6.5	6.9	7.2	6.9	6.3	5.6	4.7	3.6	
	21	17	39	54	95	313	1066	2331	1590	533	4	6042
		.3	.6	.9	1.6	5.2	17.6	38.6	26.3	8.8	.1	6.5
		9.3	6.6	7.3	7.0	7.0	6.9	6.8	6.0	5.4	4.8	
	22	11	37	42	94	317	1128	2295	1657	563	6	6150
		.2	.6	.7	1.5	5.2	18.3	37.3	26.9	9.2	.1	6.6
		6.0	6.3	5.7	6.9	7.0	7.3	6.7	6.2	5.7	7.1	
	23	16	29	45	76	267	1017	2294	1698	634	3	6079
		.3	.5	.7	1.3	4.4	16.7	37.7	27.9	10.4	.0	6.5
		8.7	4.9	6.1	5.6	5.9	6.6	6.7	6.4	6.4	3.6	
	24	8	31	46	81	260	979	2221	1746	601	7	5980
		.1	.5	.8	1.4	4.3	16.4	37.1	29.2	10.1	.1	6.4
		4.4	5.3	6.2	6.0	5.8	6.3	6.5	6.6	6.1	8.3	
	25	53	169	192	353	1205	4205	9924	8284	3208	23	27616
25 - 29		.2	.6	.7	1.3	4.4	15.2	35.9	30.0	11.6	.1	29.5
		29.0	28.7	25.9	26.0	26.8	27.1	29.0	31.2	32.6	27.4	
	26	34	91	108	212	694	2152	5519	5003	2165	11	15989
30 - 34		.2	.6	.7	1.3	4.3	13.5	34.5	31.3	13.5	.1	17.1
		18.6	15.4	14.6	15.6	15.4	13.9	16.2	18.9	22.0	13.1	
	27	7	22	41	77	197	635	1551	1440	659	5	4634
35 - 39		.2	.5	.9	1.7	4.3	13.7	33.5	31.1	14.2	.1	5.0
		3.8	3.7	5.5	5.7	4.4	4.1	4.5	5.4	6.7	6.0	
	28	1	5	3	14	23	83	190	170	67	1	557
40 - 44		.2	.9	.5	2.5	4.1	14.9	34.1	30.5	12.0	.2	.6
		.5	.8	.4	1.0	.5	.5	.6	.6	.7	1.2	
	COLUMN TOTAL	183	589	740	1359	4501	15507	34169	26513	9836	84	93481
		.2	.6	.8	1.5	4.8	16.6	36.6	28.4	10.5	.1	100.0

(CONTINUED)

TABLE 3

CROSSTABULATION OF AGE OF MOTHER BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. RACE. VALUE = TOTAL

AGE	WT / COUNT / ROW PCT / COL PCT	UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
29						1	4	11	8	1		25
45 AND OVER						4.0	16.0	44.0	32.0	4.0		.0
						.0	.0	.0	.0	.0		
30				2				3	2		3	10
NOT STATED				20.0				30.0	20.0		30.0	.0
				.1				.0	.0		3.6	
COLUMN TOTAL		183	589	740	1359	4501	15507	34169	26513	9836	84	93481
		.2	.6	.8	1.5	4.8	16.6	36.6	28.4	10.5	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 3

CROSSTABULATION OF AGE OF MOTHER BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. RACE VALUE.. 1 WHITE

AGE	COUNT / ROW PCT / COL PCT	WT 0 UNDER 500 GMS	1 500 TO 999 GMS	2 1000 TO 1499 GMS	3 1500 TO 1999 GMS	4 2000 TO 2499 GMS	5 2500 TO 2999 GMS	6 3000 TO 3499 GMS	7 3500 TO 3999 GMS	8 4000 GMS AND OVER	9 NOT STATED	ROW TOTAL
12							1	1				2
							50.0	50.0				.0
							.0	.0				
13							3	2	4			9
							33.3	22.2	44.4			.0
							.0	.0	.0			
14			3	1	1	4	10	27	16	4		66
			4.5	1.5	1.5	6.1	15.2	40.9	24.2	6.1		.1
			1.1	.3	.1	.2	.1	.1	.1	.0		
15			3	4	3	21	50	107	77	17		282
			1.1	1.4	1.1	7.4	17.7	37.9	27.3	6.0		.4
			1.1	1.1	.4	.9	.6	.5	.4	.2		
16		2	10	7	11	40	150	305	219	69	2	815
		.2	1.2	.9	1.3	4.9	18.4	37.4	26.9	8.5	.2	1.3
		2.8	3.6	2.0	1.5	1.7	1.7	1.4	1.1	.8	5.6	
17			11	10	26	87	266	563	399	138	3	1503
			.7	.7	1.7	5.8	17.7	37.5	26.5	9.2	.2	2.4
			4.0	2.8	3.5	3.6	3.0	2.5	2.0	1.7	8.3	
18		1	14	19	36	117	410	816	627	200	3	2243
		.0	.6	.8	1.6	5.2	18.3	36.4	28.0	8.9	.1	3.5
		1.4	5.1	5.4	4.8	4.9	4.6	3.6	3.1	2.4	8.3	
19		2	8	25	34	123	452	1078	862	295	2	2881
		.1	.3	.9	1.2	4.3	15.7	37.4	29.9	10.2	.1	4.5
		2.8	2.9	7.1	4.5	5.2	5.1	4.8	4.2	3.6	5.6	
20		2	22	14	53	154	576	1285	1046	364	1	3517
		.1	.6	.4	1.5	4.4	16.4	36.5	29.7	10.3	.0	5.5
		2.8	8.0	4.0	7.1	6.5	6.5	5.7	5.1	4.4	2.8	
COLUMN TOTAL		72	274	351	748	2386	8880	22573	20325	8231	36	63876
		.1	.4	.5	1.2	3.7	13.9	35.3	31.8	12.9	.1	100.0

(CONTINUED)

TABLE 3

CROSSTABULATION OF AGE OF MOTHER BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. RACE VALUE.. 1 WHITE

AGE	WT / COUNT / ROW PCT / COL PCT	UNDER 500 GMS 0	500 TO 999 GMS 1	1000 TO 1499 GMS 2	1500 TO 1999 GMS 3	2000 TO 2499 GMS 4	2500 TO 2999 GMS 5	3000 TO 3499 GMS 6	3500 TO 3999 GMS 7	4000 GMS AND OVER 8	NOT STATED 9	ROW TOTAL
21		6	15	25	54	149	559	1384	1121	445	1	3759
		.2	.4	.7	1.4	4.0	14.9	36.8	29.8	11.8	.0	5.9
		8.3	5.5	7.1	7.2	6.2	6.3	6.1	5.5	5.4	2.8	
22		5	17	16	46	157	619	1435	1201	452	2	3950
		.1	.4	.4	1.2	4.0	15.7	36.3	30.4	11.4	.1	6.2
		6.9	6.2	4.6	6.1	6.6	7.0	6.4	5.9	5.5	5.6	
23		5	8	23	37	145	577	1450	1284	523	2	4054
		.1	.2	.6	.9	3.6	14.2	35.8	31.7	12.9	.0	6.3
		6.9	2.9	6.6	4.9	6.1	6.5	6.4	6.3	6.4	5.6	
24		1	18	28	49	130	559	1501	1367	502	3	4158
		.0	.4	.7	1.2	3.1	13.4	36.1	32.9	12.1	.1	6.5
		1.4	6.6	8.0	6.6	5.4	6.3	6.6	6.7	6.1	8.3	
25		26	85	98	209	683	2681	7167	6669	2761	10	20389
25 - 29		.1	.4	.5	1.0	3.3	13.1	35.2	32.7	13.5	.0	31.9
		36.1	31.0	27.9	27.9	28.6	30.2	31.8	32.8	33.5	27.8	
26		20	51	62	134	436	1468	4148	4163	1852	4	12338
30 - 34		.2	.4	.5	1.1	3.5	11.9	33.6	33.7	15.0	.0	19.3
		27.8	18.6	17.7	17.9	18.3	16.5	18.4	20.5	22.5	11.1	
27		2	6	18	48	125	445	1154	1143	554	1	3496
35 - 39		.1	.2	.5	1.4	3.6	12.7	33.0	32.7	15.8	.0	5.5
		2.8	2.2	5.1	6.4	5.2	5.0	5.1	5.6	6.7	2.8	
28			3	1	7	14	53	139	119	54	1	391
40 - 44			.8	.3	1.8	3.6	13.6	35.5	30.4	13.8	.3	.6
			1.1	.3	.9	.6	.6	.6	.6	.7	2.8	
29						1	1	8	8	1		19
45 AND OVER						5.3	5.3	42.1	42.1	5.3		.0
						.0	.0	.0	.0	.0		
COLUMN TOTAL		72	274	351	748	2386	8880	22573	20325	8231	36	63876
		.1	.4	.5	1.2	3.7	13.9	35.3	31.8	12.9	.1	100.0

(CONTINUED)

TABLE 3

CROSSTABULATION OF AGE BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. AGE OF MOTHER
RACE VALUE.. 1 WHITE

AGE	WT / COUNT / ROW PCT / COL PCT	UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
NOT STATED	30							3			1	4
								75.0			25.0	.0
								.0			2.8	
	COLUMN TOTAL	72 .1	274 .4	351 .5	748 1.2	2386 3.7	8880 13.9	22573 35.3	20325 31.8	8231 12.9	36 .1	63876 100.0

TABLE 3

CROSSTABULATION OF AGE OF MOTHER BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

AGE	COUNT / ROW PCT / COL PCT	WT UNDER 500 GMS 0	500 TO 999 GMS 1	1000 TO 1499 GMS 2	1500 TO 1999 GMS 3	2000 TO 2499 GMS 4	2500 TO 2999 GMS 5	3000 TO 3499 GMS 6	3500 TO 3999 GMS 7	4000 GMS AND OVER 8	NOT STATED 9	ROW TOTAL
11								1				1
								100.0				.0
								.0				
12					1	1	1	5	2			10
					10.0	10.0	10.0	50.0	20.0			.0
					.2	.0	.0	.0	.0			
13					5	8	13	16	6	1		49
					10.2	16.3	26.5	32.7	12.2	2.0		.2
					.8	.4	.2	.1	.1	.1		
14			3	3	6	17	67	76	29	2		203
			1.5	1.5	3.0	8.4	33.0	37.4	14.3	1.0		.7
			1.0	.8	1.0	.8	1.0	.7	.5	.1		
15		1	4	7	17	33	158	200	89	11		520
		.2	.8	1.3	3.3	6.3	30.4	38.5	17.1	2.1		1.8
		.9	1.3	1.8	2.8	1.6	2.4	1.7	1.4	.7		
16		4	10	12	24	85	261	400	173	21	1	991
		.4	1.0	1.2	2.4	8.6	26.3	40.4	17.5	2.1	.1	3.3
		3.6	3.2	3.1	3.9	4.0	3.9	3.4	2.8	1.3	2.1	
17		7	18	23	18	85	360	562	238	31	2	1344
		.5	1.3	1.7	1.3	6.3	26.8	41.8	17.7	2.3	.1	4.5
		6.3	5.7	5.9	2.9	4.0	5.4	4.8	3.8	1.9	4.2	
18		4	19	21	29	129	432	674	317	63	2	1690
		.2	1.1	1.2	1.7	7.6	25.6	39.9	18.8	3.7	.1	5.7
		3.6	6.0	5.4	4.7	6.1	6.5	5.8	5.1	3.9	4.2	
19		7	20	29	50	149	529	837	382	92	3	2098
		.3	1.0	1.4	2.4	7.1	25.2	39.9	18.2	4.4	.1	7.1
		6.3	6.3	7.5	8.2	7.0	8.0	7.2	6.2	5.7	6.3	
COLUMN TOTAL		111 .4	315 1.1	389 1.3	611 2.1	2115 7.1	6627 22.4	11596 39.2	6188 20.9	1605 5.4	48 .2	29605 100.0

(CONTINUED)

CROSSTABULATION OF AGE BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. AGE OF MOTHER
RACE VALUE.. 2 NONWHITE
PAGE 2 OF 3

AGE	COUNT / ROW PCT / COL PCT	WT 01 UNDER 500 GMS	11 500 TO 999 GMS	21 1000 TO 1499 GMS	31 1500 TO 1999 GMS	41 2000 TO 2499 GMS	51 2500 TO 2999 GMS	61 3000 TO 3499 GMS	71 3500 TO 3999 GMS	81 4000 GMS AND OVER	91 NOT STATED	ROW TOTAL
	20	6	21	34	41	171	499	875	429	97	2	2175
		.3	1.0	1.6	1.9	7.9	22.9	40.2	19.7	4.5	.1	7.3
		5.4	6.7	8.7	6.7	8.1	7.5	7.5	6.9	6.0	4.2	
	21	11	24	29	41	164	507	947	469	88	3	2283
		.5	1.1	1.3	1.8	7.2	22.2	41.5	20.5	3.9	.1	7.7
		9.9	7.6	7.5	6.7	7.8	7.7	8.2	7.6	5.5	6.3	
	22	6	20	26	48	160	509	860	456	111	4	2200
		.3	.9	1.2	2.2	7.3	23.1	39.1	20.7	5.0	.2	7.4
		5.4	6.3	6.7	7.9	7.6	7.7	7.4	7.4	6.9	8.3	
	23	11	21	22	39	122	440	844	414	111	1	2025
		.5	1.0	1.1	1.9	6.0	21.7	41.7	20.4	5.5	.0	6.8
		9.9	6.7	5.7	6.4	5.8	6.6	7.3	6.7	6.9	2.1	
	24	7	13	18	32	130	420	720	379	99	4	1822
		.4	.7	1.0	1.8	7.1	23.1	39.5	20.8	5.4	.2	6.2
		6.3	4.1	4.6	5.2	6.1	6.3	6.2	6.1	6.2	8.3	
	25	27	84	94	144	522	1524	2757	1615	447	13	7227
25 - 29		.4	1.2	1.3	2.0	7.2	21.1	38.1	22.3	6.2	.2	24.4
		24.3	26.7	24.2	23.6	24.7	23.0	23.8	26.1	27.9	27.1	
	26	14	40	46	78	258	684	1371	840	313	7	3651
30 - 34		.4	1.1	1.3	2.1	7.1	18.7	37.6	23.0	8.6	.2	12.3
		12.6	12.7	11.8	12.8	12.2	10.3	11.8	13.6	19.5	14.6	
	27	5	16	23	29	72	190	397	297	105	4	1138
35 - 39		.4	1.4	2.0	2.5	6.3	16.7	34.9	26.1	9.2	.4	3.8
		4.5	5.1	5.9	4.7	3.4	2.9	3.4	4.8	6.5	8.3	
	28	1	2	2	7	9	30	51	51	13		166
40 - 44		.6	1.2	1.2	4.2	5.4	18.1	30.7	30.7	7.8		.6
		.9	.6	.5	1.1	.4	.5	.4	.8	.8		
(CONTINUED)	COLUMN TOTAL	111	315	389	611	2115	6627	11596	6188	1605	48	29605
		.4	1.1	1.3	2.1	7.1	22.4	39.2	20.9	5.4	.2	100.0

TABLE 3

CROSSTABULATION OF AGE OF MOTHER BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

AGE	WT / COUNT / ROW PCT / COL PCT	0 UNDER 500 GMS	1 500 TO 999 GMS	2 1000 TO 1499 GMS	3 1500 TO 1999 GMS	4 2000 TO 2499 GMS	5 2500 TO 2999 GMS	6 3000 TO 3499 GMS	7 3500 TO 3999 GMS	8 4000 GMS AND OVER	9 NOT STATED	ROW TOTAL
29							3	3				6
							50.0	50.0				.0
							.0	.0				
45 AND OVER												
30					2				2		2	6
					33.3				33.3		33.3	.0
					.3				.0		4.2	
NOT STATED												
COLUMN TOTAL		111 .4	315 1.1	389 1.3	611 2.1	2115 7.1	6627 22.4	11596 39.2	6188 20.9	1605 5.4	48 .2	29605 100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 4

CROSSTABULATION OF
EDUC EDUCATION OF MOTHER BY BO BIRTH ORDER
CONTROLLING FOR..
RACE. VALUE = TOTAL

EDUC	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
1 NONE OR ELEM.	1375	743	461	244	149	65	33	24	24	2	3120
	44.1	23.8	14.8	7.8	4.8	2.1	1.1	.8	.8	.1	3.3
	3.7	2.5	3.0	3.9	5.7	6.0	7.9	11.7	10.5	4.0	
2 H.S. 1-3 YEARS	7593	5122	3069	1498	721	320	139	56	75	10	18603
	40.8	27.5	16.5	8.1	3.9	1.7	.7	.3	.4	.1	19.9
	20.4	17.1	19.9	23.9	27.8	29.4	33.2	27.2	32.8	20.0	
3 H.S. 4 YEARS	14504	12677	6536	2550	1038	436	142	85	80	13	38261
	37.9	33.7	17.1	6.7	2.7	1.1	.4	.2	.2	.0	40.9
	39.0	42.9	42.4	40.6	40.0	40.0	33.9	41.3	34.9	26.0	
4 COL.1-3 YEARS	7394	6096	2985	1117	397	170	70	27	33	4	18293
	40.4	33.3	16.3	6.1	2.2	.9	.4	.1	.2	.0	19.6
	19.9	20.3	19.4	17.8	15.3	15.6	16.7	13.1	14.4	8.0	
5 COL. 4+ YEARS	6282	5170	2331	859	291	99	33	14	16	3	15098
	41.6	34.2	15.4	5.7	1.9	.7	.2	.1	.1	.0	16.2
	16.9	17.2	15.1	13.7	11.2	9.1	7.9	6.8	7.0	6.0	
6 NOT STATED	37	20	19	8	1		2		1	18	106
	34.9	18.9	17.9	7.5	.9		1.9		.9	17.0	.1
	.1	.1	.1	.1	.0		.5		.4	36.0	
COLUMN TOTAL	37185	30028	15401	6276	2597	1090	419	206	229	50	93481
	39.8	32.1	16.5	6.7	2.8	1.2	.4	.2	.2	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 4

CROSSTABULATION OF
EDUC EDUCATION OF MOTHER BY BO BIRTH ORDER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

EDUC	COUNT / ROW PCT / COL PCT	BO 1 1ST	2 2ND	3 3RD	4 4TH	5 5TH	6 6TH	7 7TH	8 8TH	9 9TH AND OVER	10 NOT STATED	ROW TOTAL
1 NONE OR ELEM.		770	552	351	158	87	42	17	12	11	1	2001
		38.5	27.6	17.5	7.9	4.3	2.1	.8	.6	.5	.0	3.1
		2.9	2.6	3.5	4.2	6.0	7.6	7.9	13.3	10.2	2.9	
2 H.S. 1-3 YEARS		4501	3328	1800	739	311	125	55	14	20	8	10901
		41.3	30.5	16.5	6.8	2.9	1.1	.5	.1	.2	.1	17.1
		17.1	15.6	17.8	19.5	21.6	22.6	25.5	15.6	18.5	23.5	
3 H.S. 4 YEARS		10085	8480	3894	1394	533	201	73	40	42	9	24751
		40.7	34.3	15.7	5.6	2.2	.8	.3	.2	.2	.0	38.7
		38.4	39.8	38.6	36.8	37.0	36.4	33.8	44.4	38.9	26.5	
4 COL.1-3 YEARS		5543	4471	2088	763	260	102	44	12	24	4	13311
		41.6	33.6	15.7	5.7	2.0	.8	.3	.1	.2	.0	20.8
		21.1	21.0	20.7	20.2	18.0	18.5	20.4	13.3	22.2	11.8	
5 COL. 4+ YEARS		5353	4441	1956	731	250	82	26	12	10	3	12864
		41.6	34.5	15.2	5.7	1.9	.6	.2	.1	.1	.0	20.1
		20.4	20.9	19.4	19.3	17.3	14.9	12.0	13.3	9.3	8.8	
6 NOT STATED		19	12	5		1		1		1	9	48
		39.6	25.0	10.4		2.1		2.1		2.1	18.8	.1
		.1	.1	.0		.1		.5		.9	26.5	
COLUMN TOTAL		26271	21284	10094	3785	1442	552	216	90	108	34	63876
		41.1	33.3	15.8	5.9	2.3	.9	.3	.1	.2	.1	100.0

CROSSTABULATION OF

EDUC EDUCATION OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

EDUC	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
1 NONE OR ELEM.	605	191	110	86	62	23	16	12	13	1	1119
	54.1	17.1	9.8	7.7	5.5	2.1	1.4	1.1	1.2	.1	3.8
	5.5	2.2	2.1	3.5	5.4	4.3	7.9	10.3	10.7	6.3	
2 H.S. 1-3 YEARS	3092	1794	1269	759	410	195	84	42	55	2	7702
	40.1	23.3	16.5	9.9	5.3	2.5	1.1	.5	.7	.0	26.0
	28.3	20.5	23.9	30.5	35.5	36.2	41.4	36.2	45.5	12.5	
3 H.S. 4 YEARS	4419	4397	2642	1156	505	235	69	45	38	4	13510
	32.7	32.5	19.6	8.6	3.7	1.7	.5	.3	.3	.0	45.6
	40.5	50.3	49.8	46.4	43.7	43.7	34.0	38.8	31.4	25.0	
4 COL.1-3 YEARS	1851	1625	897	354	137	68	26	15	9		4982
	37.2	32.6	18.0	7.1	2.7	1.4	.5	.3	.2		16.8
	17.0	18.6	16.9	14.2	11.9	12.6	12.8	12.9	7.4		
5 COL. 4+ YEARS	929	729	375	128	41	17	7	2	6		2234
	41.6	32.6	16.8	5.7	1.8	.8	.3	.1	.3		7.5
	8.5	8.3	7.1	5.1	3.5	3.2	3.4	1.7	5.0		
6 NOT STATED	18	8	14	8			1			9	58
	31.0	13.8	24.1	13.8			1.7			15.5	.2
	.2	.1	.3	.3			.5			56.3	
COLUMN TOTAL	10914	8744	5307	2491	1155	538	203	116	121	16	29605
	36.9	29.5	17.9	8.4	3.9	1.8	.7	.4	.4	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 5

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

MPCB		EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0 NONE	COUNT	100	603	546	133	23	7	1412
	ROW PCT	7.1	42.7	38.7	9.4	1.6	.5	1.5
	COL PCT	3.2	3.2	1.4	.7	.2	6.6	
1 FIRST MONTH	COUNT	250	1645	5551	3782	4242	10	15480
	ROW PCT	1.6	10.6	35.9	24.4	27.4	.1	16.6
	COL PCT	8.0	8.8	14.5	20.7	28.1	9.4	
2 SECOND MONTH	COUNT	804	5247	15004	8433	7996	21	37505
	ROW PCT	2.1	14.0	40.0	22.5	21.3	.1	40.1
	COL PCT	25.8	28.2	39.2	46.1	53.0	19.8	
3 THIRD MONTH	COUNT	715	4324	8727	3530	2130	14	19440
	ROW PCT	3.7	22.2	44.9	18.2	11.0	.1	20.8
	COL PCT	22.9	23.2	22.8	19.3	14.1	13.2	
4 FOURTH MONTH	COUNT	430	2653	3797	1246	418	12	8556
	ROW PCT	5.0	31.0	44.4	14.6	4.9	.1	9.2
	COL PCT	13.8	14.3	9.9	6.8	2.8	11.3	
5 FIFTH MONTH	COUNT	329	1778	2208	577	128	12	5032
	ROW PCT	6.5	35.3	43.9	11.5	2.5	.2	5.4
	COL PCT	10.5	9.6	5.8	3.2	.8	11.3	
6 SIXTH MONTH	COUNT	231	1118	1180	291	66	3	2889
	ROW PCT	8.0	38.7	40.8	10.1	2.3	.1	3.1
	COL PCT	7.4	6.0	3.1	1.6	.4	2.8	
7 SEVENTH MONTH	COUNT	149	697	741	163	51	3	1804
	ROW PCT	8.3	38.6	41.1	9.0	2.8	.2	1.9
	COL PCT	4.8	3.7	1.9	.9	.3	2.8	
8 EIGHTH MONTH	COUNT	76	356	345	97	25	3	902
	ROW PCT	8.4	39.5	38.2	10.8	2.8	.3	1.0
	COL PCT	2.4	1.9	.9	.5	.2	2.8	
COLUMN TOTAL		3120	18603	38261	18293	15098	106	93481
		3.3	19.9	40.9	19.6	16.2	.1	100.0

(CONTINUED)

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR.. RACE. VALUE = TOTAL

MPCB	EDUC	NONE OR ELEM. (1)	H.S. 1-3 YEARS (2)	H.S. 4 YEARS (3)	COL. 1-3 YEARS (4)	COL. 4+ YEARS (5)	NOT STATED (6)	ROW TOTAL
9 NINTH MONTH	COUNT	27	120	100	25	10		282
	ROW PCT	9.6	42.6	35.5	8.9	3.5		.3
	COL PCT	.9	.6	.3	.1	.1		
10 NOT STATED	COUNT	9	62	62	16	9	21	179
	ROW PCT	5.0	34.6	34.6	8.9	5.0	11.7	.2
	COL PCT	.3	.3	.2	.1	.1	19.8	
COLUMN TOTAL		3120	18603	38261	18293	15098	106	93481
		3.3	19.9	40.9	19.6	16.2	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 5

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR.. RACE VALUE.. 1 WHITE

MPCB	EDUC: NONE OR ELEM. (1)	H.S. 1-3 YEARS (2)	H.S. 4 YEARS (3)	COL. 1-3 YEARS (4)	COL. 4+ YEARS (5)	NOT STATED (6)	ROW TOTAL
0 NONE	49	242	205	61	15	1	573
	8.6	42.2	35.8	10.6	2.6	.2	.9
	2.4	2.2	.8	.5	.1	2.1	
1 FIRST MONTH	159	1040	3933	3016	3733	6	11887
	1.3	8.7	33.1	25.4	31.4	.1	18.6
	7.9	9.5	15.9	22.7	29.0	12.5	
2 SECOND MONTH	563	3556	10970	6663	6959	13	28724
	2.0	12.4	38.2	23.2	24.2	.0	45.0
	28.1	32.6	44.3	50.1	54.1	27.1	
3 THIRD MONTH	475	2631	5526	2379	1710	6	12727
	3.7	20.7	43.4	18.7	13.4	.0	19.9
	23.7	24.1	22.3	17.9	13.3	12.5	
4 FOURTH MONTH	277	1469	2018	673	282	4	4723
	5.9	31.1	42.7	14.2	6.0	.1	7.4
	13.8	13.5	8.2	5.1	2.2	8.3	
5 FIFTH MONTH	193	881	1014	266	72	4	2430
	7.9	36.3	41.7	10.9	3.0	.2	3.8
	9.6	8.1	4.1	2.0	.6	8.3	
6 SIXTH MONTH	130	526	538	120	36	1	1351
	9.6	38.9	39.8	8.9	2.7	.1	2.1
	6.5	4.8	2.2	.9	.3	2.1	
7 SEVENTH MONTH	98	320	332	74	32	1	857
	11.4	37.3	38.7	8.6	3.7	.1	1.3
	4.9	2.9	1.3	.6	.2	2.1	
8 EIGHTH MONTH	37	166	142	46	13	1	405
	9.1	41.0	35.1	11.4	3.2	.2	.6
	1.8	1.5	.6	.3	.1	2.1	
COLUMN TOTAL	2001	10901	24751	13311	12864	48	63876
	3.1	17.1	38.7	20.8	20.1	.1	100.0

(CONTINUED)

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL. 1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
9 NINTH MONTH	16	38	43	9	4		110
	14.5	34.5	39.1	8.2	3.6		.2
	.8	.3	.2	.1	.0		
10 NOT STATED	4	32	30	4	8	11	89
	4.5	36.0	33.7	4.5	9.0	12.4	.1
	.2	.3	.1	.0	.1	22.9	
COLUMN TOTAL	2001	10901	24751	13311	12864	48	63870
	3.1	17.1	38.7	20.8	20.1	.1	100.0

TABLE 5

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

MPCB		EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0 NONE	COUNT	51	361	341	72	8	6	839
	ROW PCT	6.1	43.0	40.6	8.6	1.0	.7	2.8
	COL PCT	4.6	4.7	2.5	1.4	.4	10.3	
1 FIRST MONTH	COUNT	91	605	1618	766	509	4	3593
	ROW PCT	2.5	16.8	45.0	21.3	14.2	.1	12.1
	COL PCT	8.1	7.9	12.0	15.4	22.8	6.9	
2 SECOND MONTH	COUNT	241	1691	4034	1770	1037	8	8781
	ROW PCT	2.7	19.3	45.9	20.2	11.8	.1	29.7
	COL PCT	21.5	22.0	29.9	35.5	46.4	13.8	
3 THIRD MONTH	COUNT	240	1693	3201	1151	420	8	6713
	ROW PCT	3.6	25.2	47.7	17.1	6.3	.1	22.7
	COL PCT	21.4	22.0	23.7	23.1	16.8	13.8	
4 FOURTH MONTH	COUNT	153	1184	1779	573	136	8	3833
	ROW PCT	4.0	30.9	46.4	14.9	3.5	.2	12.9
	COL PCT	13.7	15.4	13.2	11.5	6.1	13.8	
5 FIFTH MONTH	COUNT	136	897	1194	311	56	8	2602
	ROW PCT	5.2	34.5	45.9	12.0	2.2	.3	8.8
	COL PCT	12.2	11.6	8.8	6.2	2.5	13.8	
6 SIXTH MONTH	COUNT	101	592	642	171	30	2	1538
	ROW PCT	6.6	38.5	41.7	11.1	2.0	.1	5.2
	COL PCT	9.0	7.7	4.8	3.4	1.3	3.4	
7 SEVENTH MONTH	COUNT	51	377	409	89	19	2	947
	ROW PCT	5.4	39.8	43.2	9.4	2.0	.2	3.2
	COL PCT	4.6	4.9	3.0	1.8	.9	3.4	
8 EIGHTH MONTH	COUNT	39	190	203	51	12	2	497
	ROW PCT	7.8	38.2	40.8	10.3	2.4	.4	1.7
	COL PCT	3.5	2.5	1.5	1.0	.5	3.4	
COLUMN TOTAL		1119	7702	13510	4982	2234	58	29605
		3.8	26.0	45.6	16.8	7.5	.2	100.0

(CONTINUED)

TABLE 5

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MPCB	EDUC	1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL. 1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
9 NINTH MONTH	COUNT	11	82	57	16	6		172
	ROW PCT	6.4	47.7	33.1	9.3	3.5		.6
	COL PCT	1.0	1.1	.4	.3	.3		
10 NOT STATED	COUNT	5	30	32	12	1	10	90
	ROW PCT	5.6	33.3	35.6	13.3	1.1	11.1	.3
	COL PCT	.4	.4	.2	.2	.0	17.2	
COLUMN TOTAL		1119	7702	13510	4982	2234	58	29605
		3.8	26.0	45.6	16.8	7.5	.2	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 6

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR.. VALUE = TOTAL
RACE.

MPCB	COUNT / ROW PCT / COL PCT	11	12	13	14	15	16	17	18	19	20	ROW TOTAL
0				4	17	27	66	101	131	129	152	1412
NONE				.3	1.2	1.9	4.7	7.2	9.3	9.1	10.8	1.5
				6.9	6.3	3.4	3.7	3.5	3.3	2.6	2.7	
1					11	55	121	205	307	471	591	15480
FIRST MONTH					.1	.4	.8	1.3	2.0	3.0	3.8	16.6
					4.1	6.9	6.7	7.2	7.8	9.5	10.4	
2			1	10	45	139	379	655	1032	1406	1777	37505
SECOND MONTH			.0	.0	.1	.4	1.0	1.7	2.8	3.7	4.7	40.1
			8.3	17.2	16.7	17.3	21.0	23.0	26.2	28.2	31.2	
3		1		9	58	169	401	678	891	1191	1373	19440
THIRD MONTH		.0		.0	.3	.9	2.1	3.5	4.6	6.1	7.1	20.8
		100.0		15.5	21.6	21.1	22.2	23.8	22.7	23.9	24.1	
4			1	13	43	153	290	435	608	681	740	8556
FOURTH MONTH			.0	.2	.5	1.8	3.4	5.1	7.1	8.0	8.6	9.2
			8.3	22.4	16.0	19.1	16.1	15.3	15.5	13.7	13.0	
5			5	7	28	104	234	341	422	512	468	5032
FIFTH MONTH			.1	.1	.6	2.1	4.7	6.8	8.4	10.2	9.3	5.4
			41.7	12.1	10.4	13.0	13.0	12.0	10.7	10.3	8.2	
6			4	8	31	66	146	216	251	265	302	2889
SIXTH MONTH			.1	.3	1.1	2.3	5.1	7.5	8.7	9.2	10.5	3.1
			33.3	13.8	11.5	8.2	8.1	7.6	6.4	5.3	5.3	
7			4	20	48	106	126	175	177	160	1804	
SEVENTH MONTH			.2	1.1	2.7	5.9	7.0	9.7	9.8	8.9	1.9	
			6.9	7.4	6.0	5.9	4.4	4.4	3.6	2.8		
8			1	1	11	23	43	58	86	108	93	902
EIGHTH MONTH			.1	.1	1.2	2.5	4.8	6.4	9.5	12.0	10.3	1.0
			8.3	1.7	4.1	2.9	2.4	2.0	2.2	2.2	1.6	
COLUMN TOTAL		1	12	58	269	802	1806	2847	3933	4979	5692	93481
		.0	.0	.1	.3	.9	1.9	3.0	4.2	5.3	6.1	100.0

(CONTINUED)

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR.. RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	AGE 21	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
0		131	115	64	75	254	98	37	10	1		1412
NONE		9.3	8.1	4.5	5.3	18.0	6.9	2.6	.7	.1		1.5
		2.2	1.9	1.1	1.3	.9	.6	.8	1.8	4.0		
1		717	801	842	937	5592	3694	1038	96	2		15480
FIRST MONTH		4.6	5.2	5.4	6.1	36.1	23.9	6.7	.6	.0		16.6
		11.9	13.0	13.9	15.7	20.2	23.1	22.4	17.2	8.0		
2		2035	2193	2400	2514	12703	7810	2173	220	12	1	37505
SECOND MONTH		5.4	5.8	6.4	6.7	33.9	20.8	5.8	.6	.0	.0	40.1
		33.7	35.7	39.5	42.0	46.0	48.8	46.9	39.5	48.0	10.0	
3		1380	1452	1405	1305	5322	2814	863	124	3	1	19440
THIRD MONTH		7.1	7.5	7.2	6.7	27.4	14.5	4.4	.6	.0	.0	20.8
		22.8	23.6	23.1	21.8	19.3	17.6	18.6	22.3	12.0	10.0	
4		746	653	627	546	1874	817	275	49	4	1	8556
FOURTH MONTH		8.7	7.6	7.3	6.4	21.9	9.5	3.2	.6	.0	.0	9.2
		12.3	10.6	10.3	9.1	6.8	5.1	5.9	8.8	16.0	10.0	
5		444	417	353	289	896	353	124	34		1	5032
FIFTH MONTH		8.8	8.3	7.0	5.7	17.8	7.0	2.5	.7		.0	5.4
		7.3	6.8	5.8	4.8	3.2	2.2	2.7	6.1		10.0	
6		297	246	172	155	467	194	58	8	2	1	2889
SIXTH MONTH		10.3	8.5	6.0	5.4	16.2	6.7	2.0	.3	.1	.0	3.1
		4.9	4.0	2.8	2.6	1.7	1.2	1.3	1.4	8.0	10.0	
7		183	153	136	82	276	114	36	8			1804
SEVENTH MONTH		10.1	8.5	7.5	4.5	15.3	6.3	2.0	.4			1.9
		3.0	2.5	2.2	1.4	1.0	.7	.8	1.4			
8		74	80	56	52	135	62	13	5	1		902
EIGHTH MONTH		8.2	8.9	6.2	5.8	15.0	6.9	1.4	.6	.1		1.0
		1.2	1.3	.9	.9	.5	.4	.3	.9	4.0		
COLUMN TOTAL		6042	6150	6079	5980	27616	15989	4634	557	25	10	93481
		6.5	6.6	6.5	6.4	29.5	17.1	5.0	.6	.0	.0	100.0

(CONTINUED)

TABLE 6

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	AGE 11	12	13	14	15	16	17	18	19	20	ROW TOTAL
9				1	4	15	9	22	22	26	22	282
NINTH MONTH				.4	1.4	5.3	3.2	7.8	7.8	9.2	7.8	.3
				1.7	1.5	1.9	.5	.8	.6	.5	.4	
10				1	1	3	11	10	8	13	14	179
NOT STATED				.6	.6	1.7	6.1	5.6	4.5	7.3	7.8	.2
				1.7	.4	.4	.6	.4	.2	.3	.2	
COLUMN		1	12	58	269	802	1806	2847	3933	4979	5692	93481
(CONTINUED) TOTAL		.0	.0	.1	.3	.9	1.9	3.0	4.2	5.3	6.1	100.0

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL
PAGE 4 OF 4

MPCB	COUNT / ROW PCT / COL PCT	AGE 21	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
9 NINTH MONTH		27	28	9	13	55	18	9	2			282
		9.6	9.9	3.2	4.6	19.5	6.4	3.2	.7			.3
		.4	.5	.1	.2	.2	.1	.2	.4			
10 NOT STATED		8	12	15	12	42	15	8	1		5	179
		4.5	6.7	8.4	6.7	23.5	8.4	4.5	.6		2.8	.2
		.1	.2	.2	.2	.2	.1	.2	.2		50.0	
COLUMN TOTAL		6042	6150	6079	5980	27616	15989	4634	557	25	10	93481
		6.5	6.6	6.5	6.4	29.5	17.1	5.0	.6	.0	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 6

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR.. RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	12	13	14	15	16	17	18	19	20	21	ROW TOTAL
0 NONE				2	8	27	45	50	40	67	50	573
				.3	1.4	4.7	7.9	8.7	7.0	11.7	8.7	.9
				3.0	2.8	3.3	3.0	2.2	1.4	1.9	1.3	
1 FIRST MONTH				3	18	57	114	188	275	368	477	11887
				.0	.2	.5	1.0	1.6	2.3	3.1	4.0	18.6
				4.5	6.4	7.0	7.6	8.4	9.5	10.5	12.7	
2 SECOND MONTH			1	13	57	175	400	671	924	1235	1438	28724
			.0	.0	.2	.6	1.4	2.3	3.2	4.3	5.0	45.0
			11.1	19.7	20.2	21.5	26.6	29.9	32.1	35.1	38.3	
3 THIRD MONTH			2	16	61	221	389	541	745	879	878	12727
			.0	.1	.5	1.7	3.1	4.3	5.9	6.9	6.9	19.9
			22.2	24.2	21.6	27.1	25.9	24.1	25.9	25.0	23.4	
4 FOURTH MONTH		1	2	14	56	136	220	332	376	416	416	4723
		.0	.0	.3	1.2	2.9	4.7	7.0	8.0	8.8	8.8	7.4
		50.0	22.2	21.2	19.9	16.7	14.6	14.8	13.1	11.8	11.1	
5 FIFTH MONTH			3	5	37	88	155	203	259	259	203	2430
			.1	.2	1.5	3.6	6.4	8.4	10.7	10.7	8.4	3.8
			33.3	7.6	13.1	10.8	10.3	9.1	9.0	7.4	5.4	
6 SIXTH MONTH		1		6	19	46	95	117	131	155	138	1351
		.1		.4	1.4	3.4	7.0	8.7	9.7	11.5	10.2	2.1
		50.0		9.1	6.7	5.6	6.3	5.2	4.5	4.4	3.7	
7 SEVENTH MONTH			1	5	13	42	50	83	76	75	108	857
			.1	.6	1.5	4.9	5.8	9.7	8.9	8.8	12.6	1.3
			11.1	7.6	4.6	5.2	3.3	3.7	2.6	2.1	2.9	
8 EIGHTH MONTH				2	7	17	23	45	43	46	35	405
				.5	1.7	4.2	5.7	11.1	10.6	11.4	8.6	.6
				3.0	2.5	2.1	1.5	2.0	1.5	1.3	.9	
COLUMN TOTAL		2	9	66	282	815	1503	2243	2881	3517	3759	63876
		.0	.0	.1	.4	1.3	2.4	3.5	4.5	5.5	5.9	100.0

(CONTINUED)

TABLE 6

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	AGE 22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
0		48	32	28	108	42	19	7			573
NONE		8.4	5.6	4.9	18.8	7.3	3.3	1.2			.9
		1.2	.8	.7	.5	.3	.5	1.8			
1		570	609	701	4485	3076	871	74	1		11887
FIRST MONTH		4.8	5.1	5.9	37.7	25.9	7.3	.6	.0		18.6
		14.4	15.0	16.9	22.0	24.9	24.9	18.9	5.3		
2		1605	1807	1934	10091	6422	1766	173	11	1	28724
SECOND MONTH		5.6	6.3	6.7	35.1	22.4	6.1	.6	.0	.0	45.0
		40.6	44.6	46.5	49.5	52.1	50.5	44.2	57.9	25.0	
3		930	888	885	3657	1987	560	84	3	1	12727
THIRD MONTH		7.3	7.0	7.0	28.7	15.6	4.4	.7	.0	.0	19.9
		23.5	21.9	21.3	17.9	16.1	16.0	21.5	15.8	25.0	
4		347	362	311	1087	471	156	17	3		4723
FOURTH MONTH		7.3	7.7	6.6	23.0	10.0	3.3	.4	.1		7.4
		8.8	8.9	7.5	5.3	3.8	4.5	4.3	15.8		
5		207	178	141	450	174	50	18			2430
FIFTH MONTH		8.5	7.3	5.8	18.5	7.2	2.1	.7			3.8
		5.2	4.4	3.4	2.2	1.4	1.4	4.6			
6		125	86	76	240	73	35	6	1	1	1351
SIXTH MONTH		9.3	6.4	5.6	17.8	5.4	2.6	.4	.1	.1	2.1
		3.2	2.1	1.8	1.2	.6	1.0	1.5	5.3	25.0	
7		66	58	43	153	56	22	6			857
SEVENTH MONTH		7.7	6.8	5.0	17.9	6.5	2.6	.7			1.3
		1.7	1.4	1.0	.8	.5	.6	1.5			
8		34	21	25	73	24	6	4			405
EIGHTH MONTH		8.4	5.2	6.2	18.0	5.9	1.5	1.0			.6
		.9	.5	.6	.4	.2	.2	1.0			
COLUMN TOTAL		3950	4054	4158	20389	12338	3496	391	19	4	63876
		6.2	6.3	6.5	31.9	19.3	5.5	.6	.0	.0	100.0

(CONTINUED)

TABLE 6

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	AGE 12	13	14	15	16	17	18	19	20	21	ROW TOTAL
9 NINTH MONTH					4	3	8	8	7	10	11	110
					3.6	2.7	7.3	7.3	6.4	9.1	10.0	.2
					1.4	.4	.5	.4	.2	.3	.3	
10 NOT STATED					2	3	4	5	5	7	5	89
					2.2	3.4	4.5	5.6	5.6	7.9	5.6	.1
					.7	.4	.3	.2	.2	.2	.1	
COLUMN TOTAL		2	9	66	282	815	1503	2243	2881	3517	3759	63876
(CONTINUED)		.0	.0	.1	.4	1.3	2.4	3.5	4.5	5.5	5.9	100.0

MPCB/AGE/RACE TABLE 6

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB		AGE 22	23	24	25	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	30	ROW TOTAL
9	COUNT	11	3	6	27	5	5	2					110
NINTH MONTH	ROW PCT	10.0	2.7	5.5	24.5	4.5	4.5	1.8					.2
	COL PCT	.3	.1	.1	.1	.0	.1	.5					
10	COUNT	7	10	8	18	8	6				1		89
NOT STATED	ROW PCT	7.9	11.2	9.0	20.2	9.0	6.7				1.1		.1
	COL PCT	.2	.2	.2	.1	.1	.2				25.0		
COLUMN TOTAL		3950	4054	4158	20389	12338	3496	391	19		4		63876
		6.2	6.3	6.5	31.9	19.3	5.5	.6	.0		.0		100.0

TABLE 6

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	11	12	13	14	15	16	17	18	19	20	ROW TOTAL
0 NONE				4	15	19	39	56	81	89	85	839
				.5	1.8	2.3	4.6	6.7	9.7	10.6	10.1	2.8
				8.2	7.4	3.7	3.9	4.2	4.8	4.2	3.9	
1 FIRST MONTH					8	37	64	91	119	196	223	3593
					.2	1.0	1.8	2.5	3.3	5.5	6.2	12.1
					3.9	7.1	6.5	6.8	7.0	9.3	10.3	
2 SECOND MONTH			1	9	32	82	204	255	361	482	542	8781
			.0	.1	.4	.9	2.3	2.9	4.1	5.5	6.2	29.7
			10.0	18.4	15.8	15.8	20.6	19.0	21.4	23.0	24.9	
3 THIRD MONTH		1		7	42	108	180	289	350	446	494	6713
		.0		.1	.6	1.6	2.7	4.3	5.2	6.6	7.4	22.7
		100.0		14.3	20.7	20.8	18.2	21.5	20.7	21.3	22.7	
4 FOURTH MONTH				11	29	97	154	215	276	305	324	3833
				.3	.8	2.5	4.0	5.6	7.2	8.0	8.5	12.9
				22.4	14.3	18.7	15.5	16.0	16.3	14.5	14.9	
5 FIFTH MONTH			5	4	23	67	146	186	219	253	209	2602
			.2	.2	.9	2.6	5.6	7.1	8.4	9.7	8.0	8.8
			50.0	8.2	11.3	12.9	14.7	13.8	13.0	12.1	9.6	
6 SIXTH MONTH			3	8	25	47	100	121	134	134	147	1538
			.2	.5	1.6	3.1	6.5	7.9	8.7	8.7	9.6	5.2
			30.0	16.3	12.3	9.0	10.1	9.0	7.9	6.4	6.8	
7 SEVENTH MONTH				3	15	35	64	76	92	101	85	947
				.3	1.6	3.7	6.8	8.0	9.7	10.7	9.0	3.2
				6.1	7.4	6.7	6.5	5.7	5.4	4.8	3.9	
8 EIGHTH MONTH			1	1	9	16	26	35	41	65	47	497
			.2	.2	1.8	3.2	5.2	7.0	8.2	13.1	9.5	1.7
			10.0	2.0	4.4	3.1	2.6	2.6	2.4	3.1	2.2	
COLUMN TOTAL		1	10	49	203	520	991	1344	1690	2098	2175	29605
		.0	.0	.2	.7	1.8	3.3	4.5	5.7	7.1	7.3	100.0

(CONTINUED)

TABLE 6

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	AGE 21	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
0		81	67	32	47	140	56	18	3	1		839
NONE		9.7	8.0	3.8	5.6	17.4	6.7	2.1	.4	.1		2.8
		3.5	3.0	1.6	2.6	2.0	1.5	1.6	1.8	16.7		
1		240	231	233	236	1107	618	167	22	1		3593
FIRST MONTH		6.7	6.4	6.5	6.6	30.8	17.2	4.6	.6	.0		12.1
		10.5	10.5	11.5	13.0	15.3	16.9	14.7	13.3	16.7		
2		597	568	593	580	2612	1388	407	47	1		8781
SECOND MONTH		6.8	6.7	6.8	6.6	29.7	15.8	4.6	.5	.0		29.7
		26.1	26.7	29.3	31.8	36.1	38.0	35.8	28.3	16.7		
3		502	522	517	420	1665	827	303	40			6713
THIRD MONTH		7.5	7.8	7.7	6.3	24.8	12.3	4.5	.6			22.7
		22.0	23.7	25.5	23.1	23.0	22.7	26.6	24.1			
4		330	306	265	235	787	346	119	32	1	1	3833
FOURTH MONTH		8.6	8.0	6.9	6.1	20.5	9.0	3.1	.8	.0	.0	12.9
		14.5	13.9	13.1	12.9	10.9	9.5	10.5	19.3	16.7	16.7	
5		241	210	175	148	446	179	74	16		1	2602
FIFTH MONTH		9.3	8.1	6.7	5.7	17.1	6.9	2.8	.6		.0	8.8
		10.6	9.5	8.6	8.1	6.2	4.9	6.5	9.6		16.7	
6		159	121	86	79	227	121	23	2	1		1538
SIXTH MONTH		10.3	7.9	5.6	5.1	14.8	7.9	1.5	.1	.1		5.2
		7.0	5.5	4.2	4.3	3.1	3.3	2.0	1.2	16.7		
7		75	87	78	39	123	58	14	2			947
SEVENTH MONTH		7.9	9.2	8.2	4.1	13.0	6.1	1.5	.2			3.2
		3.3	4.0	3.9	2.1	1.7	1.6	1.2	1.2			
8		39	46	35	27	62	38	7	1	1		497
EIGHTH MONTH		7.8	9.3	7.0	5.4	12.5	7.6	1.4	.2	.2		1.7
		1.7	2.1	1.7	1.5	.9	1.0	.6	.6	16.7		
COLUMN TOTAL		2283	2200	2025	1822	7227	3651	1138	166	6	6	29605
		7.7	7.4	6.8	6.2	24.4	12.3	3.8	.6	.0	.0	100.0

(CONTINUED)

TABLE 6

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MPCB	AGE	11	12	13	14	15	16	17	18	19	20	ROW TOTAL
9 NINTH MONTH	COUNT			1	4	11	6	14	14	19	12	172
	ROW PCT			.6	2.3	6.4	3.5	8.1	8.1	11.0	7.0	.6
	COL PCT			2.0	2.0	2.1	.6	1.0	.8	.9	.6	
10 NOT STATED	COUNT			1	1	1	8	6	3	8	7	90
	ROW PCT			1.1	1.1	1.1	8.9	6.7	3.3	8.9	7.8	.3
	COL PCT			2.0	.5	.2	.8	.4	.2	.4	.3	
COLUMN TOTAL		1	10	49	203	520	991	1344	1690	2098	2175	29605
		.0	.0	.2	.7	1.8	3.3	4.5	5.7	7.1	7.3	100.0

(CONTINUED)

N.C. RESIDENT BIRTHS, 1987
MPCB/AGE/RACE

TABLE 6

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

MPCB	AGE	211	221	231	241	251	261	271	281	291	301	ROW TOTAL
NINTH MONTH	9	16	17	6	7	28	13	4				172
		9.3	9.9	3.5	4.1	16.3	7.6	2.3				.6
		.7	.8	.3	.4	.4	.4	.4				
NOT STATED	10	3	5	5	4	24	7	2	1		4	90
		3.3	5.6	5.6	4.4	26.7	7.8	2.2	1.1		66.7	.3
		.1	.2	.2	.2	.3	.2	.2	.6			
COLUMN TOTAL		2283	2200	2025	1822	7227	3651	1138	166	6	6	29605
		7.7	7.4	6.8	6.2	24.4	12.3	3.8	.6	.0	.0	100.0

25 - 29 30 - 34 35 - 39 40 - 44 45 AND OVER NOT STATED

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY STATUS MARITAL STATUS OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	STATUS 1 MARRIED	2 NOT MARRIED	3 NOT STATED	ROW TOTAL
0		422	990		1412
NONE		29.9	70.1		1.5
		.6	4.3		
1		13562	1918		15480
FIRST MONTH		87.6	12.4		16.6
		19.3	8.2		
2		31804	5700	1	37505
SECOND MONTH		84.8	15.2	.0	40.1
		45.3	24.5	12.5	
3		14255	5185		19440
THIRD MONTH		73.3	26.7		20.8
		20.3	22.3		
4		5094	3459	3	8556
FOURTH MONTH		59.5	40.4	.0	9.2
		7.3	14.9	37.5	
5		2499	2533		5032
FIFTH MONTH		49.7	50.3		5.4
		3.6	10.9		
6		1271	1618		2889
SIXTH MONTH		44.0	56.0		3.1
		1.8	7.0		
7		744	1060		1804
SEVENTH MONTH		41.2	58.8		1.9
		1.1	4.6		
8		360	541	1	902
EIGHTH MONTH		39.9	60.0	.1	1.0
		.5	2.3	12.5	
COLUMN TOTAL		70222	23251	8	93481
		75.1	24.9	.0	100.0

(CONTINUED)

N.C. RESIDENT BIRTHS, 1987 TABLE 7
MPCB/MS/RACE

CROSSTABULATION OF MARITAL STATUS OF MOTHER BY STATUS

MPCB MONTH PRENATAL CARE BEGAN
CONTROLLING FOR.. VALUE = TOTAL
RACE.

MPCB		STATUS 1 MARRIED	2 NOT MARRIED	3 NOT STATED	ROW TOTAL
9 NINTH MONTH	COUNT	116	166		282
	ROW PCT	41.1	58.9		.3
	COL PCT	.2	.7		
10 NOT STATED	COUNT	95	81	3	179
	ROW PCT	53.1	45.3	1.7	.2
	COL PCT	.1	.3	37.5	
COLUMN TOTAL		70222	23251	8	93481
		75.1	24.9	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY STATUS MARITAL STATUS OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	STATUS 1 MARRIED	2 NOT MARRIED	3 NOT STATED	ROW TOTAL
0		284	289		573
NONE		49.6	50.4		.9
		.5	4.3		
1		11427	460		11887
FIRST MONTH		96.1	3.9		18.6
		20.0	6.8		
2		26977	1747		28724
SECOND MONTH		93.9	6.1		45.0
		47.3	25.8		
3		11182	1545		12727
THIRD MONTH		87.9	12.1		19.9
		19.6	22.8		
4		3719	1001	3	4723
FOURTH MONTH		78.7	21.2	.1	7.4
		6.5	14.8	60.0	
5		1721	709		2430
FIFTH MONTH		70.8	29.2		3.8
		3.0	10.5		
6		891	460		1351
SIXTH MONTH		66.0	34.0		2.1
		1.6	6.8		
7		515	342		857
SEVENTH MONTH		60.1	39.9		1.3
		.9	5.0		
8		245	159	1	405
EIGHTH MONTH		60.5	39.3	.2	.6
		.4	2.3	20.0	
COLUMN TOTAL		57091	6780	5	63876
		89.4	10.6	.0	100.0

(CONTINUED)

TABLE 7

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY STATUS MARITAL STATUS OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	STATUS 1 MARRIED	2 NOT MARRIED	3 NOT STATED	ROW TOTAL
9 NINTH MONTH	69	41		110
	62.7	37.3		.2
	.1	.6		
10 NOT STATED	61	27	1	89
	68.5	30.3	1.1	.1
	.1	.4	20.0	
COLUMN TOTAL	57091	6780	5	63876
	89.4	10.6	.0	100.0

CELL CONTENTS: COUNT / ROW PCT / COL PCT

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY STATUS MARITAL STATUS OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	STATUS 1 MARRIED	2 NOT MARRIED	3 NOT STATED	ROW TOTAL
0 NONE		138	701		839
		16.4	83.6		2.8
		1.1	4.3		
1 FIRST MONTH		2135	1458		3593
		59.4	40.6		12.1
		16.3	8.9		
2 SECOND MONTH		4827	3953	1	8781
		55.0	45.0	.0	29.7
		36.8	24.0	33.3	
3 THIRD MONTH		3073	3640		6713
		45.8	54.2		22.7
		23.4	22.1		
4 FOURTH MONTH		1375	2458		3833
		35.9	64.1		12.9
		10.5	14.9		
5 FIFTH MONTH		778	1824		2602
		29.9	70.1		8.8
		5.9	11.1		
6 SIXTH MONTH		380	1158		1538
		24.7	75.3		5.2
		2.9	7.0		
7 SEVENTH MONTH		229	718		947
		24.2	75.8		3.2
		1.7	4.4		
8 EIGHTH MONTH		115	382		497
		23.1	76.9		1.7
		.9	2.3		
COLUMN TOTAL		13131	16471	3	29605
		44.4	55.6	.0	100.0

(CONTINUED)

TABLE 7

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY STATUS MARITAL STATUS OF MOTHER
CONTROLLING FOR.. RACE
VALUE.. 2 NONWHITE

MPCB	STATUS	1 MARRIED	2 NOT MARRIED	3 NOT STATED	ROW TOTAL
9 NINTH MONTH	COUNT	47	125		172
	ROW PCT	27.3	72.7		.6
	COL PCT	.4	.8		
10 NOT STATED	COUNT	34	54	2	90
	ROW PCT	37.8	60.0	2.2	.3
	COL PCT	.3	.3	66.7	
COLUMN TOTAL		13131	16471	3	29605
		44.4	55.6	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY BO BIRTH ORDER
CONTROLLING FOR..
RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	BO 1 1ST	2 2ND	3 3RD	4 4TH	5 5TH	6 6TH	7 7TH	8 8TH	9 9TH AND OVER	10 NOT STATED	ROW TOTAL
0		429	394	275	154	69	46	16	14	13	2	1412
NONE		30.4	27.9	19.5	10.9	4.9	3.3	1.1	1.0	.9	.1	1.5
		1.2	1.3	1.8	2.5	2.7	4.2	3.8	6.8	5.7	4.0	
1		6364	5224	2380	901	370	134	46	30	28	3	15480
FIRST MONTH		41.1	33.7	15.4	5.8	2.4	.9	.3	.2	.2	.0	16.6
		17.1	17.4	15.5	14.4	14.2	12.3	11.0	14.6	12.2	6.0	
2		15181	12595	6052	2254	864	310	131	44	63	11	37505
SECOND MONTH		40.5	33.6	16.1	6.0	2.3	.8	.3	.1	.2	.0	40.1
		40.8	41.9	39.3	35.9	33.3	28.4	31.3	21.4	27.5	22.0	
3		7688	6127	3302	1343	534	250	87	61	43	5	19440
THIRD MONTH		39.5	31.5	17.0	6.9	2.7	1.3	.4	.3	.2	.0	20.8
		20.7	20.4	21.4	21.4	20.6	22.9	20.8	29.6	16.8	10.0	
4		3298	2557	1484	661	308	133	55	31	27	2	8556
FOURTH MONTH		38.5	29.9	17.3	7.7	3.6	1.6	.6	.4	.3	.0	9.2
		8.9	8.5	9.6	10.5	11.9	12.2	13.1	15.0	11.8	4.0	
5		2018	1377	821	441	205	94	33	13	28	2	5032
FIFTH MONTH		40.1	27.4	16.3	8.8	4.1	1.9	.7	.3	.6	.0	5.4
		5.4	4.6	5.3	7.0	7.9	8.6	7.9	6.3	12.2	4.0	
6		1062	848	526	244	118	47	27	7	10		2889
SIXTH MONTH		36.8	29.4	18.2	8.4	4.1	1.6	.9	.2	.3		3.1
		2.9	2.8	3.4	3.9	4.5	4.3	6.4	3.4	4.4		
7		668	524	338	145	64	37	15	3	9	1	1804
SEVENTH MONTH		37.0	29.0	18.7	8.0	3.5	2.1	.8	.2	.5	.1	1.9
		1.8	1.7	2.2	2.3	2.5	3.4	3.6	1.5	3.9	2.0	
8		314	275	146	88	41	24	6	3	4	1	902
EIGHTH MONTH		34.8	30.5	16.2	9.8	4.5	2.7	.7	.3	.4	.1	1.0
		.8	.9	.9	1.4	1.6	2.2	1.4	1.5	1.7	2.0	
COLUMN TOTAL		37185	30028	15401	6276	2597	1090	419	206	229	50	93481
		39.8	32.1	16.5	6.7	2.8	1.2	.4	.2	.2	.1	100.0

(CONTINUED)

TABLE 8

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY BO BIRTH ORDER
CONTROLLING FOR..
RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
9		99	71	50	27	19	10	2		4		282
NINTH MONTH		35.1	25.2	17.7	9.6	6.7	3.5	.7		1.4		.3
		.3	.2	.3	.4	.7	.9	.5		1.7		
10		64	36	27	18	5	5	1			23	179
NOT STATED		35.8	20.1	15.1	10.1	2.8	2.8	.6			12.8	.2
		.2	.1	.2	.3	.2	.5	.2			46.0	
COLUMN TOTAL		37185	30028	15401	6276	2597	1090	419	206	229	50	93481
		39.8	32.1	16.5	6.7	2.8	1.2	.4	.2	.2	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY BO BIRTH ORDER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
0		211	164	93	59	22	9	5	5	4	1	573
NONE		36.8	28.6	16.2	10.3	3.8	1.6	.9	.9	.7	.2	.9
		.8	.8	.9	1.6	1.5	1.6	2.3	5.6	3.7	2.9	
1		4994	4085	1782	640	242	83	27	19	13	2	11887
FIRST MONTH		42.0	34.4	15.0	5.4	2.0	.7	.2	.2	.1	.0	18.6
		19.0	19.2	17.7	16.9	16.8	15.0	12.5	21.1	12.0	5.9	
2		11885	9833	4518	1584	563	196	77	23	35	10	28724
SECOND MONTH		41.4	34.2	15.7	5.5	2.0	.7	.3	.1	.1	.0	45.0
		45.2	46.2	44.8	41.8	39.0	35.5	35.6	25.6	32.4	29.4	
3		5253	4155	2030	784	292	124	42	26	18	3	12727
THIRD MONTH		41.3	32.6	16.0	6.2	2.3	1.0	.3	.2	.1	.0	19.9
		20.0	19.5	20.1	20.7	20.2	22.5	19.4	28.9	16.7	8.8	
4		1853	1514	779	320	146	62	24	11	13	1	4723
FOURTH MONTH		39.2	32.1	16.5	6.8	3.1	1.3	.5	.2	.3	.0	7.4
		7.1	7.1	7.7	8.5	10.1	11.2	11.1	12.2	12.0	2.9	
5		1032	683	378	199	80	31	15	1	11		2430
FIFTH MONTH		42.5	28.1	15.6	8.2	3.3	1.3	.6	.0	.5		3.8
		3.9	3.2	3.7	5.3	5.5	5.6	6.9	1.1	10.2		
6		491	431	245	99	49	15	12	1	8		1351
SIXTH MONTH		36.3	31.9	18.1	7.3	3.6	1.1	.9	.1	.6		2.1
		1.9	2.0	2.4	2.6	3.4	2.7	5.6	1.1	7.4		
7		325	254	170	46	29	18	9	2	3	1	857
SEVENTH MONTH		37.9	29.6	19.8	5.4	3.4	2.1	1.1	.2	.4	.1	1.3
		1.2	1.2	1.7	1.2	2.0	3.3	4.2	2.2	2.8	2.9	
8		151	122	66	36	13	9	4	2	1	1	405
EIGHTH MONTH		37.3	30.1	16.3	8.9	3.2	2.2	1.0	.5	.2	.2	.6
		.6	.6	.7	1.0	.9	1.6	1.9	2.2	.9	2.9	
COLUMN TOTAL		26271	21284	10094	3785	1442	552	216	90	108	34	63876
		41.1	33.3	15.8	5.9	2.3	.9	.3	.1	.2	.1	100.0

(CONTINUED)

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY BO BIRTH ORDER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
9		46	26	21	8	3	4			2		110
NINTH MONTH		41.8	23.6	19.1	7.3	2.7	3.6			1.8		.2
		.2	.1	.2	.2	.2	.7			1.9		
10		30	17	12	10	3	1	1			15	89
NOT STATED		33.7	19.1	13.5	11.2	3.4	1.1	1.1			16.9	.1
		.1	.1	.1	.3	.2	.2	.5			44.1	
COLUMN TOTAL		26271	21284	10094	3785	1442	552	216	90	108	34	63876
		41.1	33.3	15.8	5.9	2.3	.9	.3	.1	.2	.1	100.0

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY BO BIRTH ORDER
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

MPCB	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
0 NONE	218	230	182	95	47	37	11	9	9	1	839
	26.0	27.4	21.7	11.3	5.6	4.4	1.3	1.1	1.1	.1	2.8
	2.0	2.6	3.4	3.8	4.1	6.9	5.4	7.8	7.4	6.3	
1 FIRST MONTH	1370	1139	598	261	128	51	19	11	15	1	3593
	38.1	31.7	16.6	7.3	3.6	1.4	.5	.3	.4	.0	12.1
	12.6	13.0	11.3	10.5	11.1	9.5	9.4	9.5	12.4	6.3	
2 SECOND MONTH	3296	2762	1534	670	301	114	54	21	28	1	8781
	37.5	31.5	17.5	7.6	3.4	1.3	.6	.2	.3	.0	29.7
	30.2	31.6	28.9	26.9	26.1	21.2	26.6	18.1	23.1	6.3	
3 THIRD MONTH	2435	1972	1272	559	242	126	45	35	25	2	6713
	36.3	29.4	18.9	8.3	3.6	1.9	.7	.5	.4	.0	22.7
	22.3	22.6	24.0	22.4	21.0	23.4	22.2	30.2	20.7	12.5	
4 FOURTH MONTH	1445	1043	705	341	162	71	31	20	14	1	3833
	37.7	27.2	18.4	8.9	4.2	1.9	.8	.5	.4	.0	12.9
	13.2	11.9	13.3	13.7	14.0	13.2	15.3	17.2	11.6	6.3	
5 FIFTH MONTH	986	694	443	242	125	63	18	12	17	2	2602
	37.9	26.7	17.0	9.3	4.8	2.4	.7	.5	.7	.1	8.8
	9.0	7.9	8.3	9.7	10.8	11.7	8.9	10.3	14.0	12.5	
6 SIXTH MONTH	571	417	281	145	69	32	15	6	2		1538
	37.1	27.1	18.3	9.4	4.5	2.1	1.0	.4	.1		5.2
	5.2	4.8	5.3	5.8	6.0	5.9	7.4	5.2	1.7		
7 SEVENTH MONTH	343	270	168	99	35	19	6	1	6		947
	36.2	28.5	17.7	10.5	3.7	2.0	.6	.1	.6		3.2
	3.1	3.1	3.2	4.0	3.0	3.5	3.0	.9	5.0		
8 EIGHTH MONTH	163	153	80	52	28	15	2	1	3		497
	32.8	30.8	16.1	10.5	5.6	3.0	.4	.2	.6		1.7
	1.5	1.7	1.5	2.1	2.4	2.8	1.0	.9	2.5		
COLUMN TOTAL	10914	8744	5307	2491	1155	538	203	116	121	16	29605
(CONTINUED)	36.9	29.5	17.9	8.4	3.9	1.8	.7	.4	.4	.1	100.0

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY BO BIRTH ORDER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

MPCB	BO / COUNT / ROW PCT / COL PCT	1 1ST	2 2ND	3 3RD	4 4TH	5 5TH	6 6TH	7 7TH	8 8TH	9 9TH AND OVER	10 NOT STATED	ROW TOTAL
9		53	45	29	19	16	6	2		2		172
NINTH MONTH		30.8	26.2	16.9	11.0	9.3	3.5	1.2		1.2		.6
		.5	.5	.5	.8	1.4	1.1	1.0		1.7		
10		34	19	15	6	2	4				8	90
NOT STATED		37.8	21.1	16.7	8.9	2.2	4.4				8.9	.3
		.3	.2	.3	.3	.2	.7				50.0	
COLUMN TOTAL		10914	8744	5307	2491	1155	538	203	116	121	16	29605
		36.9	29.5	17.9	8.4	3.9	1.8	.7	.4	.4	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR..
RACE. VALUE = TOTAL

MPCB		WT UNDER 500 GMS 0I	500 TO 999 GMS 1I	1000 TO 1499 GMS 2I	1500 TO 1999 GMS 3I	2000 TO 2499 GMS 4I	2500 TO 2999 GMS 5I	3000 TO 3499 GMS 6I	3500 TO 3999 GMS 7I	4000 GMS AND OVER 8I	NOT STATED 9I	ROW TOTAL
0	COUNT	17	74	61	70	143	356	412	215	59	5	1412
NONE	ROW PCT	1.2	5.2	4.3	5.0	10.1	25.2	29.2	15.2	4.2	.4	1.5
	COL PCT	9.3	12.6	8.2	5.2	3.2	2.3	1.2	.8	.6	6.0	
1	COUNT	30	123	154	264	668	2246	5411	4692	1881	11	15480
FIRST MONTH	ROW PCT	.2	.8	1.0	1.7	4.3	14.5	35.0	30.3	12.2	.1	16.6
	COL PCT	16.4	20.9	20.8	19.4	14.8	14.5	15.8	17.7	19.1	13.1	
2	COUNT	76	212	243	456	1501	5566	13531	11397	4500	23	37505
SECOND MONTH	ROW PCT	.2	.6	.6	1.2	4.0	14.8	36.1	30.4	12.0	.1	40.1
	COL PCT	41.5	36.0	32.8	33.6	33.3	35.9	39.6	43.0	45.8	27.4	
3	COUNT	32	89	128	272	970	3292	7251	5464	1933	9	19440
THIRD MONTH	ROW PCT	.2	.5	.7	1.4	5.0	16.9	37.3	28.1	9.9	.0	20.8
	COL PCT	17.5	15.1	17.3	20.0	21.6	21.2	21.2	20.6	19.7	10.7	
4	COUNT	19	43	75	126	509	1645	3210	2203	718	8	8556
FOURTH MONTH	ROW PCT	.2	.5	.9	1.5	5.9	19.2	37.5	25.7	8.4	.1	9.2
	COL PCT	10.4	7.3	10.1	9.3	11.3	10.6	9.4	8.3	7.3	9.5	
5	COUNT	6	26	46	81	320	1079	1969	1125	375	5	5032
FIFTH MONTH	ROW PCT	.1	.5	.9	1.6	6.4	21.4	39.1	22.4	7.5	.1	5.4
	COL PCT	3.3	4.4	6.2	6.0	7.1	7.0	5.8	4.2	3.8	6.0	
6	COUNT	1	12	17	43	189	641	1127	675	179	5	2889
SIXTH MONTH	ROW PCT	.0	.4	.6	1.5	6.5	22.2	39.0	23.4	6.2	.2	3.1
	COL PCT	.5	2.0	2.3	3.2	4.2	4.1	3.3	2.5	1.8	6.0	
7	COUNT		4	11	25	119	392	710	430	110	3	1804
SEVENTH MONTH	ROW PCT		.2	.6	1.4	6.6	21.7	39.4	23.8	6.1	.2	1.9
	COL PCT		.7	1.5	1.8	2.6	2.5	2.1	1.6	1.1	3.6	
8	COUNT			1	8	50	204	378	216	45		902
EIGHTH MONTH	ROW PCT			.1	.9	5.5	22.6	41.9	23.9	5.0		1.0
	COL PCT			.1	.6	1.1	1.3	1.1	.8	.5		
COLUMN	COUNT	183	589	740	1359	4501	15507	34169	26513	9836	84	93481
(CONTINUED)	TOTAL	.2	.6	.8	1.5	4.8	16.6	36.6	28.4	10.5	.1	100.0

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. RACE. VALUE = TOTAL

MPCB	WT	0 UNDER 500 GMS	1 500 TO 999 GMS	2 1000 TO 1499 GMS	3 1500 TO 1999 GMS	4 2000 TO 2499 GMS	5 2500 TO 2999 GMS	6 3000 TO 3499 GMS	7 3500 TO 3999 GMS	8 4000 GMS AND OVER	9 NOT STATED	ROW TOTAL
9 NINTH MONTH	COUNT		1	1	2	14	60	114	67	23		282
	ROW PCT		.4	.4	.7	5.0	21.3	40.4	23.8	8.2		.3
	COL PCT		.2	.1	.1	.3	.4	.3	.3	.2		
10 NOT STATED	COUNT	2	5	3	12	18	26	56	29	13	15	179
	ROW PCT	1.1	2.8	1.7	6.7	10.1	14.5	31.3	16.2	7.3	8.4	.2
	COL PCT	1.1	.8	.4	.9	.4	.2	.2	.1	.1	17.9	
COLUMN TOTAL		183	589	740	1359	4501	15507	34169	26513	9836	84	93481
		.2	.6	.8	1.5	4.8	16.6	36.6	28.4	10.5	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	WT 0 UNDER 500 GMS	1 500 TO 999 GMS	2 1000 TO 1499 GMS	3 1500 TO 1999 GMS	4 2000 TO 2499 GMS	5 2500 TO 2999 GMS	6 3000 TO 3499 GMS	7 3500 TO 3999 GMS	8 4000 GMS AND OVER	9 NOT STATED	ROW TOTAL
0 NONE		3	33	12	28	45	126	163	121	38	4	573
		.5	5.8	2.1	4.9	7.9	22.0	28.4	21.1	6.6	.7	.9
		4.2	12.0	3.4	3.7	1.9	1.4	.7	.6	.5	11.1	
1 FIRST MONTH		16	66	91	179	435	1520	4049	3900	1627	4	11887
		.1	.6	.8	1.5	3.7	12.8	34.1	32.8	13.7	.0	18.6
		22.2	24.1	25.9	23.9	18.2	17.1	17.9	19.2	19.8	11.1	
2 SECOND MONTH		35	111	139	280	950	3677	10115	9455	3950	12	28724
		.1	.4	.5	1.0	3.3	12.8	35.2	32.9	13.8	.0	45.0
		48.6	40.5	39.6	37.4	39.8	41.4	44.8	46.5	48.0	33.3	
3 THIRD MONTH		11	34	57	144	477	1851	4575	4003	1574	1	12727
		.1	.3	.4	1.1	3.7	14.5	35.9	31.5	12.4	.0	19.9
		15.3	12.4	16.2	19.3	20.0	20.8	20.3	19.7	19.1	2.8	
4 FOURTH MONTH		6	18	21	56	216	757	1701	1408	538	2	4723
		.1	.4	.4	1.2	4.6	16.0	36.0	29.8	11.4	.0	7.4
		8.3	6.6	6.0	7.5	9.1	8.5	7.5	6.9	6.5	5.6	
5 FIFTH MONTH		1	7	21	30	124	443	908	643	251	2	2430
		.0	.3	.9	1.2	5.1	18.2	37.4	26.5	10.3	.1	3.8
		1.4	2.6	6.0	4.0	5.2	5.0	4.0	3.2	3.0	5.6	
6 SIXTH MONTH			2	7	16	57	249	508	394	117	1	1351
			.1	.5	1.2	4.2	18.4	37.6	29.2	8.7	.1	2.1
			.7	2.0	2.1	2.4	2.8	2.3	1.9	1.4	2.8	
7 SEVENTH MONTH			1	1	7	52	155	327	234	79	1	857
			.1	.1	.8	6.1	18.1	38.2	27.3	9.2	.1	1.3
			.4	.3	.9	2.2	1.7	1.4	1.2	1.0	2.8	
8 EIGHTH MONTH				1	3	18	75	155	118	35		405
				.2	.7	4.4	18.5	38.3	29.1	8.6		.6
				.3	.4	.8	.8	.7	.6	.4		
COLUMN TOTAL		72	274	351	748	2386	8880	22573	20325	8231	36	63876
		.1	.4	.5	1.2	3.7	13.9	35.3	31.8	12.9	.1	100.0

(CONTINUED)

TABLE 9

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. RACE VALUE.. 1 WHITE

MPCB	WT	0 UNDER 500 GMS	1 500 TO 999 GMS	2 1000 TO 1499 GMS	3 1500 TO 1999 GMS	4 2000 TO 2499 GMS	5 2500 TO 2999 GMS	6 3000 TO 3499 GMS	7 3500 TO 3999 GMS	8 4000 GMS AND OVER	9 NOT STATED	ROW TOTAL
9 NINTH MONTH	COUNT		1		1	4	17	43	31	13		110
	ROW PCT		.9		.9	3.6	15.5	39.1	28.2	11.8		.2
	COL PCT		.4		.1	.2	.2	.2	.2	.2		
10 NOT STATED	COUNT		1	1	4	8	10	29	18	9	9	89
	ROW PCT		1.1	1.1	4.5	9.0	11.2	32.6	20.2	10.1	10.1	.1
	COL PCT		.4	.3	.5	.3	.1	.1	.1	.1	25.0	
COLUMN TOTAL		72 .1	274 .4	351 .5	748 1.2	2386 3.7	8880 13.9	22573 35.3	20325 31.8	8231 12.9	36 .1	63876 100.0

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

MPCB	WT	0 UNDER 500 GMS	1 500 TO 999 GMS	2 1000 TO 1499 GMS	3 1500 TO 1999 GMS	4 2000 TO 2499 GMS	5 2500 TO 2999 GMS	6 3000 TO 3499 GMS	7 3500 TO 3999 GMS	8 4000 GMS AND OVER	9 NOT STATED	ROW TOTAL
0 NONE	COUNT	14	41	49	42	98	230	249	94	21	1	839
	ROW PCT	1.7	4.9	5.8	5.0	11.7	27.4	29.7	11.2	2.5	.1	2.8
	COL PCT	12.6	13.0	12.6	6.9	4.6	3.5	2.1	1.5	1.3	2.1	
1 FIRST MONTH	COUNT	14	57	63	85	233	726	1362	792	254	7	3593
	ROW PCT	.4	1.6	1.8	2.4	6.5	20.2	37.9	22.0	7.1	.2	12.1
	COL PCT	12.6	18.1	16.2	13.9	11.0	11.0	11.7	12.8	15.8	14.6	
2 SECOND MONTH	COUNT	41	101	104	176	551	1889	3416	1942	550	11	8781
	ROW PCT	.5	1.2	1.2	2.0	6.3	21.5	38.9	22.1	6.3	.1	29.7
	COL PCT	36.9	32.1	26.7	28.8	26.1	28.5	29.5	31.4	34.3	22.9	
3 THIRD MONTH	COUNT	21	55	71	128	493	1441	2676	1461	359	8	6713
	ROW PCT	.3	.8	1.1	1.9	7.3	21.5	39.9	21.8	5.3	.1	22.7
	COL PCT	18.9	17.5	18.3	20.9	23.3	21.7	23.1	23.6	22.4	16.7	
4 FOURTH MONTH	COUNT	13	25	54	70	293	888	1509	795	180	6	3833
	ROW PCT	.3	.7	1.4	1.8	7.6	23.2	39.4	20.7	4.7	.2	12.9
	COL PCT	11.7	7.9	13.9	11.5	13.9	13.4	13.0	12.8	11.2	12.5	
5 FIFTH MONTH	COUNT	5	19	25	51	196	636	1061	482	124	3	2602
	ROW PCT	.2	.7	1.0	2.0	7.5	24.4	40.8	18.5	4.8	.1	8.8
	COL PCT	4.5	6.0	6.4	8.3	9.3	9.6	9.1	7.8	7.7	6.3	
6 SIXTH MONTH	COUNT	1	10	10	27	132	392	619	281	62	4	1538
	ROW PCT	.1	.7	.7	1.8	8.6	25.5	40.2	18.3	4.0	.3	5.2
	COL PCT	.9	3.2	2.6	4.4	6.2	5.9	5.3	4.5	3.9	8.3	
7 SEVENTH MONTH	COUNT		3	10	18	67	237	383	196	31	2	947
	ROW PCT		.3	1.1	1.9	7.1	25.0	40.4	20.7	3.3	.2	3.2
	COL PCT		1.0	2.6	2.9	3.2	3.6	3.3	3.2	1.9	4.2	
8 EIGHTH MONTH	COUNT				5	32	129	223	98	10		497
	ROW PCT				1.0	6.4	26.0	44.9	19.7	2.0		1.7
	COL PCT				.8	1.5	1.9	1.9	1.6	.6		
COLUMN TOTAL	COUNT	111	315	389	611	2115	6627	11596	6188	1605	48	29605
	COL PCT	.4	1.1	1.3	2.1	7.1	22.4	39.2	20.9	5.4	.2	100.0

(CONTINUED)

MPCB/BTH WT/RACE TABLE 9

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

MPCB	WT	UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
9 NINTH MONTH	COUNT			1	1	10	43	71	36	10		172
	ROW PCT			.6	.6	5.8	25.0	41.3	20.9	5.8		.6
	COL PCT			.3	.2	.5	.6	.6	.6	.6		
10 NOT STATED	COUNT	2	4	2	8	10	16	27	11	4	6	90
	ROW PCT	2.2	4.4	2.2	8.9	11.1	17.8	30.0	12.2	4.4	6.7	.3
	COL PCT	1.8	1.3	.5	1.3	.5	.2	.2	.2	.2	12.5	
COLUMN TOTAL		111	315	389	611	2115	6627	11596	6188	1605	48	29605
		.4	1.1	1.3	2.1	7.1	22.4	39.2	20.9	5.4	.2	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF PCVISIT NUMBER OF PRENATAL VISITS BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR.. RACE. VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL. 1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0		100	603	546	133	23	7	1412
NONE		7.1	42.7	38.7	9.4	1.6	.5	1.5
		3.2	3.2	1.4	.7	.2	6.6	
1		35	214	172	39	12	3	475
ONE		7.4	45.1	36.2	8.2	2.5	.6	.5
		1.1	1.2	.4	.2	.1	2.8	
2		52	275	269	67	12	1	676
TWO		7.7	40.7	39.8	9.9	1.8	.1	.7
		1.7	1.5	.7	.4	.1	.9	
3		76	367	321	74	23	1	862
THREE		8.8	42.6	37.2	8.6	2.7	.1	.9
		2.4	2.0	.8	.4	.2	.9	
4		112	472	477	115	37	2	1215
FOUR		9.2	38.8	39.3	9.5	3.0	.2	1.3
		3.6	2.5	1.2	.6	.2	1.9	
5		117	612	668	169	58	2	1626
FIVE		7.2	37.6	41.1	10.4	3.6	.1	1.7
		3.8	3.3	1.7	.9	.4	1.9	
6		141	760	903	280	109	3	2196
SIX		6.4	34.6	41.1	12.8	5.0	.1	2.3
		4.5	4.1	2.4	1.5	.7	2.8	
7		128	708	1071	352	162	2	2423
SEVEN		5.3	29.2	44.2	14.5	6.7	.1	2.6
		4.1	3.8	2.8	1.9	1.1	1.9	
8		211	1120	1583	543	303	3	3763
EIGHT		5.6	29.8	42.1	14.4	8.1	.1	4.0
		6.8	6.0	4.1	3.0	2.0	2.8	
COLUMN TOTAL		3120	18603	38261	18293	15098	106	93481
		3.3	19.9	40.9	19.6	16.2	.1	100.0

(CONTINUED)

TABLE 10

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL. 1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
9		164	986	1667	628	399	6	3850
NINE		4.3	25.6	43.3	16.3	10.4	.2	4.1
		5.3	5.3	4.4	3.4	2.6	5.7	
10		345	2002	3687	1556	1013	12	8615
TEN		4.0	23.2	42.8	18.1	11.8	.1	9.2
		11.1	10.8	9.6	8.5	6.7	11.3	
11		233	1365	2513	1167	795	7	6080
ELEVEN		3.8	22.5	41.3	19.2	13.1	.1	6.5
		7.5	7.3	6.6	6.4	5.3	6.6	
12		492	3116	7703	3826	3169	15	18321
TWELVE		2.7	17.0	42.0	20.9	17.3	.1	19.6
		15.8	16.7	20.1	20.9	21.0	14.2	
13		186	1329	3477	1766	1467	4	8229
THIRTEEN		2.3	16.2	42.3	21.5	17.8	.0	8.8
		6.0	7.1	9.1	9.7	9.7	3.8	
14		247	1495	4258	2432	2357	4	10793
FOURTEEN		2.3	13.9	39.5	22.5	21.8	.0	11.5
		7.9	8.0	11.1	13.3	15.6	3.8	
15		208	1396	4176	2558	2706	5	11049
FIFTEEN		1.9	12.6	37.8	23.2	24.5	.0	11.8
		6.7	7.5	10.9	14.0	17.9	4.7	
16		263	1732	4708	2567	2441	5	11716
SIXTEEN OR MORE		2.2	14.8	40.2	21.9	20.8	.0	12.5
		8.4	9.3	12.3	14.0	16.2	4.7	
17		10	51	62	21	12	24	180
NOT STATED		5.6	28.3	34.4	11.7	6.7	13.3	.2
		.3	.3	.2	.1	.1	22.6	
COLUMN TOTAL		3120	18603	38261	18293	15098	106	93481
		3.3	19.9	40.9	19.6	16.2	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL. 1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0		49	242	205	61	15	1	573
NONE		8.6	42.2	35.8	10.6	2.6	.2	.9
		2.4	2.2	.8	.5	.1	2.1	
1		11	64	42	17	4		138
ONE		8.0	46.4	30.4	12.3	2.9		.2
		.5	.6	.2	.1	.0		
2		32	93	91	25	5	1	247
TWO		13.0	37.7	36.8	10.1	2.0	.4	.4
		1.6	.9	.4	.2	.0	2.1	
3		42	132	95	26	16		311
THREE		13.5	42.4	30.5	8.4	5.1		.5
		2.1	1.2	.4	.2	.1		
4		61	193	157	40	20		471
FOUR		13.0	41.0	33.3	8.5	4.2		.7
		3.0	1.8	.6	.3	.2		
5		73	252	262	80	42	1	710
FIVE		10.3	35.5	36.9	11.3	5.9	.1	1.1
		3.6	2.3	1.1	.6	.3	2.1	
6		83	359	390	142	78	2	1054
SIX		7.9	34.1	37.0	13.5	7.4	.2	1.7
		4.1	3.3	1.6	1.1	.6	4.2	
7		79	349	513	207	122	2	1272
SEVEN		6.2	27.4	40.3	16.3	9.6	.2	2.0
		3.9	3.2	2.1	1.6	.9	4.2	
8		125	557	840	322	234	3	2081
EIGHT		6.0	26.8	40.4	15.5	11.2	.1	3.3
		6.2	5.1	3.4	2.4	1.8	6.3	
COLUMN TOTAL		2001	10901	24751	13311	12864	48	63876
		3.1	17.1	38.7	20.8	20.1	.1	100.0

(CONTINUED)

TABLE 10

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
9	99	521	949	412	306	2	2289
NINE	4.3	22.8	41.5	18.0	13.4	.1	3.6
	4.9	4.8	3.8	3.1	2.4	4.2	
10	218	1205	2206	1009	837	4	5479
TEN	4.0	22.0	40.3	18.4	15.3	.1	8.6
	10.9	11.1	8.9	7.6	6.5	8.3	
11	130	727	1513	790	640	3	3803
ELEVEN	3.4	19.1	39.8	20.8	16.8	.1	6.0
	6.5	6.7	6.1	5.9	5.0	6.3	
12	335	2011	5148	2849	2776	6	13125
TWELVE	2.6	15.3	39.2	21.7	21.2	.0	20.5
	16.7	18.4	20.8	21.4	21.6	12.5	
13	138	923	2512	1356	1255	1	6185
THIRTEEN	2.2	14.9	40.6	21.9	20.3	.0	9.7
	6.9	8.5	10.1	10.2	9.8	2.1	
14	183	1061	3209	1940	2030	3	8426
FOURTEEN	2.2	12.6	38.1	23.0	24.1	.0	13.2
	9.1	9.7	13.0	14.6	15.8	6.3	
15	142	951	3089	2021	2358	1	8562
FIFTEEN	1.7	11.1	36.1	23.6	27.5	.0	13.4
	7.1	8.7	12.5	15.2	18.3	2.1	
16	196	1233	3497	2002	2115	4	9047
SIXTEEN OR MORE	2.2	13.6	38.7	22.1	23.4	.0	14.2
	9.8	11.3	14.1	15.0	16.4	8.3	
17	5	28	33	12	11	14	103
NOT STATED	4.9	27.2	32.0	11.7	10.7	13.6	.2
	.2	.3	.1	.1	.1	29.2	
COLUMN TOTAL	2001	10901	24751	13311	12864	48	63876
	3.1	17.1	38.7	20.8	20.1	.1	100.0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL. 1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0		51	361	341	72	8	6	839
NONE		6.1	43.0	40.6	8.6	1.0	.7	2.8
		4.6	4.7	2.5	1.4	.4	10.3	
1		24	150	130	22	8	3	337
ONE		7.1	44.5	38.6	6.5	2.4	.9	1.1
		2.1	1.9	1.0	.4	.4	5.2	
2		20	182	178	42	7		429
TWO		4.7	42.4	41.5	9.8	1.6		1.4
		1.8	2.4	1.3	.8	.3		
3		34	235	226	48	7	1	551
THREE		6.2	42.6	41.0	8.7	1.3	.2	1.9
		3.0	3.1	1.7	1.0	.3	1.7	
4		51	279	320	75	17	2	744
FOUR		6.9	37.5	43.0	10.1	2.3	.3	2.5
		4.6	3.6	2.4	1.5	.8	3.4	
5		44	360	406	89	16	1	916
FIVE		4.8	39.3	44.3	9.7	1.7	.1	3.1
		3.9	4.7	3.0	1.8	.7	1.7	
6		58	401	513	138	31	1	1142
SIX		5.1	35.1	44.9	12.1	2.7	.1	3.9
		5.2	5.2	3.8	2.8	1.4	1.7	
7		49	359	558	145	40		1151
SEVEN		4.3	31.2	48.5	12.6	3.5		3.9
		4.4	4.7	4.1	2.9	1.8		
8		86	563	743	221	69		1682
EIGHT		5.1	33.5	44.2	13.1	4.1		5.7
		7.7	7.3	5.5	4.4	3.1		
	COLUMN	1119	7702	13510	4982	2234	58	29605
(CONTINUED)	TOTAL	3.8	26.0	45.6	16.8	7.5	.2	100.0

TABLE 10

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

PCVISIT	EDUC	1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL. 1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
9 NINE	COUNT	65	465	718	216	93	4	1561
	ROW PCT	4.2	29.8	46.0	13.8	6.0	.3	5.3
	COL PCT	5.8	6.0	5.3	4.3	4.2	6.9	
10 TEN	COUNT	127	797	1481	547	176	8	3136
	ROW PCT	4.0	25.4	47.2	17.4	5.6	.3	10.6
	COL PCT	11.3	10.3	11.0	11.0	7.9	13.8	
11 ELEVEN	COUNT	103	638	1000	377	155	4	2277
	ROW PCT	4.5	28.0	43.9	16.6	6.8	.2	7.7
	COL PCT	9.2	8.3	7.4	7.6	6.9	6.9	
12 TWELVE	COUNT	157	1105	2555	977	393	9	5196
	ROW PCT	3.0	21.3	49.2	18.8	7.6	.2	17.6
	COL PCT	14.0	14.3	18.9	19.6	17.6	15.5	
13 THIRTEEN	COUNT	48	406	965	410	212	3	2044
	ROW PCT	2.3	19.9	47.2	20.1	10.4	.1	6.9
	COL PCT	4.3	5.3	7.1	8.2	9.5	5.2	
14 FOURTEEN	COUNT	64	434	1049	492	327	1	2367
	ROW PCT	2.7	18.3	44.3	20.8	13.8	.0	8.0
	COL PCT	5.7	5.6	7.8	9.9	14.6	1.7	
15 FIFTEEN	COUNT	66	445	1087	537	348	4	2487
	ROW PCT	2.7	17.9	43.7	21.6	14.0	.2	8.4
	COL PCT	5.9	5.8	8.0	10.8	15.6	6.9	
16 SIXTEEN OR MORE	COUNT	67	499	1211	565	326	1	2669
	ROW PCT	2.5	18.7	45.4	21.2	12.2	.0	9.0
	COL PCT	6.0	6.5	9.0	11.3	14.6	1.7	
17 NOT STATED	COUNT	5	23	29	9	1	10	77
	ROW PCT	6.5	29.9	37.7	11.7	1.3	13.0	.3
	COL PCT	.4	.3	.2	.2	.0	17.2	
COLUMN TOTAL		1119	7702	13510	4982	2234	58	29605
		3.8	26.0	45.6	16.8	7.5	.2	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER
CONTROLLING FOR.. RACE. VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	11	12	13	14	15	16	17	18	19	20	ROW TOTAL
0				4	17	27	66	101	131	129	152	1412
NONE				.3	1.2	1.9	4.7	7.2	9.3	9.1	10.8	1.5
				6.9	6.3	3.4	3.7	3.5	3.3	2.6	2.7	
1				1	6	13	21	44	41	50	46	475
ONE				.2	1.3	2.7	4.4	9.3	8.6	10.5	9.7	.5
				1.7	2.2	1.6	1.2	1.5	1.0	1.0	.8	
2					6	19	32	40	52	70	78	676
TWO					.9	2.8	4.7	5.9	7.7	10.4	11.5	.7
					2.2	2.4	1.8	1.4	1.3	1.4	1.4	
3				5	11	27	38	52	61	95	75	862
THREE				.6	1.3	3.1	4.4	6.0	7.1	11.0	8.7	.9
				8.6	4.1	3.4	2.1	1.8	1.6	1.9	1.3	
4				4	12	32	45	68	118	108	112	1215
FOUR				.3	1.0	2.6	3.7	5.6	9.7	8.9	9.2	1.3
				6.9	4.5	4.0	2.5	2.4	3.0	2.2	2.0	
5		1	2	9	27	76	97	147	152	139	1626	
FIVE		.1	.1	.6	1.7	4.7	6.0	9.0	9.3	8.5	1.7	
		8.3	3.4	3.3	3.4	4.2	3.4	3.7	3.1	2.4		
6			3	11	38	76	132	182	200	165	2196	
SIX			.1	.5	1.7	3.5	6.0	8.3	9.1	7.5	2.3	
			5.2	4.1	4.7	4.2	4.6	4.6	4.0	2.9		
7			3	12	31	85	125	154	167	211	2423	
SEVEN			.1	.5	1.3	3.5	5.2	6.4	6.9	8.7	2.6	
			5.2	4.5	3.9	4.7	4.4	3.9	3.4	3.7		
8		1	4	22	66	133	201	248	299	302	3763	
EIGHT		.0	.1	.6	1.8	3.5	5.3	6.6	7.9	8.0	4.0	
		8.3	6.9	8.2	8.2	7.4	7.1	6.3	6.0	5.3		
COLUMN TOTAL		1	12	58	269	802	1806	2847	3933	4979	5692	93481
		.0	.0	.1	.3	.9	1.9	3.0	4.2	5.3	6.1	100.0

(CONTINUED)

TABLE 11

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE. VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	21	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
0		131	115	64	75	254	98	37	10	1		1412
NONE		9.3	8.1	4.5	5.3	18.0	6.9	2.6	.7	.1		1.5
		2.2	1.9	1.1	1.3	.9	.6	.8	1.8	4.0		
1		47	40	28	25	73	32	8				475
ONE		9.9	8.4	5.9	5.3	15.4	6.7	1.7				.5
		.8	.7	.5	.4	.3	.2	.2				
2		56	71	47	31	109	50	12	3			676
TWO		8.3	10.5	7.0	4.6	16.1	7.4	1.8	.4			.7
		.9	1.2	.8	.5	.4	.3	.3	.5			
3		85	68	60	49	149	62	23	2			862
THREE		9.9	7.9	7.0	5.7	17.3	7.2	2.7	.2			.9
		1.4	1.1	1.0	.8	.5	.4	.5	.4			
4		94	110	81	81	208	106	32	2	2		1215
FOUR		7.7	9.1	6.7	6.7	17.1	8.7	2.6	.2	.2		1.3
		1.6	1.8	1.3	1.4	.8	.7	.7	.4	8.0		
5		141	121	113	116	302	142	33	8			1626
FIVE		8.7	7.4	6.9	7.1	18.6	8.7	2.0	.5			1.7
		2.3	2.0	1.9	1.9	1.1	.9	.7	1.4			
6		185	168	156	115	455	227	64	16	2	1	2196
SIX		8.4	7.7	7.1	5.2	20.7	10.3	2.9	.7	.1	.0	2.3
		3.1	2.7	2.6	1.9	1.6	1.4	1.4	2.9	8.0	10.0	
7		202	234	143	144	551	277	72	12			2423
SEVEN		8.3	9.7	5.9	5.9	22.7	11.4	3.0	.5			2.6
		3.3	3.8	2.4	2.4	2.0	1.7	1.6	2.2			
8		294	275	258	214	857	449	119	20	1		3763
EIGHT		7.8	7.3	6.9	5.7	22.8	11.9	3.2	.5	.0		4.0
		4.9	4.5	4.2	3.6	3.1	2.8	2.6	3.6	4.0		
COLUMN TOTAL		6042	6150	6079	5980	27616	15989	4634	557	25	10	93481
		6.5	6.6	6.5	6.4	29.5	17.1	5.0	.6	.0	.0	100.0

(CONTINUED)

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER

CONTROLLING FOR..

RACE. VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	AGE 11	12	13	14	15	16	17	18	19	20	ROW TOTAL
9			1	4	18	53	111	189	210	276	295	3850
NINE			.0	.1	.5	1.4	2.9	4.9	5.5	7.2	7.7	4.1
			8.3	6.9	6.7	6.6	6.1	6.6	5.3	5.5	5.2	
10			2	11	29	95	197	328	464	520	578	8615
TEN			.0	.1	.3	1.1	2.3	3.8	5.4	6.0	6.7	9.2
			16.7	19.0	10.8	11.8	10.9	11.5	11.8	10.4	10.2	
11			2	5	22	69	150	233	289	359	440	6080
ELEVEN			.0	.1	.4	1.1	2.5	3.8	4.8	5.9	7.2	6.5
			16.7	8.6	8.2	8.6	8.3	8.2	7.3	7.2	7.7	
12		1	4	4	42	121	297	453	671	882	1075	18321
TWELVE		.0	.0	.0	.2	.7	1.6	2.5	3.7	4.8	5.9	19.6
		100.0	33.3	6.9	15.6	15.1	16.4	15.9	17.1	17.7	18.9	
13				2	16	39	124	187	261	386	474	8229
THIRTEEN				.0	.2	.5	1.5	2.3	3.2	4.7	5.8	8.8
				3.4	5.9	4.9	6.9	6.6	6.6	7.8	8.3	
14				4	14	39	113	186	304	405	516	10793
FOURTEEN				.0	.1	.4	1.0	1.7	2.8	3.8	4.8	11.5
				6.9	5.2	4.9	6.3	6.5	7.7	8.1	9.1	
15				1	9	53	100	187	270	398	491	11049
FIFTEEN				.0	.1	.5	.9	1.7	2.4	3.6	4.4	11.8
				1.7	3.3	6.6	5.5	6.6	6.9	8.0	8.6	
16			1	1	11	52	135	214	322	471	530	11716
SIXTEEN OR MORE			.0	.0	.1	.4	1.2	1.8	2.7	4.0	4.5	12.5
			8.3	1.7	4.1	6.5	7.5	7.5	8.2	9.5	9.3	
17					2	1	7	10	8	12	13	180
NOT STATED					1.1	.6	3.9	5.6	4.4	6.7	7.2	.2
					.7	.1	.4	.4	.2	.2	.2	
COLUMN TOTAL		1 .0	12 .0	58 .1	269 .3	802 .9	1806 1.9	2847 3.0	3933 4.2	4979 5.3	5692 6.1	93481 100.0

(CONTINUED)

TABLE 11

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	21	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
9		302	283	255	232	956	491	150	24			3850
NINE		7.8	7.4	6.6	6.0	24.8	12.8	3.9	.6			4.1
		5.0	4.6	4.2	3.9	3.5	3.1	3.2	4.3			
10		600	629	601	520	2336	1307	338	57	3		8615
TEN		7.0	7.3	7.0	6.0	27.1	15.2	3.9	.7	.0		9.2
		9.9	10.2	9.9	8.7	8.5	8.2	7.3	10.2	12.0		
11		433	411	393	378	1710	907	249	26	3	1	6080
ELEVEN		7.1	6.8	6.5	6.2	28.1	14.9	4.1	.4	.0	.0	6.5
		7.2	6.7	6.5	6.3	6.2	5.7	5.4	4.7	12.0	10.0	
12		1144	1167	1237	1222	5655	3289	958	93	5	1	18321
TWELVE		6.2	6.4	6.8	6.7	30.9	18.0	5.2	.5	.0	.0	19.6
		18.9	19.0	20.3	20.4	20.5	20.6	20.7	16.7	20.0	10.0	
13		488	532	543	603	2613	1490	415	55		1	8229
THIRTEEN		5.9	6.5	6.6	7.3	31.8	18.1	5.0	.7		.0	8.8
		8.1	8.7	8.9	10.1	9.5	9.3	9.0	9.9		10.0	
14		620	609	696	683	3644	2268	633	56	2	1	10793
FOURTEEN		5.7	5.6	6.4	6.3	33.8	21.0	5.9	.5	.0	.0	11.5
		10.3	9.9	11.4	11.4	13.2	14.2	13.7	10.1	8.0	10.0	
15		550	596	684	731	3823	2392	680	81	3		11049
FIFTEEN		5.0	5.4	6.2	6.6	34.6	21.6	6.2	.7	.0		11.8
		9.1	9.7	11.3	12.2	13.8	15.0	14.7	14.5	12.0		
16		658	707	705	744	3878	2388	805	91	3		11716
SIXTEEN OR MORE		5.6	6.0	6.0	6.4	33.1	20.4	6.9	.8	.0		12.5
		10.9	11.5	11.6	12.4	14.0	14.9	17.4	16.3	12.0		
17		12	14	15	17	43	14	6	1		5	180
NOT STATED		6.7	7.8	8.3	9.4	23.9	7.8	3.3	.6		2.8	.2
		.2	.2	.2	.3	.2	.1	.1	.2		50.0	
COLUMN TOTAL		6042	6150	6079	5980	27616	15989	4634	557	25	10	93481
		6.5	6.6	6.5	6.4	29.5	17.1	5.0	.6	.0	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 11

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	12	13	14	15	16	17	18	19	20	21	ROW TOTAL
0				2	8	27	45	50	40	67	50	573
NONE				.3	1.4	4.7	7.9	8.7	7.0	11.7	8.7	.9
				3.0	2.8	3.3	3.0	2.2	1.4	1.9	1.3	
1					1	8	11	16	17	15	8	138
ONE					.7	5.8	8.0	11.6	12.3	10.9	5.8	.2
					.4	1.0	.7	.7	.6	.4	.2	
2					2	8	14	18	22	26	24	247
TWO					.8	3.2	5.7	7.3	8.9	10.5	9.7	.4
					.7	1.0	.9	.8	.8	.7	.6	
3			1	1	7	11	17	26	33	30	35	311
THREE			.3	.3	2.3	3.5	5.5	8.4	10.6	9.6	11.3	.5
			11.1	1.5	2.5	1.3	1.1	1.2	1.1	.9	.9	
4				3	10	11	25	57	46	43	35	471
FOUR				.6	2.1	2.3	5.3	12.1	9.8	9.1	7.4	.7
				4.5	3.5	1.3	1.7	2.5	1.6	1.2	.9	
5			1	1	8	26	44	57	60	62	69	710
FIVE			.1	.1	1.1	3.7	6.2	8.0	8.5	8.7	9.7	1.1
			11.1	1.5	2.8	3.2	2.9	2.5	2.1	1.8	1.8	
6				2	12	31	58	80	96	84	92	1054
SIX				.2	1.1	2.9	5.5	7.6	9.1	8.0	8.7	1.7
				3.0	4.3	3.8	3.9	3.6	3.3	2.4	2.4	
7			1	3	8	35	59	78	78	114	104	1272
SEVEN			.1	.2	.6	2.8	4.6	6.1	6.1	9.0	8.2	2.0
			11.1	4.5	2.8	4.3	3.9	3.5	2.7	3.2	2.8	
8			1	6	18	63	95	124	150	162	150	2081
EIGHT			.0	.3	.9	3.0	4.6	6.0	7.2	7.8	7.2	3.3
			11.1	9.1	6.4	7.7	6.3	5.5	5.2	4.6	4.0	
COLUMN TOTAL		2	9	66	282	815	1503	2243	2881	3517	3759	63876
		.0	.0	.1	.4	1.3	2.4	3.5	4.5	5.5	5.9	100.0

(CONTINUED)

TABLE 11

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	22	23	24	25	26	27	28	29	30	ROW TOTAL
		AGE 25 - 29	AGE 30 - 34	AGE 35 - 39	AGE 40 - 44	AGE 45 AND OVER		NOT STATED			
0		48	32	28	108	42	19	7			573
NONE		8.4	5.6	4.9	18.8	7.3	3.3	1.2			.9
		1.2	.8	.7	.5	.3	.5	1.8			
1		6	8	7	27	9	5				138
ONE		4.3	5.8	5.1	19.6	6.5	3.6				.2
		.2	.2	.2	.1	.1	.1				
2		24	18	12	49	22	6	2			247
TWO		9.7	7.3	4.9	19.8	8.9	2.4	.8			.4
		.6	.4	.3	.2	.2	.2	.5			
3		21	20	18	56	22	11	2			311
THREE		6.8	6.4	5.8	18.0	7.1	3.5	.6			.5
		.5	.5	.4	.3	.2	.3	.5			
4		45	28	32	79	42	15				471
FOUR		9.6	5.9	6.8	16.8	8.9	3.2				.7
		1.1	.7	.8	.4	.3	.4				
5		47	39	59	147	70	16	4			710
FIVE		6.6	5.5	8.3	20.7	9.9	2.3	.6			1.1
		1.2	1.0	1.4	.7	.6	.5	1.0			
6		82	79	55	234	108	32	8	1		1054
SIX		7.8	7.5	5.2	22.2	10.2	3.0	.8	.1		1.7
		2.1	1.9	1.3	1.1	.9	.9	2.0	5.3		
7		131	70	61	308	176	38	8			1272
SEVEN		10.3	5.5	4.8	24.2	13.8	3.0	.6			2.0
		3.3	1.7	1.5	1.5	1.4	1.1	2.0			
8		141	144	122	526	296	71	11	1		2081
EIGHT		6.8	6.9	5.9	25.3	14.2	3.4	.5	.0		3.3
		3.6	3.6	2.9	2.6	2.4	2.0	2.8	5.3		
(CONTINUED)	COLUMN TOTAL	3950	4054	4158	20389	12338	3496	391	19	4	63876
		6.2	6.3	6.5	31.9	19.3	5.5	.6	.0	.0	100.0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	12	13	14	15	16	17	18	19	20	21	ROW TOTAL
9			1	8	17	39	77	119	149	174	175	2289
NINE			.0	.3	.7	1.7	3.4	5.2	6.5	7.6	7.6	3.6
			11.1	12.1	6.0	4.8	5.1	5.3	5.2	4.9	4.7	
10			2	9	39	94	171	265	308	350	353	5479
TEN			.0	.2	.7	1.7	3.1	4.8	5.6	6.4	6.4	8.6
			22.2	13.6	13.8	11.5	11.4	11.8	10.7	10.0	9.4	
11				4	20	55	116	148	192	256	243	3803
ELEVEN				.1	.5	1.4	3.1	3.9	5.0	6.7	6.4	6.0
				6.1	7.1	6.7	7.7	6.6	6.7	7.3	6.5	
12		1		9	47	145	251	411	567	700	755	13125
TWELVE		.0		.1	.4	1.1	1.9	3.1	4.3	5.3	5.8	20.5
		50.0		13.6	16.7	17.8	16.7	18.3	19.7	19.9	20.1	
13			1	7	18	67	117	177	236	333	355	6185
THIRTEEN			.0	.1	.3	1.1	1.9	2.9	3.8	5.4	5.7	9.7
			11.1	10.6	6.4	8.2	7.8	7.9	8.2	9.5	9.4	
14			1	5	20	64	134	220	276	376	444	8426
FOURTEEN			.0	.1	.2	.8	1.6	2.6	3.3	4.5	5.3	13.2
			11.1	7.6	7.1	7.9	8.9	9.8	9.6	10.7	11.8	
15				2	18	53	115	187	276	345	359	8562
FIFTEEN				.0	.2	.6	1.3	2.2	3.2	4.0	4.2	13.4
				3.0	6.4	6.5	7.7	8.3	9.6	9.8	9.6	
16		1		4	28	75	148	206	330	374	499	9047
SIXTEEN OR MORE		.0		.0	.3	.8	1.6	2.3	3.6	4.1	5.5	14.2
		50.0		6.1	9.9	9.2	9.8	9.2	11.5	10.6	13.3	
17					1	3	6	4	5	6	9	103
NOT STATED					1.0	2.9	5.8	3.9	4.9	5.8	8.7	.2
					.4	.4	.4	.2	.2	.2	.2	
COLUMN TOTAL		2	9	66	282	815	1503	2243	2881	3517	3759	63876
		.0	.0	.1	.4	1.3	2.4	3.5	4.5	5.5	5.9	100.0

(CONTINUED)

TABLE 11

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	AGE / COUNT / ROW PCT / COL PCT	22	23	24	25	26	27	28	29	30	ROW TOTAL
		25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED				
9	COUNT	170	150	130	636	330	97	17			2289
NINE	ROW PCT	7.4	6.6	5.7	27.8	14.4	4.2	.7			3.6
	COL PCT	4.3	3.7	3.1	3.1	2.7	2.8	4.3			
10	COUNT	377	370	353	1611	909	228	38	2		5479
TEN	ROW PCT	6.9	6.8	6.4	29.4	16.6	4.2	.7	.0		8.6
	COL PCT	9.5	9.1	8.5	7.9	7.4	6.5	9.7	10.5		
11	COUNT	248	236	238	1183	658	185	18	3		3803
ELEVEN	ROW PCT	6.5	6.2	6.3	31.1	17.3	4.9	.5	.1		6.0
	COL PCT	6.3	5.8	5.7	5.8	5.3	5.3	4.6	15.8		
12	COUNT	775	860	877	4312	2608	739	62	5	1	13125
TWELVE	ROW PCT	5.9	6.6	6.7	32.9	19.9	5.6	.5	.0	.0	20.5
	COL PCT	19.6	21.2	21.1	21.1	21.1	21.1	15.9	26.3	25.0	
13	COUNT	390	401	445	2038	1226	325	48		1	6185
THIRTEEN	ROW PCT	6.3	6.5	7.2	33.0	19.8	5.3	.8		.0	9.7
	COL PCT	9.9	9.9	10.7	10.0	9.9	9.3	12.3		25.0	
14	COUNT	467	546	542	2924	1863	503	38	2	1	8426
FOURTEEN	ROW PCT	5.5	6.5	6.4	34.7	22.1	6.0	.5	.0	.0	13.2
	COL PCT	11.8	13.5	13.0	14.3	15.1	14.4	9.7	10.5	25.0	
15	COUNT	443	510	591	3067	2001	534	59	2		8562
FIFTEEN	ROW PCT	5.2	6.0	6.9	35.8	23.4	6.2	.7	.0		13.4
	COL PCT	11.2	12.6	14.2	15.0	16.2	15.3	15.1	10.5		
16	COUNT	528	534	576	3057	1949	667	68	3		9047
SIXTEEN OR MORE	ROW PCT	5.8	5.9	6.4	33.8	21.5	7.4	.8	.0		14.2
	COL PCT	13.4	13.2	13.9	15.0	15.8	19.1	17.4	15.8		
17	COUNT	7	9	12	27	7	5	1		1	103
NOT STATED	ROW PCT	6.8	8.7	11.7	26.2	6.8	4.9	1.0		1.0	.2
	COL PCT	.2	.2	.3	.1	.1	.1	.3		25.0	
COLUMN TOTAL		3950	4054	4158	20389	12338	3496	391	19	4	63876
		6.2	6.3	6.5	31.9	19.3	5.5	.6	.0	.0	100.0

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	AGE 11	12	13	14	15	16	17	18	19	20	ROW TOTAL
0				4	15	19	39	56	81	89	85	839
NONE				.5	1.8	2.3	4.6	6.7	9.7	10.6	10.1	2.8
				8.2	7.4	3.7	3.9	4.2	4.8	4.2	3.9	
1				1	6	12	13	33	25	33	31	337
ONE				.3	1.8	3.6	3.9	9.8	7.4	9.8	9.2	1.1
				2.0	3.0	2.3	1.3	2.5	1.5	1.6	1.4	
2					6	17	24	26	34	48	52	429
TWO					1.4	4.0	5.6	6.1	7.9	11.2	12.1	1.4
					3.0	3.3	2.4	1.9	2.0	2.3	2.4	
3				4	10	20	27	35	35	62	45	551
THREE				.7	1.8	3.6	4.9	6.4	6.4	11.3	8.2	1.9
				8.2	4.9	3.8	2.7	2.6	2.1	3.0	2.1	
4				4	9	22	34	43	61	62	69	744
FOUR				.5	1.2	3.0	4.6	5.8	8.2	8.3	9.3	2.5
				8.2	4.4	4.2	3.4	3.2	3.6	3.0	3.2	
5		1	1	8	19	50	53	90	92	77	916	
FIVE		.1	.1	.9	2.1	5.5	5.8	9.8	10.0	8.4	3.1	
		10.0	2.0	3.9	3.7	5.0	3.9	5.3	4.4	3.5		
6			3	9	26	45	74	102	104	81	1142	
SIX			.3	.8	2.3	3.9	6.5	8.9	9.1	7.1	3.9	
			6.1	4.4	5.0	4.5	5.5	6.0	5.0	3.7		
7			2	9	23	50	66	76	89	97	1151	
SEVEN			.2	.8	2.0	4.3	5.7	6.6	7.7	8.4	3.9	
			4.1	4.4	4.4	5.0	4.9	4.5	4.2	4.5		
8		1	3	16	48	70	106	124	149	140	1682	
EIGHT		.1	.2	1.0	2.9	4.2	6.3	7.4	8.9	8.3	5.7	
		10.0	6.1	7.9	9.2	7.1	7.9	7.3	7.1	6.4		
(CONTINUED)	COLUMN TOTAL	1 .0	10 .0	49 .2	203 .7	520 1.8	991 3.3	1344 4.5	1690 5.7	2098 7.1	2175 7.3	29605 100.0

TABLE 11

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	21	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
0		81	67	32	47	146	56	18	3	1		839
NONE		9.7	8.0	3.8	5.6	17.4	6.7	2.1	.4	.1		2.8
		3.5	3.0	1.6	2.6	2.0	1.5	1.6	1.8	16.7		
1		39	34	20	18	46	23	3				337
ONE		11.6	10.1	5.9	5.3	13.6	6.8	.9				1.1
		1.7	1.5	1.0	1.0	.6	.6	.3				
2		32	47	29	19	60	28	6	1			429
TWO		7.5	11.0	6.8	4.4	14.0	6.5	1.4	.2			1.4
		1.4	2.1	1.4	1.0	.8	.8	.5	.6			
3		50	47	40	31	93	40	12				551
THREE		9.1	8.5	7.3	5.6	16.9	7.3	2.2				1.9
		2.2	2.1	2.0	1.7	1.3	1.1	1.1				
4		59	65	53	49	129	64	17	2	2		744
FOUR		7.9	8.7	7.1	6.6	17.3	8.6	2.3	.3	.3		2.5
		2.6	3.0	2.6	2.7	1.8	1.8	1.5	1.2	33.3		
5		72	74	74	57	155	72	17	4			916
FIVE		7.9	8.1	8.1	6.2	16.9	7.9	1.9	.4			3.1
		3.2	3.4	3.7	3.1	2.1	2.0	1.5	2.4			
6		93	86	77	60	221	119	32	8	1	1	1142
SIX		8.1	7.5	6.7	5.3	19.4	10.4	2.8	.7	.1	.1	3.9
		4.1	3.9	3.8	3.3	3.1	3.3	2.8	4.8	16.7	16.7	
7		98	103	73	83	243	101	34	4			1151
SEVEN		8.5	8.9	6.3	7.2	21.1	8.8	3.0	.3			3.9
		4.3	4.7	3.6	4.6	3.4	2.8	3.0	2.4			
8		144	134	114	92	331	153	48	9			1682
EIGHT		8.6	8.0	6.8	5.5	19.7	9.1	2.9	.5			5.7
		6.3	6.1	5.6	5.0	4.6	4.2	4.2	5.4			
COLUMN TOTAL		2283	2200	2025	1822	7227	3651	1138	166	6	6	29605
		7.7	7.4	6.8	6.2	24.4	12.3	3.8	.6	.0	.0	100.0

(CONTINUED)

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	AGE 11	12	13	14	15	16	17	18	19	20	ROW TOTAL
9			1	3	10	36	72	112	91	127	121	1561
NINE			.1	.2	.6	2.3	4.6	7.2	5.8	8.1	7.8	5.3
			10.0	6.1	4.9	6.9	7.3	8.3	5.4	6.1	5.6	
10			2	9	20	56	103	157	199	212	228	3136
TEN			.1	.3	.6	1.8	3.3	5.0	6.3	6.8	7.3	10.6
			20.0	18.4	9.9	10.8	10.4	11.7	11.8	10.1	10.5	
11			2	5	18	49	95	117	141	167	184	2277
ELEVEN			.1	.2	.8	2.2	4.2	5.1	6.2	7.3	8.1	7.7
			20.0	10.2	8.9	9.4	9.6	8.7	8.3	8.0	8.5	
12		1	3	4	33	74	152	202	260	315	375	5196
TWELVE		.0	.1	.1	.6	1.4	2.9	3.9	5.0	6.1	7.2	17.6
		100.0	30.0	8.2	16.3	14.2	15.3	15.0	15.4	15.0	17.2	
13				1	9	21	57	70	84	150	141	2044
THIRTEEN				.0	.4	1.0	2.8	3.4	4.1	7.3	6.9	6.9
				2.0	4.4	4.0	5.8	5.2	5.0	7.1	6.5	
14				3	9	19	49	52	84	129	140	2367
FOURTEEN				.1	.4	.8	2.1	2.2	3.5	5.4	5.9	8.0
				6.1	4.4	3.7	4.9	3.9	5.0	6.1	6.4	
15				1	7	35	47	72	83	122	146	2487
FIFTEEN				.0	.3	1.4	1.9	2.9	3.3	4.9	5.9	8.4
				2.0	3.4	6.7	4.7	5.4	4.9	5.8	6.7	
16				1	7	24	60	66	116	141	156	2669
SIXTEEN OR MORE				.0	.3	.9	2.2	2.5	4.3	5.3	5.8	9.0
				2.0	3.4	4.6	6.1	4.9	6.9	6.7	7.2	
17					2		4	4	4	7	7	77
NOT STATED					2.6		5.2	5.2	5.2	9.1	9.1	.3
					1.0		.4	.3	.2	.3	.3	
COLUMN TOTAL		1	10	49	203	520	991	1344	1690	2098	2175	29605
		.0	.0	.2	.7	1.8	3.3	4.5	5.7	7.1	7.3	100.0

(CONTINUED)

TABLE 11

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

PCVISIT	AGE / COUNT / ROW PCT / COL PCT	21	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
9		127	113	105	102	320	161	53	7			1561
NINE		8.1	7.2	6.7	6.5	20.5	10.3	3.4	.4			5.3
		5.6	5.1	5.2	5.6	4.4	4.4	4.7	4.2			
10		247	252	231	167	725	398	110	19	1		3136
TEN		7.9	8.0	7.4	5.3	23.1	12.7	3.5	.6	.0		10.6
		10.8	11.5	11.4	9.2	10.0	10.9	9.7	11.4	16.7		
11		190	163	157	140	527	249	64	8		1	2277
ELEVEN		8.3	7.2	6.9	6.1	23.1	10.9	2.8	.4		.0	7.7
		8.3	7.4	7.8	7.7	7.3	6.8	5.6	4.8		16.7	
12		389	392	377	345	1343	681	219	31			5196
TWELVE		7.5	7.5	7.3	6.6	25.8	13.1	4.2	.6			17.6
		17.0	17.8	18.6	18.9	18.6	18.7	19.2	18.7			
13		133	142	142	158	575	264	90	7			2044
THIRTEEN		6.5	6.9	6.9	7.7	28.1	12.9	4.4	.3			6.9
		5.8	6.5	7.0	8.7	8.0	7.2	7.9	4.2			
14		176	142	150	141	720	405	130	18			2367
FOURTEEN		7.4	6.0	6.3	6.0	30.4	17.1	5.5	.8			8.0
		7.7	6.5	7.4	7.7	10.0	11.1	11.4	10.8			
15		191	153	174	140	756	391	146	22	1		2487
FIFTEEN		7.7	6.2	7.0	5.6	30.4	15.7	5.9	.9	.0		8.4
		8.4	7.0	8.6	7.7	10.5	10.7	12.8	13.3	16.7		
16		159	179	171	168	821	439	138	23			2669
SIXTEEN OR MORE		6.0	6.7	6.4	6.3	30.8	16.4	5.2	.9			9.0
		7.0	8.1	8.4	9.2	11.4	12.0	12.1	13.9			
17		3	7	6	5	16	7	1			4	77
NOT STATED		3.9	9.1	7.8	6.5	20.8	9.1	1.3			5.2	.3
		.1	.3	.3	.3	.2	.2	.1			66.7	
COLUMN TOTAL		2283	2200	2025	1822	7227	3651	1138	166	6	6	29605
		7.7	7.4	6.8	6.2	24.4	12.3	3.8	.6	.0	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY STATUS MARITAL STATUS OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	STATUS 1 MARRIED	STATUS 2 NOT MARRIED	STATUS 3 NOT STATED	ROW TOTAL
0		422	990		1412
NONE		29.9	70.1		1.5
		.6	4.3		
1		153	322		475
ONE		32.2	67.8		.5
		.2	1.4		
2		252	423	1	676
TWO		37.3	62.6	.1	.7
		.4	1.8	12.5	
3		326	536		862
THREE		37.8	62.2		.9
		.5	2.3		
4		550	665		1215
FOUR		45.3	54.7		1.3
		.8	2.9		
5		789	837		1626
FIVE		48.5	51.5		1.7
		1.1	3.6		
6		1165	1031		2196
SIX		53.1	46.9		2.3
		1.7	4.4		
7		1420	1003		2423
SEVEN		58.6	41.4		2.6
		2.0	4.3		
8		2232	1531		3763
EIGHT		59.3	40.7		4.0
		3.2	6.6		
	COLUMN	70222	23251	8	93481
(CONTINUED)	TOTAL	75.1	24.9	.0	100.0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY STATUS MARITAL STATUS OF MOTHER

CONTROLLING FOR..

RACE. VALUE = TOTAL

PCVISIT	STATUS	1 MARRIED	2 NOT MARRIED	3 NOT STATED	ROW TOTAL
9	COUNT	2545	1305		3850
NINE	ROW PCT	66.1	33.9		4.1
	COL PCT	3.6	5.6		
10	COUNT	6105	2509	1	8615
TEN	ROW PCT	70.9	29.1	.0	9.2
	COL PCT	8.7	10.8	12.5	
11	COUNT	4231	1849		6080
ELEVEN	ROW PCT	69.6	30.4		6.5
	COL PCT	6.0	8.0		
12	COUNT	14411	3909	1	18321
TWELVE	ROW PCT	78.7	21.3	.0	19.6
	COL PCT	20.5	16.8	12.5	
13	COUNT	6790	1439		8229
THIRTEEN	ROW PCT	82.5	17.5		8.8
	COL PCT	9.7	6.2		
14	COUNT	9238	1554	1	10793
FOURTEEN	ROW PCT	85.6	14.4	.0	11.5
	COL PCT	13.2	6.7	12.5	
15	COUNT	9525	1524		11049
FIFTEEN	ROW PCT	86.2	13.8		11.8
	COL PCT	13.6	6.6		
16	COUNT	9969	1746	1	11716
SIXTEEN OR MORE	ROW PCT	85.1	14.9	.0	12.5
	COL PCT	14.2	7.5	12.5	
17	COUNT	99	78	3	180
NOT STATED	ROW PCT	55.0	43.3	1.7	.2
	COL PCT	.1	.3	37.5	
COLUMN TOTAL		70222 75.1	23251 24.9	8 .0	93481 100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY STATUS MARITAL STATUS OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	STATUS 1 MARRIED	1 NOT MARRIED	2 NOT STATED	3	ROW TOTAL
0		284	289			573
NONE		49.6	50.4			.9
		.5	4.3			
1		81	57			138
ONE		58.7	41.3			.2
		.1	.8			
2		154	92	1		247
TWO		62.3	37.2	.4		.4
		.3	1.4	20.0		
3		198	113			311
THREE		63.7	36.3			.5
		.3	1.7			
4		313	158			471
FOUR		66.5	33.5			.7
		.5	2.3			
5		518	192			710
FIVE		73.0	27.0			1.1
		.9	2.8			
6		778	276			1054
SIX		73.8	26.2			1.7
		1.4	4.1			
7		1002	270			1272
SEVEN		78.8	21.2			2.0
		1.8	4.0			
8		1650	431			2081
EIGHT		79.3	20.7			3.3
		2.9	6.4			
	COLUMN	57091	6780	5		63876
(CONTINUED)	TOTAL	89.4	10.6	.0		100.0

TABLE 12

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY STATUS MARITAL STATUS OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	STATUS 1 MARRIED	2 NOT MARRIED	3 NOT STATED	ROW TOTAL
9		1922	367		2289
NINE		84.0	16.0		3.6
		3.4	5.4		
10		4725	753	1	5479
TEN		86.2	13.7	.0	8.6
		8.3	11.1	20.0	
11		3337	466		3803
ELEVEN		87.7	12.3		6.0
		5.8	6.9		
12		11905	1220		13125
TWELVE		90.7	9.3		20.5
		20.9	18.0		
13		5728	457		6185
THIRTEEN		92.6	7.4		9.7
		10.0	6.7		
14		7888	537	1	8426
FOURTEEN		93.6	6.4	.0	13.2
		13.8	7.9	20.0	
15		8075	487		8562
FIFTEEN		94.3	5.7		13.4
		14.1	7.2		
16		8456	590	1	9047
SIXTEEN OR MORE		93.5	6.5	.0	14.2
		14.8	8.7	20.0	
17		77	25	1	103
NOT STATED		74.8	24.3	1.0	.2
		.1	.4	20.0	
COLUMN TOTAL		57091	6780	5	63876
		89.4	10.6	.0	100.0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY STATUS MARITAL STATUS OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	STATUS 1 MARRIED	2 NOT MARRIED	3 NOT STATED	ROW TOTAL
0		138	701		839
NONE		16.4	83.6		2.8
		1.1	4.3		
1		72	265		337
ONE		21.4	78.6		1.1
		.5	1.6		
2		98	331		429
TWO		22.8	77.2		1.4
		.7	2.0		
3		128	423		551
THREE		23.2	76.8		1.9
		1.0	2.6		
4		237	507		744
FOUR		31.9	68.1		2.5
		1.8	3.1		
5		271	645		916
FIVE		29.6	70.4		3.1
		2.1	3.9		
6		387	755		1142
SIX		33.9	66.1		3.9
		2.9	4.6		
7		418	733		1151
SEVEN		36.3	63.7		3.9
		3.2	4.5		
8		582	1100		1682
EIGHT		34.6	65.4		5.7
		4.4	6.7		
	COLUMN	13131	16471	3	29605
(CONTINUED)	TOTAL	44.4	55.6	.0	100.0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY STATUS MARITAL STATUS OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

PCVISIT	STATUS 1 MARRIED	2 NOT MARRIED	3 NOT STATED	ROW TOTAL
9	623	938		1561
NINE	39.9	60.1		5.3
	4.7	5.7		
10	1380	1756		3136
TEN	44.0	56.0		10.6
	10.5	10.7		
11	894	1383		2277
ELEVEN	39.3	60.7		7.7
	6.8	8.4		
12	2506	2689	1	5196
TWELVE	48.2	51.8	.0	17.6
	19.1	16.3	33.3	
13	1062	982		2044
THIRTEEN	52.0	48.0		6.9
	8.1	6.0		
14	1350	1017		2367
FOURTEEN	57.0	43.0		8.0
	10.3	6.2		
15	1450	1037		2487
FIFTEEN	58.3	41.7		8.4
	11.0	6.3		
16	1513	1156		2669
SIXTEEN OR MORE	56.7	43.3		9.0
	11.5	7.0		
17	22	53	2	77
NOT STATED	28.6	68.8	2.6	.3
	.2	.3	66.7	
COLUMN TOTAL	13131	16471	3	29605
	44.4	55.6	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY BO BIRTH ORDER

CONTROLLING FOR..
RACE. VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
0		429	394	275	154	69	46	16	14	13	2	1412
NONE		30.4	27.9	19.5	10.9	4.9	3.3	1.1	1.0	.9	.1	1.5
		1.2	1.3	1.8	2.5	2.7	4.2	3.8	6.8	5.7	4.0	
1		149	129	81	67	29	16	2		2		475
ONE		31.4	27.2	17.1	14.1	6.1	3.4	.4		.4		.5
		.4	.4	.5	1.1	1.1	1.5	.5		.9		
2		200	226	124	63	34	14	7	2	5	1	676
TWO		29.6	33.4	18.3	9.3	5.0	2.1	1.0	.3	.7	.1	.7
		.5	.8	.8	1.0	1.3	1.3	1.7	1.0	2.2	2.0	
3		265	253	170	79	45	27	12	4	7		862
THREE		30.7	29.4	19.7	9.2	5.2	3.1	1.4	.5	.8		.9
		.7	.8	1.1	1.3	1.7	2.5	2.9	1.9	3.1		
4		381	369	227	123	63	28	14	4	6		1215
FOUR		31.4	30.4	18.7	10.1	5.2	2.3	1.2	.3	.5		1.3
		1.0	1.2	1.5	2.0	2.4	2.6	3.3	1.9	2.6		
5		548	466	319	137	86	39	15	7	9		1626
FIVE		33.7	28.7	19.6	8.4	5.3	2.4	.9	.4	.6		1.7
		1.5	1.6	2.1	2.2	3.3	3.6	3.6	3.4	3.9		
6		768	669	388	193	94	50	16	9	7	2	2196
SIX		35.0	30.5	17.7	8.8	4.3	2.3	.7	.4	.3	.1	2.3
		2.1	2.2	2.5	3.1	3.6	4.6	3.8	4.4	3.1	4.0	
7		930	730	406	177	94	48	22	10	5	1	2423
SEVEN		38.4	30.1	16.8	7.3	3.9	2.0	.9	.4	.2	.0	2.6
		2.5	2.4	2.6	2.8	3.6	4.4	5.3	4.9	2.2	2.0	
8		1443	1172	617	315	130	48	17	10	11		3763
EIGHT		38.3	31.1	16.4	8.4	3.5	1.3	.5	.3	.3		4.0
		3.9	3.9	4.0	5.0	5.0	4.4	4.1	4.9	4.8		
COLUMN TOTAL		37185	30028	15401	6276	2597	1090	419	206	229	50	93481
		39.8	32.1	16.5	6.7	2.8	1.2	.4	.2	.2	.1	100.0

(CONTINUED)

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY BO BIRTH ORDER
CONTROLLING FOR..
RACE. VALUE = TOTAL

PCVISIT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
9	1600	1166	623	264	109	43	15	11	17	2	3850
NINE	41.6	30.3	16.2	6.9	2.8	1.1	.4	.3	.4	.1	4.1
	4.3	3.9	4.0	4.2	4.2	3.9	3.6	5.3	7.4	4.0	
10	3286	2740	1539	615	261	103	38	9	22	2	8615
TEN	38.1	31.8	17.9	7.1	3.0	1.2	.4	.1	.3	.0	9.2
	8.8	9.1	10.0	9.8	10.1	9.4	9.1	4.4	9.6	4.0	
11	2456	1971	997	388	160	64	19	14	9	2	6080
ELEVEN	40.4	32.4	16.4	6.4	2.6	1.1	.3	.2	.1	.0	6.5
	6.6	6.6	6.5	6.2	6.2	5.9	4.5	6.8	3.9	4.0	
12	7465	6050	2982	1071	451	173	60	32	34	3	18321
TWELVE	40.7	33.0	16.3	5.8	2.5	.9	.3	.2	.2	.0	19.6
	20.1	20.1	19.4	17.1	17.4	15.9	14.3	15.5	14.8	6.0	
13	3425	2730	1299	474	170	67	24	14	20	6	8229
THIRTEEN	41.6	33.2	15.8	5.8	2.1	.8	.3	.2	.2	.1	8.8
	9.2	9.1	8.4	7.6	6.5	6.1	5.7	6.8	8.7	12.0	
14	4402	3595	1802	610	245	76	31	16	15	1	10793
FOURTEEN	40.8	33.3	16.7	5.7	2.3	.7	.3	.1	.1	.0	11.5
	11.8	12.0	11.7	9.7	9.4	7.0	7.4	7.8	6.6	2.0	
15	4681	3644	1604	681	241	108	45	15	25	5	11049
FIFTEEN	42.4	33.0	14.5	6.2	2.2	1.0	.4	.1	.2	.0	11.8
	12.6	12.1	10.4	10.9	9.3	9.9	10.7	7.3	10.9	10.0	
16	4688	3690	1926	846	307	135	66	35	21	2	11716
SIXTEEN OR MORE	40.0	31.5	16.4	7.2	2.6	1.2	.6	.3	.2	.0	12.5
	12.6	12.3	12.5	13.5	11.8	12.4	15.8	17.0	9.2	4.0	
17	69	34	22	19	9	5			1	21	180
NOT STATED	38.3	18.9	12.2	10.6	5.0	2.8			.6	11.7	.2
	.2	.1	.1	.3	.3	.5			.4	42.0	
COLUMN	37185	30028	15401	6276	2597	1090	419	206	229	50	93481
TOTAL	39.8	32.1	16.5	6.7	2.8	1.2	.4	.2	.2	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 13

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY BO BIRTH ORDER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	BO 1 1ST	2 2ND	3 3RD	4 4TH	5 5TH	6 6TH	7 7TH	8 8TH	9 9TH AND OVER	10 NOT STATED	ROW TOTAL
0		211	164	93	59	22	9	5	5	4	1	573
NONE		36.8	28.6	16.2	10.3	3.8	1.6	.9	.9	.7	.2	.9
		.8	.8	.9	1.6	1.5	1.6	2.3	5.6	3.7	2.9	
1		49	43	20	12	8	4	1		1		138
ONE		35.5	31.2	14.5	8.7	5.8	2.9	.7		.7		.2
		.2	.2	.2	.3	.6	.7	.5		.9		
2		78	79	46	21	12	6	1	1	2	1	247
TWO		31.6	32.0	18.6	8.5	4.9	2.4	.4	.4	.8	.4	.4
		.3	.4	.5	.6	.8	1.1	.5	1.1	1.9	2.9	
3		105	97	60	22	8	12	5		2		311
THREE		33.8	31.2	19.3	7.1	2.6	3.9	1.6		.6		.5
		.4	.5	.6	.6	.6	2.2	2.3		1.9		
4		152	152	85	44	19	11	5	2	1		471
FOUR		32.3	32.3	18.0	9.3	4.0	2.3	1.1	.4	.2		.7
		.6	.7	.8	1.2	1.3	2.0	2.3	2.2	.9		
5		253	228	130	52	22	12	5	3	5		710
FIVE		35.6	32.1	18.3	7.3	3.1	1.7	.7	.4	.7		1.1
		1.0	1.1	1.3	1.4	1.5	2.2	2.3	3.3	4.6		
6		414	331	181	66	37	18	1	1	3	2	1054
SIX		39.3	31.4	17.2	6.3	3.5	1.7	.1	.1	.3	.2	1.7
		1.6	1.6	1.8	1.7	2.6	3.3	.5	1.1	2.8	5.9	
7		525	399	193	82	42	18	11	1	1		1272
SEVEN		41.3	31.4	15.2	6.4	3.3	1.4	.9	.1	.1		2.0
		2.0	1.9	1.9	2.2	2.9	3.3	5.1	1.1	.9		
8		819	695	331	147	56	15	10	3	5		2081
EIGHT		39.4	33.4	15.9	7.1	2.7	.7	.5	.1	.2		3.3
		3.1	3.3	3.3	3.9	3.9	2.7	4.6	3.3	4.6		
COLUMN TOTAL		26271	21284	10094	3785	1442	552	216	90	108	34	63876
		41.1	33.3	15.8	5.9	2.3	.9	.3	.1	.2	.1	100.0

(CONTINUED)

TABLE 13

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY BO BIRTH ORDER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	BO / COUNT / ROW PCT / COL PCT	1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
9		963	730	360	138	54	22	11	4	7		2289
NINE		42.1	31.9	15.7	6.0	2.4	1.0	.5	.2	.3		3.6
		3.7	3.4	3.6	3.6	3.7	4.0	5.1	4.4	6.5		
10		2123	1845	950	359	126	41	19	3	12	1	5479
TEN		38.7	33.7	17.3	6.6	2.3	.7	.3	.1	.2	.0	8.6
		8.1	8.7	9.4	9.5	8.7	7.4	8.8	3.3	11.1	2.9	
11		1525	1293	624	220	84	35	8	9	3	2	3803
ELEVEN		40.1	34.0	16.4	5.8	2.2	.9	.2	.2	.1	.1	6.0
		5.8	6.1	6.2	5.8	5.8	6.3	3.7	10.0	2.8	5.9	
12		5445	4450	2063	699	299	98	35	18	16	2	13125
TWELVE		41.5	33.9	15.7	5.3	2.3	.7	.3	.1	.1	.0	20.5
		20.7	20.9	20.4	18.5	20.7	17.8	16.2	20.0	14.8	5.9	
13		2618	2080	952	346	115	36	13	9	12	4	6185
THIRTEEN		42.3	33.6	15.4	5.6	1.9	.6	.2	.1	.2	.1	9.7
		10.0	9.8	9.4	9.1	8.0	6.5	6.0	10.0	11.1	11.8	
14		3509	2905	1355	428	151	43	20	6	8	1	8426
FOURTEEN		41.6	34.5	16.1	5.1	1.8	.5	.2	.1	.1	.0	13.2
		13.4	13.6	13.4	11.3	10.5	7.8	9.3	6.7	7.4	2.9	
15		3705	2855	1213	489	185	68	26	7	10	4	8562
FIFTEEN		43.3	33.3	14.2	5.7	2.2	.8	.3	.1	.1	.0	13.4
		14.1	13.4	12.0	12.9	12.8	12.3	12.0	7.8	9.3	11.8	
16		3740	2916	1426	593	197	101	40	18	15	1	9047
SIXTEEN OR MORE		41.3	32.2	15.8	6.6	2.2	1.1	.4	.2	.2	.0	14.2
		14.2	13.7	14.1	15.7	13.7	18.3	18.5	20.0	13.9	2.9	
17		37	22	12	8	5	3			1	15	103
NOT STATED		35.9	21.4	11.7	7.8	4.9	2.9			1.0	14.6	.2
		.1	.1	.1	.2	.3	.5			.9	44.1	
COLUMN TOTAL		26271	21284	10094	3785	1442	552	216	90	108	34	63876
		41.1	33.3	15.8	5.9	2.3	.9	.3	.1	.2	.1	100.0

TABLE 13

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY BO BIRTH ORDER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	BO 1 1ST	2 2ND	3 3RD	4 4TH	5 5TH	6 6TH	7 7TH	8 8TH	9 9TH AND OVER	10 NOT STATED	ROW TOTAL
0		218	230	182	95	47	37	11	9	9	1	839
NONE		26.0	27.4	21.7	11.3	5.6	4.4	1.3	1.1	1.1	.1	2.8
		2.0	2.6	3.4	3.8	4.1	6.9	5.4	7.8	7.4	6.3	
1		100	86	61	55	21	12	1		1		337
ONE		29.7	25.5	18.1	16.3	6.2	3.6	.3		.3		1.1
		.9	1.0	1.1	2.2	1.8	2.2	.5		.8		
2		122	147	78	42	22	8	6	1	3		429
TWO		28.4	34.3	18.2	9.8	5.1	1.9	1.4	.2	.7		1.4
		1.1	1.7	1.5	1.7	1.9	1.5	3.0	.9	2.5		
3		160	156	110	57	37	15	7	4	5		551
THREE		29.0	28.3	20.0	10.3	6.7	2.7	1.3	.7	.9		1.9
		1.5	1.8	2.1	2.3	3.2	2.8	3.4	3.4	4.1		
4		229	217	142	79	44	17	9	2	5		744
FOUR		30.8	29.2	19.1	10.6	5.9	2.3	1.2	.3	.7		2.5
		2.1	2.5	2.7	3.2	3.8	3.2	4.4	1.7	4.1		
5		295	238	189	85	64	27	10	4	4		916
FIVE		32.2	26.0	20.6	9.3	7.0	2.9	1.1	.4	.4		3.1
		2.7	2.7	3.6	3.4	5.5	5.0	4.9	3.4	3.3		
6		354	338	207	127	57	32	15	8	4		1142
SIX		31.0	29.6	18.1	11.1	5.0	2.8	1.3	.7	.4		3.9
		3.2	3.9	3.9	5.1	4.9	5.9	7.4	6.9	3.3		
7		405	331	213	95	52	30	11	9	4	1	1151
SEVEN		35.2	28.8	18.5	8.3	4.5	2.6	1.0	.8	.3	.1	3.9
		3.7	3.8	4.0	3.8	4.5	5.6	5.4	7.8	3.3	6.3	
8		624	477	286	168	74	33	7	7	6		1682
EIGHT		37.1	28.4	17.0	10.0	4.4	2.0	.4	.4	.4		5.7
		5.7	5.5	5.4	6.7	6.4	6.1	3.4	6.0	5.0		
COLUMN TOTAL		10914	8744	5307	2491	1155	538	203	116	121	16	29605
		36.9	29.5	17.9	8.4	3.9	1.8	.7	.4	.4	.1	100.0

(CONTINUED)

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY BO BIRTH ORDER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	BO 1 1ST	2 2ND	3 3RD	4 4TH	5 5TH	6 6TH	7 7TH	8 8TH	9 9TH AND OVER	10 NOT STATED	ROW TOTAL
9		637	436	263	126	55	21	4	7	10	2	1561
NINE		40.8	27.9	16.8	8.1	3.5	1.3	.3	.4	.6	.1	5.3
		5.8	5.0	5.0	5.1	4.8	3.9	2.0	6.0	8.3	12.5	
10		1163	895	589	256	135	62	19	6	10	1	3136
TEN		37.1	28.5	18.8	8.2	4.3	2.0	.6	.2	.3	.0	10.6
		10.7	10.2	11.1	10.3	11.7	11.5	9.4	5.2	8.3	6.3	
11		931	678	373	168	76	29	11	5	6		2277
ELEVEN		40.9	29.8	16.4	7.4	3.3	1.3	.5	.2	.3		7.7
		8.5	7.8	7.0	6.7	6.6	5.4	5.4	4.3	5.0		
12		2020	1600	919	372	152	75	25	14	18	1	5196
TWELVE		38.9	30.8	17.7	7.2	2.9	1.4	.5	.3	.3	.0	17.6
		18.5	18.3	17.3	14.9	13.2	13.9	12.3	12.1	14.9	6.3	
13		807	650	347	128	55	31	11	5	8	2	2044
THIRTEEN		39.5	31.8	17.0	6.3	2.7	1.5	.5	.2	.4	.1	6.9
		7.4	7.4	6.5	5.1	4.8	5.8	5.4	4.3	6.6	12.5	
14		893	690	447	182	94	33	11	10	7		2367
FOURTEEN		37.7	29.2	18.9	7.7	4.0	1.4	.5	.4	.3		8.0
		8.2	7.9	8.4	7.3	8.1	6.1	5.4	8.6	5.8		
15		976	789	391	192	56	40	19	8	15	1	2487
FIFTEEN		39.2	31.7	15.7	7.7	2.3	1.6	.8	.3	.6	.0	8.4
		8.9	9.0	7.4	7.7	4.8	7.4	9.4	6.9	12.4	6.3	
16		948	774	500	253	110	34	26	17	6	1	2669
SIXTEEN OR MORE		35.5	29.0	18.7	9.5	4.1	1.3	1.0	.6	.2	.0	9.0
		8.7	8.9	9.4	10.2	9.5	6.3	12.8	14.7	5.0	6.3	
17		32	12	10	11	4	2				6	77
NOT STATED		41.6	15.6	13.0	14.3	5.2	2.6				7.8	.3
		.3	.1	.2	.4	.3	.4				37.5	
COLUMN TOTAL		10914	8744	5307	2491	1155	538	203	116	121	16	29605
		36.9	29.5	17.9	8.4	3.9	1.8	.7	.4	.4	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 14

CROSSTABULATION OF PCVISIT NUMBER OF PRENATAL VISITS BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. RACE. VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	WT UNDER 500 GMS 0	500 TO 999 GMS 1	1000 TO 1499 GMS 2	1500 TO 1999 GMS 3	2000 TO 2499 GMS 4	2500 TO 2999 GMS 5	3000 TO 3499 GMS 6	3500 TO 3999 GMS 7	4000 GMS AND OVER 8	NOT STATED 9	ROW TOTAL
0		17	74	61	70	143	356	412	215	59	5	1412
NONE		1.2	5.2	4.3	5.0	10.1	25.2	29.2	15.2	4.2	.4	1.5
		9.3	12.6	8.2	5.2	3.2	2.3	1.2	.8	.6	6.0	
1		15	26	24	20	52	108	135	68	25	2	475
ONE		3.2	5.5	5.1	4.2	10.9	22.7	28.4	14.3	5.3	.4	.5
		8.2	4.4	3.2	1.5	1.2	.7	.4	.3	.3	2.4	
2		17	30	23	32	58	157	224	108	25	2	676
TWO		2.5	4.4	3.4	4.7	8.6	23.2	33.1	16.0	3.7	.3	.7
		9.3	5.1	3.1	2.4	1.3	1.0	.7	.4	.3	2.4	
3		23	31	21	27	87	202	305	141	24	1	862
THREE		2.7	3.6	2.4	3.1	10.1	23.4	35.4	16.4	2.8	.1	.9
		12.6	5.3	2.8	2.0	1.9	1.3	.9	.5	.2	1.2	
4		19	66	42	51	91	275	423	202	43	3	1215
FOUR		1.6	5.4	3.5	4.2	7.5	22.6	34.8	16.6	3.5	.2	1.3
		10.4	11.2	5.7	3.8	2.0	1.8	1.2	.8	.4	3.6	
5		20	57	41	44	143	379	560	293	84	5	1626
FIVE		1.2	3.5	2.5	2.7	8.8	23.3	34.4	18.0	5.2	.3	1.7
		10.9	9.7	5.5	3.2	3.2	2.4	1.6	1.1	.9	6.0	
6		20	57	64	76	197	485	801	391	103	2	2196
SIX		.9	2.6	2.9	3.5	9.0	22.1	36.5	17.8	4.7	.1	2.3
		10.9	9.7	8.6	5.6	4.4	3.1	2.3	1.5	1.0	2.4	
7		7	33	70	91	228	498	857	477	158	4	2423
SEVEN		.3	1.4	2.9	3.8	9.4	20.6	35.4	19.7	6.5	.2	2.6
		3.8	5.6	9.5	6.7	5.1	3.2	2.5	1.8	1.6	4.8	
8		11	49	64	117	281	800	1420	797	220	4	3763
EIGHT		.3	1.3	1.7	3.1	7.5	21.3	37.7	21.2	5.8	.1	4.0
		6.0	8.3	8.6	8.6	6.2	5.2	4.2	3.0	2.2	4.8	
COLUMN TOTAL		183	589	740	1359	4501	15507	34169	26513	9836	84	93481
		.2	.6	.8	1.5	4.8	16.6	36.6	28.4	10.5	.1	100.0

(CONTINUED)

TABLE 14

- C R O S S T A B U L A T I O N O F -
PCVISIT NUMBER OF PRENATAL VISITS BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR..
RACE. VALUE = TOTAL
- PAGE 2 OF 2

PCVISIT	WT COUNT I ROW PCT I COL PCT I	UNDER 500 GMS 0I	500 TO 999 GMS 1I	1000 TO 1499 GMS 2I	1500 TO 1999 GMS 3I	2000 TO 2499 GMS 4I	2500 TO 2999 GMS 5I	3000 TO 3499 GMS 6I	3500 TO 3999 GMS 7I	4000 GMS AND OVER 8I	NOT STATED 9I	ROW TOTAL
9	I	2	16	24	72	270	742	1516	917	287	4	3850
NINE	I	.1	.4	.6	1.9	7.0	19.3	39.4	23.8	7.5	.1	4.1
	I	1.1	2.7	3.2	5.3	6.0	4.8	4.4	3.5	2.9	4.8	
10	I	9	41	74	132	509	1608	3276	2239	721	6	8615
TEN	I	.1	.5	.9	1.5	5.9	18.7	38.0	26.0	8.4	.1	9.2
	I	4.9	7.0	10.0	9.7	11.3	10.4	9.6	8.4	7.3	7.1	
11	I	3	6	21	58	262	1127	2356	1714	531	2	6080
ELEVEN	I	.0	.1	.3	1.0	4.3	18.5	38.8	28.2	8.7	.0	6.5
	I	1.6	1.0	2.8	4.3	5.8	7.3	6.9	6.5	5.4	2.4	
12	I	3	28	64	169	722	2833	6940	5579	1975	8	18321
TWELVE	I	.0	.2	.3	.9	3.9	15.5	37.9	30.5	10.8	.0	19.6
	I	1.6	4.8	8.6	12.4	16.0	18.3	20.3	21.0	20.1	9.5	
13	I	2	9	39	75	280	1192	3020	2604	1004	4	8229
THIRTEEN	I	.0	.1	.5	.9	3.4	14.5	36.7	31.6	12.2	.0	8.8
	I	1.1	1.5	5.3	5.5	6.2	7.7	8.8	9.8	10.2	4.8	
14	I	1	7	20	61	284	1461	4019	3530	1405	5	10793
FOURTEEN	I	.0	.1	.2	.6	2.6	13.5	37.2	32.7	13.0	.0	11.5
	I	.5	1.2	2.7	4.5	6.3	9.4	11.8	13.3	14.3	6.0	
15	I	3	19	34	96	350	1505	3956	3557	1523	6	11049
FIFTEEN	I	.0	.2	.3	.9	3.2	13.6	35.8	32.2	13.8	.1	11.8
	I	1.6	3.2	4.6	7.1	7.8	9.7	11.6	13.4	15.5	7.1	
16	I	9	32	52	157	525	1749	3897	3653	1637	5	11716
SIXTEEN OR MORE	I	.1	.3	.4	1.3	4.5	14.9	33.3	31.2	14.0	.0	12.5
	I	4.9	5.4	7.0	11.6	11.7	11.3	11.4	13.8	16.6	6.0	
17	I	2	8	2	11	19	30	52	28	12	16	180
NOT STATED	I	1.1	4.4	1.1	6.1	10.6	16.7	28.9	15.6	6.7	8.9	.2
	I	1.1	1.4	.3	.8	.4	.2	.2	.1	.1	19.0	
COLUMN TOTAL		183 .2	589 .6	740 .8	1359 1.5	4501 4.8	15507 16.6	34169 36.6	26513 28.4	9836 10.5	84 .1	93481 100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 14

CROSSTABULATION OF PCVISIT NUMBER OF PRENATAL VISITS BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	WT UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
0		3	33	12	28	45	126	163	121	38	4	573
NONE		.5	5.8	2.1	4.9	7.9	22.0	28.4	21.1	6.6	.7	.9
		4.2	12.0	3.4	3.7	1.9	1.4	.7	.6	.5	11.1	
1		3	3	3	5	10	24	49	24	17		138
ONE		2.2	2.2	2.2	3.6	7.2	17.4	35.5	17.4	12.3		.2
		4.2	1.1	.9	.7	.4	.3	.2	.1	.2		
2		1	12	5	8	20	47	78	58	17	1	247
TWO		.4	4.9	2.0	3.2	8.1	19.0	31.6	23.5	6.9	.4	.4
		1.4	4.4	1.4	1.1	.8	.5	.3	.3	.2	2.8	
3		10	14	6	8	24	68	105	63	13		311
THREE		3.2	4.5	1.9	2.6	7.7	21.9	33.8	20.3	4.2		.5
		13.9	5.1	1.7	1.1	1.0	.8	.5	.3	.2		
4		8	25	18	25	31	92	152	93	26	1	471
FOUR		1.7	5.3	3.8	5.3	6.6	19.5	32.3	19.7	5.5	.2	.7
		11.1	9.1	5.1	3.3	1.3	1.0	.7	.5	.3	2.8	
5		12	36	17	15	56	131	230	157	52	4	710
FIVE		1.7	5.1	2.4	2.1	7.9	18.5	32.4	22.1	7.3	.6	1.1
		16.7	13.1	4.8	2.0	2.3	1.5	1.0	.8	.6	11.1	
6		9	31	32	39	85	201	370	218	69		1054
SIX		.9	2.9	3.0	3.7	8.1	19.1	35.1	20.7	6.5		1.7
		12.5	11.3	9.1	5.2	3.6	2.3	1.6	1.1	.8		
7		4	11	27	51	108	257	406	297	111		1272
SEVEN		.3	.9	2.1	4.0	8.5	20.2	31.9	23.3	8.7		2.0
		5.6	4.0	7.7	6.8	4.5	2.9	1.8	1.5	1.3		
8		4	29	43	67	131	393	750	508	155	1	2081
EIGHT		.2	1.4	2.1	3.2	6.3	18.9	36.0	24.4	7.4	.0	3.3
		5.6	10.6	12.3	9.0	5.5	4.4	3.3	2.5	1.9	2.8	
COLUMN TOTAL		72	274	351	748	2386	8880	22573	20325	8231	36	63876
		.1	.4	.5	1.2	3.7	13.9	35.3	31.8	12.9	.1	100.0

(CONTINUED)

TABLE 14

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	WT COUNT ROW PCT COL PCT	UNDER 500 GMS 0	500 TO 999 GMS 1	1000 TO 1499 GMS 2	1500 TO 1999 GMS 3	2000 TO 2499 GMS 4	2500 TO 2999 GMS 5	3000 TO 3499 GMS 6	3500 TO 3999 GMS 7	4000 GMS AND OVER 8	NOT STATED 9	ROW TOTAL
9			7	13	46	150	365	885	617	205	1	2289
NINE			.3	.6	2.0	6.6	15.9	38.7	27.0	9.0	.0	3.6
			2.6	3.7	6.1	6.3	4.1	3.9	3.0	2.5	2.8	
10		6	18	42	83	277	897	2036	1559	558	3	5479
TEN		.1	.3	.8	1.5	5.1	16.4	37.2	28.5	10.2	.1	8.6
		8.3	6.6	12.0	11.1	11.6	10.1	9.0	7.7	6.8	8.3	
11			3	10	32	120	584	1450	1188	416		3803
ELEVEN			.1	.3	.8	3.2	15.4	38.1	31.2	10.9		6.0
			1.1	2.8	4.3	5.0	6.6	6.4	5.8	5.1		
12		1	11	27	98	400	1732	4782	4376	1694	4	13125
TWELVE		.0	.1	.2	.7	3.0	13.2	36.4	33.3	12.9	.0	20.5
		1.4	4.0	7.7	13.1	16.8	19.5	21.2	21.5	20.6	11.1	
13		1	6	18	46	167	768	2186	2116	876	1	6185
THIRTEEN		.0	.1	.3	.7	2.7	12.4	35.3	34.2	14.2	.0	9.7
		1.4	2.2	5.1	6.1	7.0	8.6	9.7	10.4	10.6	2.8	
14		1	3	13	35	167	976	3054	2950	1225	2	8426
FOURTEEN		.0	.0	.2	.4	2.0	11.6	36.2	35.0	14.5	.0	13.2
		1.4	1.1	3.7	4.7	7.0	11.0	13.5	14.5	14.9	5.6	
15		2	8	23	61	229	989	2950	2960	1338	2	8562
FIFTEEN		.0	.1	.3	.7	2.7	11.6	34.5	34.6	15.6	.0	13.4
		2.8	2.9	6.6	8.2	9.6	11.1	13.1	14.6	16.3	5.6	
16		7	22	42	98	356	1214	2894	3000	1411	3	9047
SIXTEEN OR MORE		.1	.2	.5	1.1	3.9	13.4	32.0	33.2	15.6	.0	14.2
		9.7	8.0	12.0	13.1	14.9	13.7	12.8	14.8	17.1	8.3	
17			2		3	10	16	33	20	10	9	103
NOT STATED			1.9		2.9	9.7	15.5	32.0	19.4	9.7	8.7	.2
			.7		.4	.4	.2	.1	.1	.1	25.0	
COLUMN TOTAL		72 .1	274 .4	351 .5	748 1.2	2386 3.7	8880 13.9	22573 35.3	20325 31.8	8231 12.9	36 .1	63876 100.0

CROSSTABULATION OF NUMBER OF PRENATAL VISITS BY BIRTH WEIGHT IN GRAMS

CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	WT UNDER 500 GMS 0	500 TO 999 GMS 1	1000 TO 1499 GMS 2	1500 TO 1999 GMS 3	2000 TO 2499 GMS 4	2500 TO 2999 GMS 5	3000 TO 3499 GMS 6	3500 TO 3999 GMS 7	4000 GMS AND OVER 8	NOT STATED 9	ROW TOTAL
0		14	41	49	42	98	230	249	94	21	1	839
NONE		1.7	4.9	5.8	5.0	11.7	27.4	29.7	11.2	2.5	.1	2.8
		12.6	13.0	12.6	6.9	4.6	3.5	2.1	1.5	1.3	2.1	
1		12	23	21	15	42	84	86	44	8	2	337
ONE		3.6	6.8	6.2	4.5	12.5	24.9	25.5	13.1	2.4	.6	1.1
		10.8	7.3	5.4	2.5	2.0	1.3	.7	.7	.5	4.2	
2		16	18	18	24	38	110	146	50	8	1	429
TWO		3.7	4.2	4.2	5.6	8.9	25.6	34.0	11.7	1.9	.2	1.4
		14.4	5.7	4.6	3.9	1.8	1.7	1.3	.8	.5	2.1	
3		13	17	15	19	63	134	200	78	11	1	551
THREE		2.4	3.1	2.7	3.4	11.4	24.3	36.3	14.2	2.0	.2	1.9
		11.7	5.4	3.9	3.1	3.0	2.0	1.7	1.3	.7	2.1	
4		11	41	24	26	60	183	271	109	17	2	744
FOUR		1.5	5.5	3.2	3.5	8.1	24.6	36.4	14.7	2.3	.3	2.5
		9.9	13.0	6.2	4.3	2.8	2.8	2.3	1.8	1.1	4.2	
5		8	21	24	29	87	248	330	136	32	1	916
FIVE		.9	2.3	2.6	3.2	9.5	27.1	36.0	14.8	3.5	.1	3.1
		7.2	6.7	6.2	4.7	4.1	3.7	2.8	2.2	2.0	2.1	
6		11	26	32	37	112	284	431	173	34	2	1142
SIX		1.0	2.3	2.8	3.2	9.8	24.9	37.7	15.1	3.0	.2	3.9
		9.9	8.3	8.2	6.1	5.3	4.3	3.7	2.8	2.1	4.2	
7		3	22	43	40	120	241	451	180	47	4	1151
SEVEN		.3	1.9	3.7	3.5	10.4	20.9	39.2	15.6	4.1	.3	3.9
		2.7	7.0	11.1	6.5	5.7	3.6	3.9	2.9	2.9	8.3	
8		7	20	21	50	150	407	670	289	65	3	1682
EIGHT		.4	1.2	1.2	3.0	8.9	24.2	39.8	17.2	3.9	.2	5.7
		6.3	6.3	5.4	8.2	7.1	6.1	5.8	4.7	4.0	6.3	
COLUMN TOTAL		111	315	389	611	2115	6627	11596	6188	1605	48	29605
		.4	1.1	1.3	2.1	7.1	22.4	39.2	20.9	5.4	.2	100.0

(CONTINUED)

CROSSTABULATION OF PCVISIT NUMBER OF PRENATAL VISITS BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	WT UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
9	COUNT	2	9	11	26	120	377	631	300	82	3	1561
NINE	ROW PCT	.1	.6	.7	1.7	7.7	24.2	40.4	19.2	5.3	.2	5.3
	COL PCT	1.8	2.9	2.8	4.3	5.7	5.7	5.4	4.8	5.1	6.3	
10	COUNT	3	23	32	49	232	711	1240	680	163	3	3136
TEN	ROW PCT	.1	.7	1.0	1.6	7.4	22.7	39.5	21.7	5.2	.1	10.6
	COL PCT	2.7	7.3	8.2	8.0	11.0	10.7	10.7	11.0	10.2	6.3	
11	COUNT	3	3	11	26	142	543	906	526	115	2	2277
ELEVEN	ROW PCT	.1	.1	.5	1.1	6.2	23.8	39.8	23.1	5.1	.1	7.7
	COL PCT	2.7	1.0	2.8	4.3	6.7	8.2	7.8	8.5	7.2	4.2	
12	COUNT	2	17	37	71	322	1101	2158	1203	281	4	5196
TWELVE	ROW PCT	.0	.3	.7	1.4	6.2	21.2	41.5	23.2	5.4	.1	17.6
	COL PCT	1.8	5.4	9.5	11.6	15.2	16.6	18.6	19.4	17.5	8.3	
13	COUNT	1	3	21	29	113	424	834	488	128	3	2044
THIRTEEN	ROW PCT	.0	.1	1.0	1.4	5.5	20.7	40.8	23.9	6.3	.1	6.9
	COL PCT	.9	1.0	5.4	4.7	5.3	6.4	7.2	7.9	8.0	6.3	
14	COUNT		4	7	26	117	485	965	580	180	3	2367
FOURTEEN	ROW PCT		.2	.3	1.1	4.9	20.5	40.8	24.5	7.6	.1	8.0
	COL PCT		1.3	1.8	4.3	5.5	7.3	8.3	9.4	11.2	6.3	
15	COUNT	1	11	11	35	121	516	1006	597	185	4	2487
FIFTEEN	ROW PCT	.0	.4	.4	1.4	4.9	20.7	40.5	24.0	7.4	.2	8.4
	COL PCT	.9	3.5	2.8	5.7	5.7	7.8	8.7	9.6	11.5	8.3	
16	COUNT	2	10	10	59	169	535	1003	653	226	2	2669
SIXTEEN OR MORE	ROW PCT	.1	.4	.4	2.2	6.3	20.0	37.6	24.5	8.5	.1	9.0
	COL PCT	1.8	3.2	2.6	9.7	8.0	8.1	8.6	10.6	14.1	4.2	
17	COUNT	2	6	2	8	9	14	19	8	2	7	77
NOT STATED	ROW PCT	2.6	7.8	2.6	10.4	11.7	18.2	24.7	10.4	2.6	9.1	.3
	COL PCT	1.8	1.9	.5	1.3	.4	.2	.2	.1	.1	14.6	
COLUMN TOTAL		111	315	389	611	2115	6627	11596	6188	1605	48	29605
		.4	1.1	1.3	2.1	7.1	22.4	39.2	20.9	5.4	.2	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR.. RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	NONE 0	ONE 1	TWO 2	THREE 3	FOUR 4	FIVE 5	SIX 6	SEVEN 7	EIGHT 8	NINE 9	ROW TOTAL
0 NONE		1412										1412
		100.0										1.5
		100.0										
1 FIRST MONTH			24	29	27	56	68	108	143	241	286	15480
			.2	.2	.2	.4	.4	.7	.9	1.6	1.8	16.6
			5.1	4.3	3.1	4.6	4.2	4.9	5.9	6.4	7.4	
2 SECOND MONTH			38	65	66	113	192	296	461	792	940	37505
			.1	.2	.2	.3	.5	.8	1.2	2.1	2.5	40.1
			8.0	9.6	7.9	9.3	11.8	13.5	19.0	21.0	24.4	
3 THIRD MONTH			38	81	107	157	218	380	501	814	1027	19440
			.2	.4	.6	.8	1.1	2.0	2.6	4.2	5.3	20.8
			8.0	12.0	12.4	12.9	13.4	17.3	20.7	21.6	26.7	
4 FOURTH MONTH			34	71	86	153	240	348	395	654	669	8556
			.4	.8	1.0	1.8	2.8	4.1	4.6	7.6	7.8	9.2
			7.2	10.5	10.0	12.6	14.8	15.8	16.3	17.4	17.4	
5 FIFTH MONTH			45	67	118	180	286	392	391	561	521	5032
			.9	1.3	2.3	3.6	5.7	7.8	7.8	11.1	10.4	5.4
			9.5	9.9	13.7	14.8	17.6	17.9	16.1	14.9	13.5	
6 SIXTH MONTH			44	74	112	185	262	299	274	420	275	2889
			1.5	2.6	3.9	6.4	9.1	10.3	9.5	14.5	9.5	3.1
			9.3	10.9	13.0	15.2	16.1	13.6	11.3	11.2	7.1	
7 SEVENTH MONTH			51	100	154	197	228	249	192	227	104	1804
			2.8	5.5	8.5	10.9	12.6	13.8	10.6	12.6	5.8	1.9
			10.7	14.8	17.9	16.2	14.0	11.3	7.9	6.0	2.7	
8 EIGHTH MONTH			102	127	134	147	115	104	55	47	20	902
			11.3	14.1	14.9	16.3	12.7	11.5	6.1	5.2	2.2	1.0
			21.5	18.8	15.5	12.1	7.1	4.7	2.3	1.2	.5	
COLUMN TOTAL		1412	475	676	862	1215	1626	2196	2423	3763	3850	93481
		1.5	.5	.7	.9	1.3	1.7	2.3	2.6	4.0	4.1	100.0

(CONTINUED)

TABLE 15

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR.. RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT TEN 10	ELEVEN 11	TWELVE 12	THIRTEEN 13	FOURTEEN 14	FIFTEEN 15	SIXTEEN OR MORE 16	NOT STATED 17	ROW TOTAL
0										1412
NONE										1.5
1		744	481	3171	1542	1950	3297	3300	13	15480
FIRST MONTH		4.8	3.1	20.5	10.0	12.6	21.3	21.3	.1	16.6
		8.6	7.9	17.3	18.7	18.1	29.8	28.2	7.2	
2		2590	2382	7898	4046	6227	5671	5697	29	37505
SECOND MONTH		6.9	6.4	21.1	10.8	16.6	15.1	15.2	.1	40.1
		30.1	39.2	43.1	49.2	57.7	51.3	48.6	16.1	
3		2293	1645	4904	1759	2012	1526	1959	19	19440
THIRD MONTH		11.8	8.5	25.2	9.0	10.3	7.8	10.1	.1	20.8
		26.6	27.1	26.8	21.4	18.6	13.8	16.7	10.6	
4		1496	903	1534	664	429	341	519	20	8556
FOURTH MONTH		17.5	10.6	17.9	7.8	5.0	4.0	6.1	.2	9.2
		17.4	14.9	8.4	8.1	4.0	3.1	4.4	11.1	
5		909	417	540	154	133	139	165	14	5032
FIFTH MONTH		18.1	8.3	10.7	3.1	2.6	2.8	3.3	.3	5.4
		10.6	6.9	2.9	1.9	1.2	1.3	1.4	7.8	
6		405	196	185	38	25	46	48	1	2889
SIXTH MONTH		14.0	6.8	6.4	1.3	.9	1.6	1.7	.0	3.1
		4.7	3.2	1.0	.5	.2	.4	.4	.6	
7		144	42	65	12	10	13	13	3	1804
SEVENTH MONTH		8.0	2.3	3.6	.7	.6	.7	.7	.2	1.9
		1.7	.7	.4	.1	.1	.1	.1	1.7	
8		25	5	7	3		5	4	2	902
EIGHTH MONTH		2.8	.6	.8	.3		.6	.4	.2	1.0
		.3	.1	.0	.0		.0	.0	1.1	
COLUMN TOTAL		8615	6080	18321	6229	10793	11049	11716	180	93481
		9.2	6.5	19.6	8.8	11.5	11.8	12.5	.2	100.0

(CONTINUED)

TABLE 15

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR..
RACE. VALUE = TOTAL

MPCB		PCVISIT NONE 0	ONE 1	TWO 2	THREE 3	FOUR 4	FIVE 5	SIX 6	SEVEN 7	EIGHT 8	NINE 9	ROW TOTAL
9	COUNT		95	59	49	23	15	14	3	3	3	282
NINTH MONTH	ROW PCT		33.7	20.9	17.4	8.2	5.3	5.0	1.1	1.1	1.1	.3
	COL PCT		20.0	8.7	5.7	1.9	.9	.6	.1	.1	.1	
10	COUNT		4	3	7	4	2	6	8	4	5	179
NOT STATED	ROW PCT		2.2	1.7	3.9	2.2	1.1	3.4	4.5	2.2	2.8	.2
	COL PCT		.8	.4	.8	.3	.1	.3	.3	.1	.1	
	COLUMN TOTAL	1412	475	676	862	1215	1626	2196	2423	3763	3850	93481
(CONTINUED)		1.5	.5	.7	.9	1.3	1.7	2.3	2.6	4.0	4.1	100.0

TABLE 15

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR..
RACE. VALUE = TOTAL

MPCB	PCVISIT	TEN	ELEVEN	TWELVE	THIRTEEN	FOURTEEN	FIFTEEN	SIXTEEN OR MORE	NOT STATED	ROW TOTAL
		10	11	12	13	14	15	16	17	
9	COUNT	3	1	5	2	2	3	2		282
NINTH MONTH	ROW PCT	1.1	.4	1.8	.7	.7	1.1	.7		.3
	COL PCT	.0	.0	.0	.0	.0	.0	.0		
10	COUNT	6	8	12	9	5	8	9	79	179
NOT STATED	ROW PCT	3.4	4.5	6.7	5.0	2.8	4.5	5.0	44.1	.2
	COL PCT	.1	.1	.1	.1	.0	.1	.1	43.9	
COLUMN TOTAL		8615	6080	18321	8229	10793	11049	11716	180	93481
		9.2	6.5	19.6	8.8	11.5	11.8	12.5	.2	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR.. RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT NONE (0)	ONE (1)	TWO (2)	THREE (3)	FOUR (4)	FIVE (5)	SIX (6)	SEVEN (7)	EIGHT (8)	NINE (9)	ROW TOTAL
0		573										573
NONE		100.0										.9
		100.0										
1			5	9	12	25	28	49	62	146	179	11887
FIRST MONTH			.0	.1	.1	.2	.2	.4	.5	1.2	1.5	18.6
			3.6	3.6	3.9	5.3	3.9	4.6	4.9	7.0	7.8	
2			16	30	27	45	109	164	269	507	631	28724
SECOND MONTH			.1	.1	.1	.2	.4	.6	.9	1.8	2.2	45.0
			11.6	12.1	8.7	9.6	15.4	15.6	21.1	24.4	27.6	
3			12	24	30	58	87	181	283	483	660	12727
THIRD MONTH			.1	.2	.2	.5	.7	1.4	2.2	3.8	5.2	19.9
			8.7	9.7	9.6	12.3	12.3	17.2	22.2	23.2	28.8	
4			9	16	32	61	101	165	198	339	370	4723
FOURTH MONTH			.2	.3	.7	1.3	2.1	3.5	4.2	7.2	7.8	7.4
			6.5	6.5	10.3	13.0	14.2	15.7	15.6	16.3	16.2	
5			14	23	32	58	117	177	178	269	260	2430
FIFTH MONTH			.6	.9	1.3	2.4	4.8	7.3	7.3	11.1	10.7	3.8
			10.1	9.3	10.3	12.3	16.5	16.8	14.0	12.9	11.4	
6			9	27	45	68	102	135	145	204	121	1351
SIXTH MONTH			.7	2.0	3.3	5.0	7.5	10.0	10.7	15.1	9.0	2.1
			6.5	10.9	14.5	14.4	14.4	12.8	11.4	9.8	5.3	
7			16	42	63	78	102	118	100	103	55	857
SEVENTH MONTH			1.9	4.9	7.4	9.1	11.9	13.8	11.7	12.0	6.4	1.3
			11.6	17.0	20.3	16.6	14.4	11.2	7.9	4.9	2.4	
8			29	49	52	65	55	53	31	28	10	405
EIGHTH MONTH			7.2	12.1	12.8	16.0	13.6	13.1	7.7	6.9	2.5	.6
			21.0	19.8	16.7	13.8	7.7	5.0	2.4	1.3	.4	
COLUMN		573	138	247	311	471	710	1054	1272	2081	2289	63876
(CONTINUED) TOTAL		.9	.2	.4	.5	.7	1.1	1.7	2.0	3.3	3.6	100.0

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR.. RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT TEN 10	ELEVEN 11	TWELVE 12	THIRTEEN 13	FOURTEEN 14	FIFTEEN 15	SIXTEEN OR MORE 16	NOT STATED 17	ROW TOTAL
0										573
NONE										.9
1		511	359	2453	1206	1594	2544	2698	7	11887
FIRST MONTH		4.3	3.0	20.6	10.1	13.4	21.4	22.7	.1	18.6
		9.3	9.4	18.7	19.5	18.9	29.7	29.8	6.8	
2		1864	1649	6136	3144	4932	4594	4584	23	28724
SECOND MONTH		6.5	5.7	21.4	10.9	17.2	16.0	16.0	.1	45.0
		34.0	43.4	46.8	50.8	58.5	53.7	50.7	22.3	
3		1457	1069	3181	1267	1506	1084	1331	14	12727
THIRD MONTH		11.4	8.4	25.0	10.0	11.8	8.5	10.5	.1	19.9
		26.6	28.1	24.2	20.5	17.9	12.7	14.7	13.6	
4		847	436	893	450	283	214	299	10	4723
FOURTH MONTH		17.9	9.2	18.9	9.5	6.0	4.5	6.3	.2	7.4
		15.5	11.5	6.8	7.3	3.4	2.5	3.3	9.7	
5		480	173	307	76	80	80	99	7	2430
FIFTH MONTH		19.8	7.1	12.6	3.1	3.3	3.3	4.1	.3	3.8
		8.8	4.5	2.3	1.2	.9	.9	1.1	6.8	
6		218	86	101	26	17	30	17		1351
SIXTH MONTH		16.1	6.4	7.5	1.9	1.3	2.2	1.3		2.1
		4.0	2.3	.8	.4	.2	.4	.2		
7		80	24	42	5	8	9	10	2	857
SEVENTH MONTH		9.3	2.8	4.9	.6	.9	1.1	1.2	.2	1.3
		1.5	.6	.3	.1	.1	.1	.1	1.9	
8		17	4	3	3		3	2	1	405
EIGHTH MONTH		4.2	1.0	.7	.7		.7	.5	.2	.6
		.3	.1	.0	.0		.0	.0	1.0	
COLUMN TOTAL		5479	3803	13125	6185	8426	8562	9047	103	63876
		8.6	6.0	20.5	9.7	13.2	13.4	14.2	.2	100.0

(CONTINUED)

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT NONE (0)	ONE (1)	TWO (2)	THREE (3)	FOUR (4)	FIVE (5)	SIX (6)	SEVEN (7)	EIGHT (8)	NINE (9)	ROW TOTAL
9			27	26	15	12	8	8	2		1	110
NINTH MONTH			24.5	23.6	13.6	10.9	7.3	7.3	1.8		.9	.2
			19.6	10.5	4.8	2.5	1.1	.8	.2		.0	
10			1	1	3	1	1	4	4	2	2	89
NOT STATED			1.1	1.1	3.4	1.1	1.1	4.5	4.5	2.2	2.2	.1
			.7	.4	1.0	.2	.1	.4	.3	.1	.1	
COLUMN		573	138	247	311	471	710	1054	1272	2081	2289	63876
(CONTINUED) TOTAL		.9	.2	.4	.5	.7	1.1	1.7	2.0	3.3	3.6	100.0

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

MPCB	PCVISIT	TEN 10	ELEVEN 11	TWELVE 12	THIRTEEN 13	FOURTEEN 14	FIFTEEN 15	SIXTEEN OR MORE 16	NOT STATED 17	ROW TOTAL
NINTH MONTH 9	COUNT	2		3	2	2		2		110
	ROW PCT	1.8		2.7	1.8	1.8		1.8		.2
	COL PCT	.0		.0	.0	.0		.0		
NOT STATED 10	COUNT	3	3	6	6	4	4	5	39	89
	ROW PCT	3.4	3.4	6.7	6.7	4.5	4.5	5.6	43.8	.1
	COL PCT	.1	.1	.0	.1	.0	.0	.1	37.9	
COLUMN TOTAL		5479	3803	13125	6185	8426	8562	9047	103	63876
		8.6	6.0	20.5	9.7	13.2	13.4	14.2	.2	100.0

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT NONE 0	ONE 1	TWO 2	THREE 3	FOUR 4	FIVE 5	SIX 6	SEVEN 7	EIGHT 8	NINE 9	ROW TOTAL
0		839										839
NONE		100.0										2.8
		100.0										
1			19	20	15	31	40	59	81	95	107	3593
FIRST MONTH			.5	.6	.4	.9	1.1	1.6	2.3	2.6	3.0	12.1
			5.6	4.7	2.7	4.2	4.4	5.2	7.0	5.6	6.9	
2			22	35	41	68	83	132	192	285	309	8781
SECOND MONTH			.3	.4	.5	.8	.9	1.5	2.2	3.2	3.5	29.7
			6.5	8.2	7.4	9.1	9.1	11.6	16.7	16.9	19.8	
3			26	57	77	99	131	199	218	331	367	6713
THIRD MONTH			.4	.8	1.1	1.5	2.0	3.0	3.2	4.9	5.5	22.7
			7.7	13.3	14.0	13.3	14.3	17.4	18.9	19.7	23.5	
4			25	55	54	92	139	183	197	315	299	3833
FOURTH MONTH			.7	1.4	1.4	2.4	3.6	4.8	5.1	8.2	7.8	12.9
			7.4	12.8	9.8	12.4	15.2	16.0	17.1	18.7	19.2	
5			31	44	86	122	169	215	213	292	261	2602
FIFTH MONTH			1.2	1.7	3.3	4.7	6.5	8.3	8.2	11.2	10.0	8.8
			9.2	10.3	15.6	16.4	18.4	18.8	18.5	17.4	16.7	
6			35	47	67	117	160	164	129	216	154	1538
SIXTH MONTH			2.3	3.1	4.4	7.6	10.4	10.7	8.4	14.0	10.0	5.2
			10.4	11.0	12.2	15.7	17.5	14.4	11.2	12.8	9.9	
7			35	58	91	119	126	131	92	124	49	947
SEVENTH MONTH			3.7	6.1	9.6	12.6	13.3	13.8	9.7	13.1	5.2	3.2
			10.4	13.5	16.5	16.0	13.8	11.5	8.0	7.4	3.1	
8			73	78	82	82	60	51	24	19	10	497
EIGHTH MONTH			14.7	15.7	16.5	16.5	12.1	10.3	4.8	3.8	2.0	1.7
			21.7	18.2	14.9	11.0	6.6	4.5	2.1	1.1	.6	
COLUMN TOTAL		839	337	429	551	744	916	1142	1151	1682	1561	29605
		2.8	1.1	1.4	1.9	2.5	3.1	3.9	3.9	5.7	5.3	100.0

(CONTINUED)

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT TEN	ELEVEN	TWELVE	THIRTEEN	FOURTEEN	FIFTEEN	SIXTEEN OR MORE	NOT STATED	ROW TOTAL
		10	11	12	13	14	15	16	17	
0 NONE										839
										2.8
1 FIRST MONTH		233	122	718	336	356	753	602	6	3593
		6.5	3.4	20.0	9.4	9.9	21.0	16.8	.2	12.1
		7.4	5.4	13.8	16.4	15.0	30.3	22.6	7.8	
2 SECOND MONTH		726	733	1762	902	1295	1077	1113	6	8781
		8.3	8.3	20.1	10.3	14.7	12.3	12.7	.1	29.7
		23.2	32.2	33.9	44.1	54.7	43.3	41.7	7.8	
3 THIRD MONTH		836	576	1723	492	506	442	628	5	6713
		12.5	8.6	25.7	7.3	7.5	6.6	9.4	.1	22.7
		26.7	25.3	33.2	24.1	21.4	17.8	23.5	6.5	
4 FOURTH MONTH		649	467	641	214	146	127	220	10	3833
		16.9	12.2	16.7	5.6	3.8	3.3	5.7	.3	12.9
		20.7	20.5	12.3	10.5	6.2	5.1	8.2	13.0	
5 FIFTH MONTH		429	244	233	78	53	59	66	7	2602
		16.5	9.4	9.0	3.0	2.0	2.3	2.5	.3	8.8
		13.7	10.7	4.5	3.8	2.2	2.4	2.5	9.1	
6 SIXTH MONTH		187	110	84	12	8	16	31	1	1538
		12.2	7.2	5.5	.8	.5	1.0	2.0	.1	5.2
		6.0	4.8	1.6	.6	.3	.6	1.2	1.3	
7 SEVENTH MONTH		64	18	23	7	2	4	3	1	947
		6.8	1.9	2.4	.7	.2	.4	.3	.1	3.2
		2.0	.8	.4	.3	.1	.2	.1	1.3	
8 EIGHTH MONTH		8	1	4			2	2	1	497
		1.6	.2	.8			.4	.4	.2	1.7
		.3	.0	.1	.		.1	.1	1.3	
COLUMN TOTAL		3136	2277	5196	2044	2367	2487	2669	77	29605
(CONTINUED)		10.6	7.7	17.6	6.9	8.0	8.4	9.0	.3	100.0

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

MPCB	PCVISIT	NONE (0)	ONE (1)	TWO (2)	THREE (3)	FOUR (4)	FIVE (5)	SIX (6)	SEVEN (7)	EIGHT (8)	NINE (9)	ROW TOTAL
9 NINTH MONTH	COUNT		68	33	34	11	7	6	1	3	2	172
	ROW PCT		39.5	19.2	19.8	6.4	4.1	3.5	.6	1.7	1.2	.6
	COL PCT		20.2	7.7	6.2	1.5	.8	.5	.1	.2	.1	
10 NOT STATED	COUNT		3	2	4	3	1	2	4	2	3	90
	ROW PCT		3.3	2.2	4.4	3.3	1.1	2.2	4.4	2.2	3.3	.3
	COL PCT		.9	.5	.7	.4	.1	.2	.3	.1	.2	
COLUMN TOTAL		839	337	429	551	744	916	1142	1151	1682	1561	29605
		2.8	1.1	1.4	1.9	2.5	3.1	3.9	3.9	5.7	5.3	100.0

(CONTINUED)

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT TEN (10)	ELEVEN (11)	TWELVE (12)	THIRTEEN (13)	FOURTEEN (14)	FIFTEEN (15)	SIXTEEN OR MORE (16)	NOT STATED (17)	ROW TOTAL
9 NINTH MONTH	COUNT	1	1	2	1	3				172
	ROW PCT	.6	.6	1.2		1.7				.6
	COL PCT	.0	.0	.0		.1				
10 NOT STATED	COUNT	3	5	6	3	1	4	4	40	90
	ROW PCT	3.3	5.6	6.7	3.3	1.1	4.4	4.4	44.4	.3
	COL PCT	.1	.2	.1	.1	.0	.2	.1	51.9	
COLUMN TOTAL	COUNT	3136	2277	5196	2044	2367	2487	2669	77	29605
	PCT	10.6	7.7	17.6	6.9	8.0	8.4	9.0	.3	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 16

CROSSTABULATION OF LBND PREVIOUS LIVE BORN NOW DEAD BY RACE

LBND	RACE: WHITE (1)	RACE: NONWHITE (2)	ROW TOTAL
0 NONE	62902	28830	91732
	68.6	31.4	98.1
	98.5	97.4	
1 ONE	872	693	1565
	55.7	44.3	1.7
	1.4	2.3	
2 TWO	66	59	125
	52.8	47.2	.1
	.1	.2	
3 THREE	7	10	17
	41.2	58.8	.0
	.0	.0	
4 FOUR	1		1
	100.0		.0
	.0		
5 FIVE		1	1
		100.0	.0
		.0	
10 NOT STATED	28	12	40
	70.0	30.0	.0
	.0	.0	
COLUMN TOTAL	63876	29605	93481
	68.3	31.7	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF FETD PREVIOUS FETAL DEATHS BY RACE

FETD	COUNT / ROW PCT / COL PCT	RACE 1 WHITE	RACE 2 NONWHITE	ROW TOTAL
0 NONE		52808	24709	77517
		68.1	31.9	82.9
		82.7	83.5	
1 ONE		8406	3786	12192
		68.9	31.1	13.0
		13.2	12.8	
2 TWO		1901	823	2724
		69.8	30.2	2.9
		3.0	2.8	
3 THREE		468	192	660
		70.9	29.1	.7
		.7	.6	
4 FOUR		170	52	222
		76.6	23.4	.2
		.3	.2	
5 FIVE		58	17	75
		77.3	22.7	.1
		.1	.1	
6 SIX		22	5	27
		81.5	18.5	.0
		.0	.0	
7 SEVEN		5	4	9
		55.6	44.4	.0
		.0	.0	
8 EIGHT		4	1	5
		80.0	20.0	.0
		.0	.0	
9 NINE OR MORE		7	2	9
		77.8	22.2	.0
		.0	.0	
COLUMN TOTAL		63876	29605	93481
		68.3	31.7	100.0

(CONTINUED)

CROSSTABULATION OF FETD PREVIOUS FETAL DEATHS BY RACE

FETD	RACE 1 WHITE	2 NONWHITE	ROW TOTAL
10 NOT STATED	27	14	41
	65.9	34.1	.0
	.0	.0	
COLUMN TOTAL	63876	29605	93481
	68.3	31.7	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 18

CROSSTABULATION OF
APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

APGAR5	COUNT / ROW PCT / COL PCT	AGE 11	12	13	14	15	16	17	18	19	20	ROW TOTAL
0						1	1	1	4	5	10	74
ZERO							1.4	1.4	5.4	6.8	13.5	.1
							.1	.0	.1	.1	.2	
1						2	11	16	12	17	25	303
ONE						.7	3.6	5.3	4.0	5.6	8.3	.3
						.2	.6	.6	.3	.3	.4	
2						3	1	2	2	5	12	116
TWO						2.6	.9	1.7	1.7	4.3	10.3	.1
						.4	.1	.1	.1	.1	.2	
3					1		3	6	4	4	3	110
THREE					.9		2.7	5.5	3.6	3.6	2.7	.1
					.4		.2	.2	.1	.1	.1	
4						2	1	7	6	12	12	155
FOUR						1.3	.6	4.5	3.9	7.7	7.7	.2
						.2	.1	.2	.2	.2	.2	
5					1	2	11	12	13	24	28	315
FIVE					.3	.6	3.5	3.8	4.1	7.6	8.9	.3
					.4	.2	.6	.4	.3	.5	.5	
6					3	5	12	22	37	44	50	600
SIX					.5	.8	2.0	3.7	6.2	7.3	8.3	.6
					1.1	.6	.7	.8	.9	.9	.9	
7			3	5	19	45	42	64	123	102	1574	
SEVEN			.2	.3	1.2	2.9	2.7	4.1	7.8	6.5	1.7	
			5.2	1.9	2.4	2.5	1.5	1.6	2.5	1.8		
8		2	7	27	76	152	255	309	412	484	7143	
EIGHT		.0	.1	.4	1.1	2.1	3.6	4.3	5.8	6.8	7.6	
		16.7	12.1	10.0	9.5	8.4	9.0	7.9	8.3	8.5		
COLUMN TOTAL		1 .0	12 .0	58 .1	269 .3	802 .9	1806 1.9	2847 3.0	3933 4.2	4979 5.3	5692 6.1	93481 100.0

(CONTINUED)

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

APGAR5	AGE	21	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
0	COUNT	4	4	3	3	18	16	3	2			74
ZERO	ROW PCT	5.4	5.4	4.1	4.1	24.3	21.6	4.1	2.7			.1
	COL PCT	.1	.1	.0	.1	.1	.1	.1	.4			
1	COUNT	22	20	24	17	79	48	8	2			303
ONE	ROW PCT	7.3	6.6	7.9	5.6	26.1	15.8	2.6	.7			.3
	COL PCT	.4	.3	.4	.3	.3	.3	.2	.4			
2	COUNT	10	10	6	4	30	23	6	2			116
TWO	ROW PCT	8.6	8.6	5.2	3.4	25.9	19.8	5.2	1.7			.1
	COL PCT	.2	.2	.1	.1	.1	.1	.1	.4			
3	COUNT	10	7	11	10	29	11	8	2		1	110
THREE	ROW PCT	9.1	6.4	10.0	9.1	26.4	10.0	7.3	1.8		.9	.1
	COL PCT	.2	.1	.2	.2	.1	.1	.2	.4		10.0	
4	COUNT	14	9	13	7	34	29	8	1			155
FOUR	ROW PCT	9.0	5.8	8.4	4.5	21.9	18.7	5.2	.6			.2
	COL PCT	.2	.1	.2	.1	.1	.2	.2	.2			
5	COUNT	26	24	16	10	87	44	14	3			315
FIVE	ROW PCT	8.3	7.6	5.1	3.2	27.6	14.0	4.4	1.0			.3
	COL PCT	.4	.4	.3	.2	.3	.3	.3	.5			
6	COUNT	39	38	37	27	157	97	28	4			600
SIX	ROW PCT	6.5	6.3	6.2	4.5	26.2	16.2	4.7	.7			.6
	COL PCT	.6	.6	.6	.5	.6	.6	.6	.7			
7	COUNT	106	94	111	89	438	242	82	9			1574
SEVEN	ROW PCT	6.7	6.0	7.1	5.7	27.8	15.4	5.2	.6			1.7
	COL PCT	1.8	1.5	1.8	1.5	1.6	1.5	1.8	1.6			
8	COUNT	492	457	466	456	2017	1110	369	51	1		7143
EIGHT	ROW PCT	6.9	6.4	6.5	6.4	28.2	15.5	5.2	.7	.0		7.6
	COL PCT	8.1	7.4	7.7	7.6	7.3	6.9	8.0	9.2	4.0		
(CONTINUED)	COLUMN TOTAL	6042	6150	6079	5980	27616	15989	4634	557	25	10	93481
		6.5	6.6	6.5	6.4	29.5	17.1	5.0	.6	.0	.0	100.0

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

APGAR5	AGE	11	12	13	14	15	16	17	18	19	20	ROW TOTAL
	COUNT	1	9	35	180	534	1218	1879	2630	3360	3798	64360
9	ROW PCT	.0	.0	.1	.3	.8	1.9	2.9	4.1	5.2	5.9	68.6
NINE	COL PCT	100.0	75.0	60.3	66.9	66.6	67.4	66.0	66.9	67.5	66.7	
	COUNT		1	12	46	148	328	573	805	915	1114	17763
10	ROW PCT		.0	.1	.3	.8	1.8	3.2	4.5	5.2	6.3	19.0
TEN	COL PCT		8.3	20.7	17.1	18.5	18.2	20.1	20.5	18.4	19.6	
	COUNT			1	6	11	23	32	47	58	54	968
11	ROW PCT			.1	.6	1.1	2.4	3.3	4.9	6.0	5.6	1.0
NOT STATED	COL PCT			1.7	2.2	1.4	1.3	1.1	1.2	1.2	.9	
	COLUMN	1	12	58	269	802	1806	2847	3933	4979	5692	93481
(CONTINUED)	TOTAL	.0	.0	.1	.3	.9	1.9	3.0	4.2	5.3	6.1	100.0

CROSSTABULATION OF

APGARS APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER

CONTROLLING FOR..

RACE. VALUE = TOTAL

APGARS	AGE COUNT / ROW PCT / COL PCT	21	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	30	ROW TOTAL
	9	4085	4203	4200	4176	19240	11205	3219	366	19	3		64360
NINE		6.3	6.5	6.5	6.5	29.9	17.4	5.0	.6	.0	.0		68.8
		67.6	68.3	69.1	69.8	69.7	70.1	69.5	65.7	76.0	30.0		
	10	1175	1211	1143	1122	5229	3004	826	104	5	2		17763
TEN		6.6	6.8	6.4	6.3	29.4	16.9	4.7	.6	.0	.0		19.0
		19.4	19.7	18.8	18.8	18.9	18.8	17.8	18.7	20.0	20.0		
	11	59	73	49	59	258	160	63	11		4		968
NOT STATED		6.1	7.5	5.1	6.1	26.7	16.5	6.5	1.1		.4		1.0
		1.0	1.2	.8	1.0	.9	1.0	1.4	2.0		40.0		
	COLUMN	6042	6150	6079	5980	27616	15989	4634	557	25	10		93481
	TOTAL	6.5	6.6	6.5	6.4	29.5	17.1	5.0	.6	.0	.0		100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE

VALUE.. 1 WHITE

APGAR5	AGE / COUNT / ROW PCT / COL PCT	12	13	14	15	16	17	18	19	20	21	ROW TOTAL
0						1	1	2	1	7	2	37
ZERO						2.7	2.7	5.4	2.7	18.9	5.4	.1
						.1	.1	.1	.0	.2	.1	
1						6	4	4	6	8	2	120
ONE						5.0	3.3	3.3	5.0	6.7	1.7	.2
						.7	.3	.2	.2	.2	.1	
2								1	2	6	4	51
TWO								2.0	3.9	11.8	7.8	.1
								.0	.1	.2	.1	
3						2	3	1	3	2	4	52
THREE						3.8	5.8	1.9	5.8	3.8	7.7	.1
						.2	.2	.0	.1	.1	.1	
4				1			3	1	5	7	4	78
FOUR				1.3			3.8	1.3	6.4	9.0	5.1	.1
				.4			.2	.0	.2	.2	.1	
5				2		4	7	7	9	15	13	158
FIVE				1.3		2.5	4.4	4.4	5.7	9.5	8.2	.2
				.7		.5	.5	.3	.3	.4	.3	
6			2			5	6	14	22	24	19	317
SIX			.6			1.6	1.9	4.4	6.9	7.6	6.0	.5
			3.0			.6	.4	.6	.8	.7	.5	
7				5		22	25	38	63	56	55	915
SEVEN				.5		2.4	2.7	4.2	6.9	6.1	6.0	1.4
				1.8		2.7	1.7	1.7	2.2	1.6	1.5	
8			5	26		60	128	166	227	279	299	4578
EIGHT			.1	.6		1.3	2.8	3.6	5.0	6.1	6.5	7.2
			7.6	9.2		7.4	8.5	7.4	7.9	7.9	8.0	
COLUMN TOTAL		2	9	66	282	815	1503	2243	2881	3517	3759	63876
		.0	.0	.1	.4	1.3	2.4	3.5	4.5	5.5	5.9	100.0

(CONTINUED)

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

APGAR5	COUNT / ROW PCT / COL PCT	AGE 22	23	24	25	26	27	28	29	30	ROW TOTAL
					25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	
0		2	1		8	10	1	1			37
ZERO		5.4	2.7		21.6	27.0	2.7	2.7			.1
		.1	.0		.0	.1	.0	.3			
1		15	7	6	33	27	1	1			120
ONE		12.5	5.8	5.0	27.5	22.5	.8	.8			.2
		.4	.2	.1	.2	.2	.0	.3			
2		2	1		15	16	3	1			51
TWO		3.9	2.0		29.4	31.4	5.9	2.0			.1
		.1	.0		.1	.1	.1	.3			
3		5	2	8	13	7		2			52
THREE		9.6	3.8	15.4	25.0	13.5		3.8			.1
		.1	.0	.2	.1	.1		.5			
4		4	6	5	21	18	3				78
FOUR		5.1	7.7	6.4	26.9	23.1	3.8				.1
		.1	.1	.1	.1	.1	.1				
5		10	9	7	40	24	10	1			158
FIVE		6.3	5.7	4.4	25.3	15.2	6.3	.6			.2
		.3	.2	.2	.2	.2	.3	.3			
6		16	26	14	90	61	15	3			317
SIX		5.0	8.2	4.4	28.4	19.2	4.7	.9			.5
		.4	.6	.3	.4	.5	.4	.8			
7		45	64	50	278	156	51	7			915
SEVEN		4.9	7.0	5.5	30.4	17.0	5.6	.8			1.4
		1.1	1.6	1.2	1.4	1.3	1.5	1.8			
8		282	298	300	1407	803	266	32			4578
EIGHT		6.2	6.5	6.6	30.7	17.5	5.8	.7			7.2
		7.1	7.4	7.2	6.9	6.5	7.6	8.2			
COLUMN TOTAL		3950	4054	4158	20389	12338	3496	391	19	4	63876
		6.2	6.3	6.5	31.9	19.3	5.5	.6	.0	.0	100.0

(CONTINUED)

CROSSTABULATION OF APGARS APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER
CONTROLLING FOR.. RACE VALUE.. 1 WHITE

APGARS		AGE 12	13	14	15	16	17	18	19	20	21	ROW TOTAL
9	COUNT	2	5	41	183	522	959	1459	1934	2307	2538	43908
NINE	ROW PCT	.0	.0	.1	.4	1.2	2.2	3.3	4.4	5.3	5.8	68.7
	COL PCT	100.0	55.6	62.1	64.9	64.0	63.8	65.0	67.1	65.6	67.5	
10	COUNT		4	15	62	183	353	524	588	783	792	13114
TEN	ROW PCT		.0	.1	.5	1.4	2.7	4.0	4.5	6.0	6.0	20.5
	COL PCT		44.4	22.7	22.0	22.5	23.5	23.4	20.4	22.3	21.1	
11	COUNT			3	3	10	14	26	21	23	27	548
NOT STATED	ROW PCT			.5	.5	1.8	2.6	4.7	3.8	4.2	4.9	.9
	COL PCT			4.5	1.1	1.2	.9	1.2	.7	.7	.7	
COLUMN TOTAL		2	9	66	282	815	1503	2243	2881	3517	3759	63876
		.0	.0	.1	.4	1.3	2.4	3.5	4.5	5.5	5.9	100.0

(CONTINUED)

CROSSTABULATION OF APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER
CONTROLLING FOR.. RACE VALUE.. 1 WHITE

APGAR5	AGE	22	23	24	25	26	27	28	29	30	ROW TOTAL
	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED					
9	COUNT	2667	2793	2916	14200	8664	2439	263	14	2	43908
NINE	ROW PCT	6.1	6.4	6.6	32.3	19.7	5.6	.6	.0	.0	68.7
	COL PCT	67.5	68.9	70.1	69.6	70.2	69.8	67.3	73.7	50.0	
10	COUNT	861	817	814	4123	2449	668	72	5	1	13114
TEN	ROW PCT	6.6	6.2	6.2	31.4	18.7	5.1	.5	.0	.0	20.5
	COL PCT	21.8	20.2	19.6	20.2	19.8	19.1	18.4	26.3	25.0	
11	COUNT	41	30	38	161	103	39	8		1	548
NOT STATED	ROW PCT	7.5	5.5	6.9	29.4	18.8	7.1	1.5		.2	.9
	COL PCT	1.0	.7	.9	.8	.8	1.1	2.0		25.0	
COLUMN TOTAL		3950	4054	4158	20389	12338	3496	391	19	4	63876
		6.2	6.3	6.5	31.9	19.3	5.5	.6	.0	.0	100.0

TABLE 18

CROSSTABULATION OF
APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

APGAR5	COUNT / ROW PCT / COL PCT	AGE 11	12	13	14	15	16	17	18	19	20	ROW TOTAL
0									2	4	3	37
ZERO									5.4	10.8	8.1	.1
									.1	.2	.1	
1						2	5	12	8	11	17	183
ONE						1.1	2.7	6.6	4.4	6.0	9.3	.6
						.4	.5	.9	.5	.5	.8	
2						3	1	2	1	3	6	65
TWO						4.6	1.5	3.1	1.5	4.6	9.2	.2
						.6	.1	.1	.1	.1	.3	
3					1		1	3	3	1	1	58
THREE					1.7		1.7	5.2	5.2	1.7	1.7	.2
					.5		.1	.2	.2	.0	.0	
4						1	1	4	5	7	5	77
FOUR						1.3	1.3	5.2	6.5	9.1	6.5	.3
						.2	.1	.3	.3	.3	.2	
5				1	1		7	5	6	15	13	157
FIVE					.6		4.5	3.2	3.8	9.6	8.3	.5
					.5		.7	.4	.4	.7	.6	
6					1	5	7	16	23	22	26	283
SIX					.4	1.8	2.5	5.7	8.1	7.8	9.2	1.0
					.5	1.0	.7	1.2	1.4	1.0	1.2	
7			3	5	14	23	17	26	60	46	659	
SEVEN			.5	.8	2.1	3.5	2.6	3.9	9.1	7.0	2.2	
			6.1	2.5	2.7	2.3	1.3	1.5	2.9	2.1		
8		2	7	22	50	92	127	143	185	205	2565	
EIGHT		.1	.3	.9	1.9	3.6	5.0	5.6	7.2	8.0	8.7	
		20.0	14.3	10.8	9.6	9.3	9.4	8.5	8.8	9.4		
COLUMN TOTAL		1	10	49	203	520	991	1344	1690	2098	2175	29605
		.0	.0	.2	.7	1.8	3.3	4.5	5.7	7.1	7.3	100.0

(CONTINUED)

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

APGAR5	COUNT / ROW PCT / COL PCT	AGE 21	22	23	24	25	26	27	28	29	30	ROW TOTAL
		25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED					
0		2	2	2	3	10	6	2	1			37
ZERO		5.4	5.4	5.4	8.1	27.0	16.2	5.4	2.7			.1
		.1	.1	.1	.2	.1	.2	.2	.6			
1		20	5	17	11	46	21	7	1			183
ONE		10.9	2.7	9.3	6.0	25.1	11.5	3.8	.5			.6
		.9	.2	.8	.6	.6	.6	.6	.6			
2		6	8	5	4	15	7	3	1			65
TWO		9.2	12.3	7.7	6.2	23.1	10.8	4.6	1.5			.2
		.3	.4	.2	.2	.2	.2	.3	.6			
3		6	2	9	2	16	4	8			1	58
THREE		10.3	3.4	15.5	3.4	27.6	6.9	13.8			1.7	.2
		.3	.1	.4	.1	.2	.1	.7			16.7	
4		10	5	7	2	13	11	5	1			77
FOUR		13.0	6.5	9.1	2.6	16.9	14.3	6.5	1.3			.3
		.4	.2	.3	.1	.2	.3	.4	.6			
5		13	14	7	3	47	20	4	2			157
FIVE		8.3	8.9	4.5	1.9	29.9	12.7	2.5	1.3			.5
		.6	.6	.3	.2	.7	.5	.4	1.2			
6		20	22	11	13	67	36	13	1			283
SIX		7.1	7.8	3.9	4.6	23.7	12.7	4.6	.4			1.0
		.9	1.0	.5	.7	.9	1.0	1.1	.6			
7		51	49	47	39	160	86	31	2			659
SEVEN		7.7	7.4	7.1	5.9	24.3	13.1	4.7	.3			2.2
		2.2	2.2	2.3	2.1	2.2	2.4	2.7	1.2			
8		193	175	168	156	610	307	103	19	1		2565
EIGHT		7.5	6.8	6.5	6.1	23.8	12.0	4.0	.7	.0		8.7
		8.5	8.0	8.3	8.6	8.4	8.4	9.1	11.4	16.7		
COLUMN TOTAL		2283	2200	2025	1622	7227	3651	1138	166	6	6	29605
		7.7	7.4	6.8	6.2	24.4	12.3	3.8	.6	.0	.0	100.0

(CONTINUED)

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

APGAR5	AGE	11	12	13	14	15	16	17	18	19	20	ROW TOTAL
NINE	9	1	7	30	139	351	696	920	1171	1426	1491	20452
	ROW PCT	.0	.0	.1	.7	1.7	3.4	4.5	5.7	7.0	7.3	69.1
	COL PCT	100.0	70.0	61.2	68.5	67.5	70.2	68.5	69.3	68.0	68.6	
TEN	10		1	8	31	86	145	220	281	327	331	4649
	ROW PCT		.0	.2	.7	1.8	3.1	4.7	6.0	7.0	7.1	15.7
	COL PCT		10.0	16.3	15.3	16.5	14.6	16.4	16.6	15.6	15.2	
NOT STATED	11			1	3	8	13	16	21	37	31	420
	ROW PCT			.2	.7	1.9	3.1	4.3	5.0	8.8	7.4	1.4
	COL PCT			2.0	1.5	1.5	1.3	1.3	1.2	1.8	1.4	
(CONTINUED)	COLUMN TOTAL	1	10	49	203	520	991	1344	1690	2098	2175	29605
		.0	.0	.2	.7	1.8	3.3	4.5	5.7	7.1	7.3	100.0

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

APGAR5	AGE	21	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
9	COUNT	1547	1536	1407	1260	5040	2541	780	103	5	1	20452
NINE	ROW PCT	7.6	7.5	6.9	6.2	24.6	12.4	3.8	.5	.0	.0	69.1
	COL PCT	67.8	69.8	69.5	69.2	69.7	69.6	68.5	62.0	83.3	16.7	
10	COUNT	383	350	326	308	1106	555	158	32		1	4649
TEN	ROW PCT	8.2	7.5	7.0	6.6	23.8	11.9	3.4	.7		.0	15.7
	COL PCT	16.8	15.9	16.1	16.9	15.3	15.2	13.9	19.3		16.7	
11	COUNT	32	32	19	21	97	57	24	3		3	420
NOT STATED	ROW PCT	7.6	7.6	4.5	5.0	23.1	13.6	5.7	.7		.7	1.4
	COL PCT	1.4	1.5	.9	1.2	1.3	1.6	2.1	1.8		50.0	
COLUMN TOTAL		2283	2200	2025	1822	7227	3651	1138	166	6	6	29605
		7.7	7.4	6.8	6.2	24.4	12.3	3.8	.6	.0	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

APGARS APGAR SCORE FIVE MINUTES BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..

RACE. VALUE = TOTAL

APGARS	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	H.S. 1-3 YEARS 2	H.S. 4 YEARS 3	COL. 1-3 YEARS 4	COL. 4+ YEARS 5	NOT STATED 6	ROW TOTAL
0			18	29	16	10	1	74
ZERO			24.3	39.2	21.6	13.5	1.4	.1
			.1	.1	.1	.1	.9	
1		10	78	122	55	34	4	303
ONE		3.3	25.7	40.3	18.2	11.2	1.3	.3
		.3	.4	.3	.3	.2	3.8	
2		4	27	57	13	13	2	116
TWO		3.4	23.3	49.1	11.2	11.2	1.7	.1
		.1	.1	.1	.1	.1	1.9	
3		8	19	58	18	6	1	110
THREE		7.3	17.3	52.7	16.4	5.5	.9	.1
		.3	.1	.2	.1	.0	.9	
4		6	35	60	38	15	1	155
FOUR		3.9	22.6	38.7	24.5	9.7	.6	.2
		.2	.2	.2	.2	.1	.9	
5		8	71	145	57	34		315
FIVE		2.5	22.5	46.0	18.1	10.8		.3
		.3	.4	.4	.3	.2		
6		21	140	263	106	68	2	600
SIX		3.5	23.3	43.8	17.7	11.3	.3	.6
		.7	.8	.7	.6	.5	1.9	
7		61	351	684	283	193	2	1574
SEVEN		3.9	22.3	43.5	18.0	12.3	.1	1.7
		2.0	1.9	1.8	1.5	1.3	1.9	
8		251	1497	2947	1417	1025	6	7143
EIGHT		3.5	21.0	41.3	19.8	14.3	.1	7.6
		8.0	8.0	7.7	7.7	6.8	5.7	
COLUMN TOTAL		3120	18603	38261	18293	15098	106	93481
		3.3	19.9	40.9	19.6	16.2	.1	100.0

(CONTINUED)

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

APGAR5	EDUC COUNT ROW PCT COL PCT	1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
9		2005	12257	26263	12841	10951	43	64360
NINE		3.1	19.0	40.8	20.0	17.0	.1	68.8
		64.3	65.9	68.6	70.2	72.5	40.6	
10		701	3886	7266	3270	2631	9	17763
TEN		3.9	21.9	40.9	18.4	14.8	.1	19.0
		22.5	20.9	19.0	17.9	17.4	8.5	
11		45	224	367	179	118	35	968
NOT STATED		4.6	23.1	37.9	18.5	12.2	3.6	1.0
		1.4	1.2	1.0	1.0	.8	33.0	
COLUMN TOTAL		3120	18603	38261	18293	15098	106	93481
		3.3	19.9	40.9	19.6	16.2	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

APGAR5	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0			11	14	7	5		37
ZERO			29.7	37.8	18.9	13.5		.1
			.1	.1	.1	.0		
1		5	25	38	29	21	2	120
ONE		4.2	20.8	31.7	24.2	17.5	1.7	.2
		.2	.2	.2	.2	.2	4.2	
2			8	25	9	9		51
TWO			15.7	49.0	17.6	17.6		.1
			.1	.1	.1	.1		
3		4	10	25	10	3		52
THREE		7.7	19.2	48.1	19.2	5.8		.1
		.2	.1	.1	.1	.0		
4		3	16	26	22	11		78
FOUR		3.8	20.5	33.3	28.2	14.1		.1
		.1	.1	.1	.2	.1		
5		4	34	65	33	22		158
FIVE		2.5	21.5	41.1	20.9	13.9		.2
		.2	.3	.3	.2	.2		
6		9	63	132	60	52	1	317
SIX		2.8	19.9	41.6	18.9	16.4	.3	.5
		.4	.6	.5	.5	.4	2.1	
7		32	176	390	166	150	1	915
SEVEN		3.5	19.2	42.6	18.1	16.4	.1	1.4
		1.6	1.6	1.6	1.2	1.2	2.1	
8		147	817	1781	993	837	3	4578
EIGHT		3.2	17.8	38.9	21.7	18.3	.1	7.2
		7.3	7.5	7.2	7.5	6.5	6.3	
(CONTINUED)	COLUMN TOTAL	2001	10901	24751	13311	12864	48	63876
		3.1	17.1	38.7	20.8	20.1	.1	100.0

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

APGAR5	EDUC	1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
9	COUNT	1257	7079	16893	9304	9363	12	43908
NINE	ROW PCT	2.9	16.1	38.5	21.2	21.3	.0	68.7
	COL PCT	62.8	64.9	68.3	69.9	72.8	25.0	
10	COUNT	519	2564	5153	2569	2304	5	13114
TEN	ROW PCT	4.0	19.6	39.3	19.6	17.6	.0	20.5
	COL PCT	25.9	23.5	20.8	19.3	17.9	10.4	
11	COUNT	21	98	209	109	87	24	548
NOT STATED	ROW PCT	3.8	17.9	38.1	19.9	15.9	4.4	.9
	COL PCT	1.0	.9	.8	.8	.7	50.0	
COLUMN TOTAL		2001	10901	24751	13311	12864	48	63876
		3.1	17.1	38.7	20.8	20.1	.1	100.0

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

APGAR5	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL. 1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0			7	15	9	5	1	37
ZERO			18.9	40.5	24.3	13.5	2.7	.1
			.1	.1	.2	.2	1.7	
1		5	53	84	26	13	2	183
ONE		2.7	29.0	45.9	14.2	7.1	1.1	.6
		.4	.7	.6	.5	.6	3.4	
2		4	19	32	4	4	2	65
TWO		6.2	29.2	49.2	6.2	6.2	3.1	.2
		.4	.2	.2	.1	.2	3.4	
3		4	9	33	8	3	1	58
THREE		6.9	15.5	56.9	13.8	5.2	1.7	.2
		.4	.1	.2	.2	.1	1.7	
4		3	19	34	16	4	1	77
FOUR		3.9	24.7	44.2	20.8	5.2	1.3	.3
		.3	.2	.3	.3	.2	1.7	
5		4	37	80	24	12		157
FIVE		2.5	23.6	51.0	15.3	7.6		.5
		.4	.5	.6	.5	.5		
6		12	77	131	46	16	1	283
SIX		4.2	27.2	46.3	16.3	5.7	.4	1.0
		1.1	1.0	1.0	.9	.7	1.7	
7		29	175	294	117	43	1	659
SEVEN		4.4	26.6	44.6	17.8	6.5	.2	2.2
		2.6	2.3	2.2	2.3	1.9	1.7	
8		104	680	1166	424	188	3	2565
EIGHT		4.1	26.5	45.5	16.5	7.3	.1	8.7
		9.3	8.8	8.6	8.5	8.4	5.2	
(CONTINUED)	COLUMN TOTAL	1119 / 3.8	7702 / 26.0	13510 / 45.6	4982 / 16.8	2234 / 7.5	58 / .2	29605 / 100.0

CROSSTABULATION OF APGAR5 APGAR SCORE FIVE MINUTES BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

APGAR5	EDUC	1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL. 1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
9	COUNT	748	5178	9370	3537	1588	31	20452
NINE	ROW PCT	3.7	25.3	45.8	17.3	7.8	.2	69.1
	COL PCT	66.8	67.2	69.4	71.0	71.1	53.4	
10	COUNT	182	1322	2113	701	327	4	4649
TEN	ROW PCT	3.9	28.4	45.5	15.1	7.0	.1	15.7
	COL PCT	16.3	17.2	15.6	14.1	14.6	6.9	
11	COUNT	24	126	158	70	31	11	420
NOT STATED	ROW PCT	5.7	30.0	37.6	16.7	7.4	2.6	1.4
	COL PCT	2.1	1.6	1.2	1.4	1.4	19.0	
COLUMN TOTAL		1119	7702	13510	4982	2234	58	29605
		3.8	26.0	45.6	16.8	7.5	.2	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

MAL	COUNT / ROW PCT / COL PCT	AGE 11	12	13	14	15	16	17	18	19	20	ROW TOTAL
0		1	12	58	266	801	1793	2832	3900	4943	5661	92802
NONE		.0	.0	.1	.3	.9	1.9	3.1	4.2	5.3	6.1	99.3
		100.0	100.0	100.0	98.9	99.9	99.3	99.5	99.2	99.3	99.5	
1										1	1	19
741										5.3	5.3	.0
										.0	.0	
2							1		1	2	2	37
745,746							2.7		2.7	5.4	5.4	.0
							.1		.0	.0	.0	
3							1	2	4	2	1	76
749							1.3	2.6	5.3	2.6	1.3	.1
							.1	.1	.1	.0	.0	
4								2	2	1	1	41
752.6								4.9	4.9	2.4	2.4	.0
								.1	.1	.0	.0	
5				1					1	4	2	45
754.5 - 754.7				2.2					2.2	8.9	4.4	.0
				.4					.0	.1	.0	
6							5		10	4	7	91
755.0							5.5		11.0	4.4	7.7	.1
							.3		.3	.1	.1	
7												20
758.0												.0
8				2	1	6	11	15	22	17		350
ALL OTHER				.6	.3	1.7	3.1	4.3	6.3	4.9		.4
				.7	.1	.3	.4	.4	.4	.3		
COLUMN TOTAL		1	12	58	269	802	1806	2847	3933	4979	5692	93481
		.0	.0	.1	.3	.9	1.9	3.0	4.2	5.3	6.1	100.0

(CONTINUED)

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY AGE AGE OF MOTHER
CONTROLLING FOR.. RACE.
VALUE = TOTAL

MAL	COUNT / ROW PCT / COL PCT	AGE 21	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
0		5986	6083	6042	5950	27427	15867	4595	552	25	8	92802
NONE		6.5	6.6	6.5	6.4	29.6	17.1	5.0	.6	.0	.0	99.3
		99.1	98.9	99.4	99.5	99.3	99.2	99.2	99.1	100.0	80.0	
1		4	2			6	3	2				19
741		21.1	10.5			31.6	15.8	10.5				.0
		.1	.0			.0	.0	.0				
2		2	5		1	10	8	4	1			37
745,746		5.4	13.5		2.7	27.0	21.6	10.8	2.7			.0
		.0	.1		.0	.0	.1	.1	.2			
3		4	10	5	4	19	18	6				76
749		5.3	13.2	6.6	5.3	25.0	23.7	7.9				.1
		.1	.2	.1	.1	.1	.1	.1				
4		2	4	4	2	15	5	3				41
752.6		4.9	9.8	9.8	4.9	36.6	12.2	7.3				.0
		.0	.1	.1	.0	.1	.0	.1				
5		3	8		2	17	6	1				45
754.5 - 754.7		6.7	17.8		4.4	37.8	13.3	2.2				.0
		.0	.1		.0	.1	.0	.0				
6		9	9	7	3	17	15	5				91
755.0		9.9	9.9	7.7	3.3	18.7	16.5	5.5				.1
		.1	.1	.1	.1	.1	.1	.1				
7			3		2	7	3	4	1			20
758.0			15.0		10.0	35.0	15.0	20.0	5.0			.0
			.0		.0	.0	.0	.1	.2			
8		32	26	21	16	98	64	14	3		2	350
ALL OTHER		9.1	7.4	6.0	4.6	28.0	18.3	4.0	.9		.6	.4
		.5	.4	.3	.3	.4	.4	.3	.5		20.0	
COLUMN TOTAL		6042	6150	6079	5980	27616	15989	4634	557	25	10	93481
		6.5	6.6	6.5	6.4	29.5	17.1	5.0	.6	.0	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MAL	COUNT / ROW PCT / COL PCT	AGE 12	13	14	15	16	17	18	19	20	21	ROW TOTAL
0 NONE		2	9	65	282	809	1494	2223	2657	3499	3728	63408
		.0	.0	.1	.4	1.3	2.4	3.5	4.5	5.5	5.9	99.3
		100.0	100.0	98.5	100.0	99.3	99.4	99.1	99.2	99.5	99.2	
1 741									1	1	3	12
									8.3	8.3	25.0	.0
									.0	.0	.1	
2 745,746						1			1	2	2	32
						3.1			3.1	6.3	6.3	.1
						.1			.0	.1	.1	
3 749							1	3	1	1	3	60
							1.7	5.0	1.7	1.7	5.0	.1
							.1	.1	.0	.0	.1	
4 752.6							2	1		1	2	35
							5.7	2.9		2.9	5.7	.1
							.1	.0		.0	.1	
5 754.5 - 754.7				1				1	4	1	1	37
				2.7				2.7	10.8	2.7	2.7	.1
				1.5				.0	.1	.0	.0	
6 755.0						1		3		4		25
						4.0		12.0		16.0		.0
						.1		.1		.1		
7 758.0												16
												.0
8 ALL OTHER						4	6	12	17	8	20	251
						1.6	2.4	4.8	6.8	3.2	8.0	.4
						.5	.4	.5	.6	.2	.5	
COLUMN TOTAL		2	9	66	282	815	1503	2243	2881	3517	3759	63876
		.0	.0	.1	.4	1.3	2.4	3.5	4.5	5.5	5.9	100.0

(CONTINUED)

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY AGE AGE OF MOTHER

CONTROLLING FOR.. RACE VALUE.. 1 WHITE

MAL	COUNT / ROW PCT / COL PCT	AGE 22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
	0	3907	4033	4135	20248	12243	3464	387	19	4	63408
NONE		6.2	6.4	6.5	31.9	19.3	5.5	.6	.0	.0	99.3
		98.9	99.5	99.4	99.3	99.2	99.1	99.0	100.0	100.0	
	1	1			3	2	1				12
741		8.3			25.0	16.7	8.3				.0
		.0			.0	.0	.0				
	2	4		1	8	8	4	1			32
745,746		12.5		3.1	25.0	25.0	12.5	3.1			.1
		.1		.0	.0	.1	.1	.3			
	3	9	2	3	16	15	6				60
749		15.0	3.3	5.0	26.7	25.0	10.0				.1
		.2	.0	.1	.1	.1	.2				
	4	2	3	2	14	5	3				35
752.6		5.7	8.6	5.7	40.0	14.3	8.6				.1
		.1	.1	.0	.1	.0	.1				
	5	6		2	15	5	1				37
754.5 - 754.7		16.2		5.4	40.5	13.5	2.7				.1
		.2		.0	.1	.0	.0				
	6	2	1	1	5	5	3				25
755.0		8.0	4.0	4.0	20.0	20.0	12.0				.0
		.1	.0	.0	.0	.0	.1				
	7	3		1	5	3	3	1			16
758.0		18.8		6.3	31.3	18.8	18.8	6.3			.0
		.1		.0	.0	.0	.1	.3			
	8	16	15	13	75	52	11	2			251
ALL OTHER		6.4	6.0	5.2	29.9	20.7	4.4	.8			.4
		.4	.4	.3	.4	.4	.3	.5			
	COLUMN TOTAL	3950	4054	4158	20389	12338	3496	391	19	4	63876
		6.2	6.3	6.5	31.9	19.3	5.5	.6	.0	.0	100.0

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MAL	COUNT / ROW PCT / COL PCT	AGE 11	12	13	14	15	16	17	18	19	20	ROW TOTAL
0 NONE		1	10	49	201	519	984	1338	1677	2086	2162	29394
		.0	.0	.2	.7	1.8	3.3	4.6	5.7	7.1	7.4	99.3
		100.0	100.0	100.0	99.0	99.8	99.3	99.6	99.2	99.4	99.4	
1 741												7
												.0
2 745,746									1	1		5
									20.0	20.0		.0
									.1	.0		
3 749							1	1	1	1		16
							6.3	6.3	6.3	6.3		.1
							.1	.1	.1	.0		
4 752.6									1	1		6
									16.7	16.7		.0
									.1	.0		
5 754.5 - 754.7											1	8
											12.5	.0
											.0	
6 755.0							4		7	4	3	66
							6.1		10.6	6.1	4.5	.2
							.4		.4	.2	.1	
7 758.0												4
												.0
8 ALL OTHER				2	1	1	2	5	3	5	9	99
				2.0	1.0	1.0	2.0	5.1	3.0	5.1	9.1	.3
				1.0	.2	.2	.2	.4	.2	.2	.4	
COLUMN TOTAL		1	10	49	203	520	991	1344	1690	2098	2175	29605
		.0	.0	.2	.7	1.8	3.3	4.5	5.7	7.1	7.3	100.0

(CONTINUED)

CROSSTABULATION OF MAL CONGENITAL MALFORMATION BY AGE AGE OF MOTHER
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

MAL	COUNT / ROW PCT / COL PCT	21	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
0		2258	2176	2009	1815	7179	3624	1131	165	6	4	29394
NONE		7.7	7.4	6.8	6.2	24.4	12.3	3.8	.6	.0	.0	99.3
		98.9	98.9	99.2	99.6	99.3	99.3	99.4	99.4	100.0	66.7	
1		1	1			3	1	1				7
741		14.3	14.3			42.9	14.3	14.3				.0
		.0	.0			.0	.0	.1				
2			1			2						5
745,746			20.0			40.0						.0
			.0			.0						
3		1	1	3	1	3	3					16
749		6.3	6.3	18.8	6.3	18.8	18.8					.1
		.0	.0	.1	.1	.0	.1					
4			2	1		1						6
752.6			33.3	16.7		16.7						.0
			.1	.0		.0						
5		2	2			2	1					8
754.5 - 754.7		25.0	25.0			25.0	12.5					.0
		.1	.1			.0	.0					
6		9	7	6	2	12	10	2				66
755.0		13.6	10.6	9.1	3.0	18.2	15.2	3.0				.2
		.4	.3	.3	.1	.2	.3	.2				
7					1	2		1				4
758.0					25.0	50.0		25.0				.0
					.1	.0		.1				
8		12	10	6	3	23	12	3	1		2	99
ALL OTHER		12.1	10.1	6.1	3.0	23.2	12.1	3.0	1.0		2.0	.3
		.5	.5	.3	.2	.3	.3	.3	.6		33.3	
COLUMN TOTAL		2283	2200	2025	1822	7227	3651	1138	166	6	6	29605
		7.7	7.4	6.8	6.2	24.4	12.3	3.8	.6	.0	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF MAL CONGENITAL MALFORMATION BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR.. RACE.
VALUE = TOTAL
PAGE 1 OF 1

MAL	EDUC	1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0 NONE	COUNT	3098	18470	37975	18153	15001	105	92802
	ROW PCT	3.3	19.9	40.9	19.6	16.2	.1	99.3
	COL PCT	99.3	99.3	99.3	99.2	99.4	99.1	
1 741	COUNT		3	10	5	1		19
	ROW PCT		15.8	52.6	26.3	5.3		.0
	COL PCT		.0	.0	.0	.0		
2 745,746	COUNT		3	14	14	6		37
	ROW PCT		8.1	37.8	37.8	16.2		.0
	COL PCT		.0	.0	.1	.0		
3 749	COUNT	2	19	25	17	13		76
	ROW PCT	2.6	25.0	32.9	22.4	17.1		.1
	COL PCT	.1	.1	.1	.1	.1		
4 752.6	COUNT	1	11	10	10	9		41
	ROW PCT	2.4	26.8	24.4	24.4	22.0		.0
	COL PCT	.0	.1	.0	.1	.1		
5 754.5 - 754.7	COUNT	2	4	26	9	4		45
	ROW PCT	4.4	8.9	57.8	20.0	8.9		.0
	COL PCT	.1	.0	.1	.0	.0		
6 755.0	COUNT	1	22	46	14	8		91
	ROW PCT	1.1	24.2	50.5	15.4	8.8		.1
	COL PCT	.0	.1	.1	.1	.1		
7 758.0	COUNT		2	8	2	8		20
	ROW PCT		10.0	40.0	10.0	40.0		.0
	COL PCT		.0	.0	.0	.1		
8 ALL OTHER	COUNT	16	69	147	69	48	1	350
	ROW PCT	4.6	19.7	42.0	19.7	13.7	.3	.4
	COL PCT	.5	.4	.4	.4	.3	.9	
COLUMN TOTAL		3120	18603	38261	18293	15098	106	93481
		3.3	19.9	40.9	19.6	16.2	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MAL		COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	1 H.S. 1-3 YEARS	2 H.S. 4 YEARS	3 COL. 1-3 YEARS	4 COL. 4+ YEARS	5 NOT STATED	6 ROW TOTAL
NONE	0	COUNT	1984	10821	24566	13211	12778	48	63408
		ROW PCT	3.1	17.1	38.7	20.8	20.2	.1	99.3
		COL PCT	99.2	99.3	99.3	99.2	99.3	100.0	
741	1	COUNT		2	7	2	1		12
		ROW PCT		16.7	58.3	16.7	8.3		.0
		COL PCT		.0	.0	.0	.0		
745,746	2	COUNT		3	11	12	6		32
		ROW PCT		9.4	34.4	37.5	18.8		.1
		COL PCT		.0	.0	.1	.0		
749	3	COUNT	1	13	20	13	13		60
		ROW PCT	1.7	21.7	33.3	21.7	21.7		.1
		COL PCT	.0	.1	.1	.1	.1		
752.6	4	COUNT	1	7	9	9	9		35
		ROW PCT	2.9	20.0	25.7	25.7	25.7		.1
		COL PCT	.0	.1	.0	.1	.1		
754.5 - 754.7	5	COUNT	2	4	21	6	4		37
		ROW PCT	5.4	10.8	56.8	16.2	10.8		.1
		COL PCT	.1	.0	.1	.0	.0		
755.0	6	COUNT	1	5	13	3	3		25
		ROW PCT	4.0	20.0	52.0	12.0	12.0		.0
		COL PCT	.0	.0	.1	.0	.0		
758.0	7	COUNT		2	5	2	7		16
		ROW PCT		12.5	31.3	12.5	43.8		.0
		COL PCT		.0	.0	.0	.1		
ALL OTHER	8	COUNT	12	44	99	53	43		251
		ROW PCT	4.8	17.5	39.4	21.1	17.1		.4
		COL PCT	.6	.4	.4	.4	.3		
	COLUMN TOTAL		2001	10901	24751	13311	12864	48	63876
			3.1	17.1	38.7	20.8	20.1	.1	100.0

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MAL	EDUC	1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0 NONE	COUNT	1114	7649	13409	4942	2223	57	29394
	ROW PCT	3.8	26.0	45.6	16.8	7.6	.2	99.3
	COL PCT	99.6	99.3	99.3	99.2	99.5	98.3	
1 741	COUNT		1	3	3			7
	ROW PCT		14.3	42.9	42.9			.0
	COL PCT		.0	.0	.1			
2 745,746	COUNT			3	2			5
	ROW PCT			60.0	40.0			.0
	COL PCT			.0	.0			
3 749	COUNT	1	6	5	4			16
	ROW PCT	6.3	37.5	31.3	25.0			.1
	COL PCT	.1	.1	.0	.1			
4 752.6	COUNT		4	1	1			6
	ROW PCT		66.7	16.7	16.7			.0
	COL PCT		.1	.0	.0			
5 754.5 - 754.7	COUNT			5	3			8
	ROW PCT			62.5	37.5			.0
	COL PCT			.0	.1			
6 755.0	COUNT		17	33	11	5		66
	ROW PCT		25.8	50.0	16.7	7.6		.2
	COL PCT		.2	.2	.2	.2		
7 758.0	COUNT			3		1		4
	ROW PCT			75.0		25.0		.0
	COL PCT			.0		.0		
8 ALL OTHER	COUNT	4	25	48	16	5	1	99
	ROW PCT	4.0	25.3	48.5	16.2	5.1	1.0	.3
	COL PCT	.4	.3	.4	.3	.2	1.7	
COLUMN TOTAL		1119	7702	13510	4982	2234	58	29605
		3.8	26.0	45.6	16.8	7.5	.2	100.0

NUMBER OF MISSING OBSERVATIONS = 0

STATE LIBRARY OF NORTH CAROLINA
3 3091 00795 5263

Department of Human Resources
Division of Health Services
State Center for Health Statistics
P.O. Box 2091
Raleigh, N.C. 27602-2091
919/733-4728

BULK RATE
U.S. Postage
PAID
Raleigh, N.C. 27602-2091
Permit No. 1862

LIBRARY ASSISTANT (CY 5 OF 5)
STATE DOCUMENTS CLEARINGHOUSE
ARCHIVES/LIBRARY BUILDING
RALEIGH, NC INTEROFFICE

500 copies of this public document were printed at a cost of $399.08 or 80¢ per copy.